2000 CONCORDE/INTREPID/LHS/300M (LH)









Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION


1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.

The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	2 = Built in Canada by DaimlerChrysler Canada Inc
2	Make	B = Dodge C = Chrysler
3	Vehicle type	3 = Passenger Car
4	GVWR & Pass. Safety	H = Restraint System Active Driver & Passanger Air Bag
5	Vehicle Line	C = Chrysler LHS E = Chrysler 300M C = Chrysler Concorde H = Chrysler Intrepid (Canada) D = Dodge Intrepid (US, Mexico, & BUX w/MUD)
6	Series	3 = Medium Line (M) 4 = High Line (H) 5 = Premium Line (P) 6 = Sport Line (S) X = Special Line (X)
7	Body Style	6 = 4 Door Sedan
8	Engine	G = 3.5L 6 cyl. 24 V (EGG) R = 2.7L 6 cyl. DOHC Flex (EER) J = 3.2L 6 cyl. 24V SOHC (EGW) U = 2.7L 6 cyl. DOHC 24V (SFI) (EES) V = 3.5L 6 cyl. 24V (SOHC) Magnum (EGC)
9	Check Digit	
10	Model Year	Y = 2000
11	Assembly Plant	H = Bramelea Assembly
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

Group – 001


Component Parts for Mopar Accessories



001–100	001–200	001–300	001–600
Audio & Electronics	Carriers & Cargo Hauling	Driving Convenience	Fog Lights & Electrical
001-900			
Security			

GROUP 1 - Component Parts for Mopar Accessories

Illustration Title	Group-Fig. No
Audio & Electronics	
Player Kit - CD Changer - 4 Disc	Fig. 001-110
Player Kit - CD Changer - 6 Disc	Fig. 001-115
Player Kit - CD Changer - 12 Disc	
Install Kit - CD Changer - Trunk	Fig. 001-130
Carriers & Cargo Hauling	
Bike Carrier - Hitch Mount	Fig. 001-210
Bike Carrier - Roof Mount Fork Mount Style	Fig. 001-212
Bike Carrier - Roof Mount Upright	
Ski Carrier - Hitch Mount	
Ski Carrier - (Two Pair) Roof Mount	~
Ski Carrier - Roof Mount Six Pair	•
Rack Kit - Roof Removable	-
Trailer Tow Harness	Fig. 001-290
Driving Convenience	
Mounting Kit - Cell Phone	Fig. 001-330
Fog Lights & Electrical	
Heater Kit - Engine and Battery	Fig. 001-610
Security	
Alarm, EVS II Security Plus	Fig. 001-910
Module Package - Keyless Entry	Fig. 001-920



1 8220 5893 1 C, D, Y 41 PLAYER PACKAGE, CD Chan 4 Disc CHANGER, CD, Serviced in pa only, (NOT SERVICED) (Not Serviced) 3 4759 529AA 1 C, D, Y 41 DIN CORD, CD Player 4 4595 829AA 1 C, D, Y 41 ADAPTOR, CD changer	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4 Disc CHANGER, CD, Serviced in pa only, (NOT SERVICED) (Not Serviced) 3 4759 529AA 1 C, D, Y 41 DIN CORD, CD Player 4 4595 829AA 1 C, D, Y 41 ADAPTOR, CD changer 5 6032 723 1 C, D, Y 41 SCREW, Self Tapping, M4.2x1	ITEIWI	NOMBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIIVI	DESCRIPTION
4 Disc CHANGER, CD, Serviced in pa only, (NOT SERVICED) (Not Serviced) 3 4759 529AA 1 C, D, Y 41 DIN CORD, CD Player 4 4595 829AA 1 C, D, Y 41 ADAPTOR, CD changer 5 6032 723 1 C, D, Y 41 SCREW, Self Tapping, M4.2x1	1 82	220 5893	1	C, D, Y		41				PLAYER PACKAGE, CD Changer -
only, (NOT SERVICED) (Not Serviced) 3 4759 529AA 1 C, D, Y 41 DIN CORD, CD Player 4 4595 829AA 1 C, D, Y 41 ADAPTOR, CD changer 5 6032 723 1 C, D, Y 41 SCREW, Self Tapping, M4.2x1										
3 4759 529AA 1 C, D, Y 41 DIN CORD, CD Player 4 4595 829AA 1 C, D, Y 41 ADAPTOR, CD changer 5 6032 723 1 C, D, Y 41 SCREW, Self Tapping, M4.2x1	2									CHANGER, CD, Serviced in packag only, (NOT SERVICED) (Not Serviced)
4 4595 829AA 1 C, D, Y 41 ADAPTOR, CD changer 5 6032 723 1 C, D, Y 41 SCREW, Self Tapping, M4.2x1	3 47	759 529AA	1	C. D. Y		41				
5 6032 723 1 C, D, Y 41 SCREW, Self Tapping, M4.2x1										
										SCREW, Self Tapping, M4.2x1.


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

3
2

						l			
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I Elvi	NUMBER	Q I I	LINE	SERIES	BODI	ENGINE	IKANS	I Kilvi	DESCRIPTION
	::. OD 0								
1 NOTE; US	se with CD-Co	ontrolled	radios. Fo	r radios wi	thout CD (Changer co	ntrols, use	FM-M	odulator Kit 82202292 PLAYER KIT, CD Changer - 6 Disc
ı	8220 3465	1	C, D, Y		41				with Data Bus 12 pin connector
	8220 2700	1	0, 0, 1		71				With Bata Bas 12 pin connector
2	4797 433	1	C, D, Y		41				MAGAZINE, CD Changer
3									CHANGER, CD, Serviced in Kit,
									(NOT SERVICED) (Not Serviced)
CONCORDE-	-INTREPID-LHS-3	300M (LH)							
SERIES	LINE		BC	DY		NGINE	0 DCUC		FRANSMISSION CONTRACTOR OF THE PROPERTY OF THE
H = High Lin P = Premium	$\begin{array}{ll} \text{ne} & \text{D} = \text{Intro} \\ \text{C} = \text{LHS} \end{array}$	epid S, Concor		= 4 Door Se		ER = 2.7L V ES = 2.7L V		[/	DGX = 4 Speed Automatic
S = Special	Y = 300)M	-		E	GG = 3.5LV	6 MPI 24V		
M = LXI X = R/T					E	:GW = 3.2L \ :GC = 3.5L V	/6 МРІ 24V 6 SOHC		
					_	0.0 <u>-</u> V			



	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•								
							RF Modul	lator, Powe	r Cord	Din Cord, Hand Held and IR Remote
	Control	ler and Opera	•		sc Magazir					
	1	8220 4730	1	C, D, Y		41				PLAYER KIT, CD Changer - 12 Disc
	2	5013 804AA	1	C, D, Y		41				MODULATOR, FM
		5013 800AA-	1	C, D, Y		41				HARDWARE KIT, Mounting
	4	5013 806AA	1	C, D, Y		41				CHANGER, CD
	5	5013 802AA	1	C, D, Y		41				CONTROLLER, CD Wireless
		5013 805AA	1	C, D, Y		41				MAGAZINE, CD Changer
		5013 803AA	1	C, D, Y		41				CONTROLLER, CD Wired
	8	4465 117	1	C, D, Y		41				ADAPTOR, A/C
	9	5013 801AA	1	C, D, Y		41				DIN CORD, CD Player
,										
	CONCODDE	INTREPID-LHS-3	00M /I LIV							
	SERIES	LINE		BC	DY		NGINE			TRANSMISSION
	H = High Line P = Premium				= 4 Door Se		ER = 2.7L V ES = 2.7L V			DGX = 4 Speed Automatic
	P = Premium S = Special M = LXI X = R/T	C = LHS Y = 300l		ue		E E	GG = 3.5L V GW = 3.2L V GC = 3.5L V	6 MPI 24V 6 MPI 24V		
	∧ = r\/ I					E	GC = 3.5L V	0 3000		

	1)
7 99999999	6
	3


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: F	M Modulator, 0	CD Con	troller, wire	ed and Mou	inting Hard	dware Kit a	re serviced	d in the	Install Kit only.
•									
1	8220 2292	1			41				INSTALL KIT, CD Changer - Trunk
2									MODULATOR, FM Changer, (NOT
	5047.0474.4				4.4				SERVICED) (Not Serviced)
3	5017 217AA	1			41				CONTROLLER, CD Wireless
4									CONTROLLER, CD Wired, (NOT
5	4465 117	1			41				SERVICED) (Not Serviced) ADAPTOR, A/C
6	4465 113	1			41				CABLE, Din
7	4400 110	•			71				BRACKET, (NOT SERVICED) (Not
•									Serviced)
									25225,

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC




	PART				v				
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE: F	Folds down for a	access t	o rear ded	ck, has anti	theft bolts	i.			
1	8220 4452	1	D, Y	,	41				CARRIER KIT, Bike
2	4762 880	1	D, Y		41				STRAP KIT, Velcro, Contains: 1- Long & 1-Short Strap
3	5016 775AA	1	D, Y		41				STRAP KIT, Bike Carrier Latch,
4	4762 882	1	D, Y		41				Contains: 2-Rubber Straps LOCK KIT, Bike Carrier Handle
5	5016 774AA	1	D, Y		41				BOLT KIT, Security, Contains: 1- Security Bolt, 1- Security Wrench
6	5016 610AA	1	D, Y		41				1- Washer & 1-Nut HARDWARE KIT, Accessory, T- Handle
NCORDI RIES	E-INTREPID-LHS-3	00M (LH)-		DDY		NGINE			TRANSMISSION

Bike Carrier - Roof Mount Fork Mount Style Figure 001-212




ITE	PART	0.7%		055:50	DODY	- FNG:::=	TDANG		DECORPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: U	lardware Kit als	ao oonto	sinad in Ca	orrior Kit					
1	8230 0585	1	anieu in Ca	airiei Kit.					CARRIER KIT, Bike, Fork - Mount
2	5016 512AA	1							HARDWARE KIT, Accessory,
									Contains: 2-T-Slots Bars, 4-Rour
									Dome Washers, 4-M6X1.0X16M
									Machine Screws and 2-M6
									Lockwashers.
3	5016 513AA	1							STRAP, Cargo Tie Down, Contain
									2-Straps
ONCORDE ERIES	:-INTREPID-LHS-3 LINE	00M (LH)		DDY	F	NGINE			TRANSMISSION
= High Lir	ne D = Intre	epid	41	= 4 Door Se	dan E	ER = 2.7LV		ı	DGX = 4 Speed Automatic
= Premiun = Special	m $C = LHS$ Y = 300	S, Concor M	de		E F	ES = 2.7L V EGG = 3.5L V	6 DOHC 24\ /6 MPI 24V	/	
= LXI	. = 330	•			E	GW = 3.2L \	/6 MPI 24V		
= LAI : R/T					E	GW = 3.2L V GC = 3.5L V	6 SOHC		

Bike Carrier - Roof Mount Upright Figure 001-214





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3471	1							CARRIER KIT, Bike, Upright - Mount
2	5016 512AA	1							HARDWARE KIT, Accessory
3	5016 513AA	1							STRAP, Cargo Tie Down
4	5018 194AA	1							HARDWARE KIT, Bike Carrier
-									
									_
-									
									-
CONCORDE SERIES	-INTREPID-LHS-3 LINE	00M (LH)	D/	DDY		 NGINE			FRANSMISSION
H = High Lin	e D = Intro	epid	41	ז טכז = 4 Door Se	dan E	ER = 2.7L V	6 DOHC	[DGX = 4 Speed Automatic
P = Premiun	C = LHS	S, Concor			E	ES = 2.7L V	6 DOHC 24\	/	
S = Special M = LXI	Y = 300	IVI			E	EGG = 3.5L V EGW = 3.2L V	о IVIPI 24V /6 MPI 24V		
X = R/T					E	GC = 3.5L V	6 SOHC		




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTF: F	or use with a 1	25' Hit	ch Receive	er					
1	8220 4454	1	C, D, Y	,,,,	41				CARRIER KIT, Ski - 4 Pair
2	4762 881	1	C, D, Y		41				STRAP KIT, Bike Carrier Latch
3	4762 882	1	C, D, Y		41				LOCK KIT, Bike Carrier Handle
4	5016 774AA	1	C, D, Y		41				BOLT KIT, Security, Contains: 1-
5	5016 610AA	1	C, D, Y		41				Security Bolt, 1- Security Wrench 1- Washer and 1-Nut HARDWARE KIT, Accessory, Replacement T-Handle
									replacement i mandie
									_
ONCORDI ERIES = High Li = Premiu = Special = LXI	m $C = LHS$	epid S, Concor	BC 41	DDY = 4 Door Se	dan E E E	ENGINE EER = 2.7L V EES = 2.7L V EGG = 3.5L V EGW = 3.2L V	6 DOHC 24\ 6 MPI 24V	ı	TRANSMISSION DGX = 4 Speed Automatic

Ski Carrier - (Two Pair) Roof Mount Figure 001-222







CONCORDE-INTREPID-LHS-300M (LH)-

SERIES H = High Line P = Premium S = Special


X = R/T

LINE D = Intrepid C = LHS, Concorde Y = 300M BODY 41 = 4 Door Sedan

ENGINE

ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Ski Carrier - Roof Mount Six Pair Figure 001-224



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NUMBER	QIT	LINE	SERIES	ВОЛТ	ENGINE	IKANS	I KIIVI	DESCRIPTION
1	8220 5994	1							CARRIER KIT, Ski
2	5019 362AA	1							HARDWARE KIT, Mounting
ICOPDE	INTREPID-LHS-3	00M (I H)							
RIES	LINE		BC	DDY = 4 Door Se	dan l	ENGINE EER = 2.7L V	S DOLLC	-	TRANSMISSION DGX = 4 Speed Automatic
High Line Premium Special	C = LHS Y = 300I	Concorde	e 41	- 4 DOOL 36		EER = 2.7L V EES = 2.7L V EGG = 3.5L V	5 DOHC 24\	/	DON - 4 Opeeu Automatic
LXI	1 = 3001	.vi				=GG = 3.5L v =GW = 3.2L \	∪ IVII ⁻ I ∠4 V		

Rack Kit - Roof Removable Figure 001-230

_


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
. –									
Note: Tool for 5mm set screws is included 1 8220 3650 1 C, D 41 RACK KIT, Roof - Removable									
2	5066 088AA	1	C, D		41				END CAP, Roof Rack Side Rail
_		·	0, 2						

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Trailer Tow Harness Figure 001-290



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4									WIDING DACKAGE Trailer Tou
1	0000 4000		С		44				WIRING PACKAGE, Trailer Tow
	8220 4639	1			41				LHS Vehicles only
_	8220 4638	1	C, D, Y		41				W/D/10 T 11 T 4 W
2									WIRING, Trailer Tow - 4 Way,
									Serviced in Package, (NOT
_									SERVICED) (Not Serviced)
3	4672 295	1							MODULE, Lighting Control
4									STRAP, Tie
	4641 780	1							7 Inch - Four Required
	6016 155	1							14.5 Inch - Four Required
5	8220 4602	1							BRACKET KIT, Trailer Tow


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Mounting Kit - Cell Phone Figure 001-330

PART

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: H	olds any wirele	ss han	dset. Instal	ls to instru	ment pane	l.			
1	8220 5270	1	C, D, Y		41				MOUNTING KIT, Cellular Phone
2	5018 103AA	1	C, D, Y		41				HARDWARE KIT, Accessory
3	5016 536AA	1	C, D, Y		41				CORD, Cellular Phone




X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Heater Kit - Engine and Battery Figure 001-610

	PART	O-7\(050150	DODY.				DECODINE ION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3641	1	C, D, Y		41				HEATER KIT, Engine and Batter
2	4609 098AB	1							HEATER, Battery
3	4609 325	1							HEATER, Engine Block
4	4609 121AD	1							CORD, Engine Block Heater




P = Premium
S = Special
M = LXI

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Alarm, EVS II Security Plus Figure 001-910




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
Note: Wir	ring Kit sold se	eperatel	у						
1	8220 4268	1	C, D, Y		41				MODULE, Security Alarm, Plus
									System
2	8220 3198	1	C, D, Y		41				SIREN, Alarm
3 4	4886 261AA 5011 619AA		C, D, Y C, D, Y		41 41				SENSOR, Shock, With Connector MODULE, Security Alarm
-5	8220 3768	1	C, D, Y		41				WIRING KIT, Alarm Security Plus
	-		-, ,						,
CONCODE	· WITDEDID_I UQ_1	COOM (I H							
SERIES	-INTREPID-LHS-3		BO	ODY		ENGINE			TRANSMISSION
H = High Lin P = Premium	ne D = Intre	epid S, Concor	41	= 4 Door Se	edan E	EER = 2.7L V6 EES = 2.7L V6		[DGX = 4 Speed Automatic
S = Special	T C = LHS Y = 300	iM	ae		E	EGG = 3.5L V	/6 MPI 24V		
M = LXI					E	EGW = 3.2L V EGC = 3.5L V	/6 MPI 24V /6 S∩HC		
X = R/T					F	EGC = 3.5L V	6 SOHC		


Module Package - Keyless Entry Figure 001-920



00	1-920									
		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	8220 4766	1	D		41				MODULE PACKAGE, Keyless Entry
	2	4602 269AA	1	D		41				MODULE, Keyless Entry Receiver
	3	6032 723	3							SCREW, Self Tapping, M4.2x1.
										69x19.05
_	4	4602 268AC	1	D		41				TRANSMITTER, Keyless Entry
	-5	8350 4802	2							BATTERY, Transmitter
_										
_										
_										
_										
_										
_										
_										
_										
<u></u>		-INTREPID-LHS-3	OOM () LIV							
SI	ERIES	LINE		BC	DDY		ENGINE			FRANSMISSION
Н	= High Lin = Premiun	e D = Intre	epid S, Concord		= 4 Door Se		EER = 2.7L V EES = 2.7L V		./	DGX = 4 Speed Automatic
S	= Special	Y = 300	M	u c		E	EGG = 3.5L V	6 MPI 24V	v	
M	= LXI					E	EGW = 3.2L V	6 MPI 24V		
X	= R/T					ŀ	EGC = 3.5L V	0 SUHC		

Group – 002 Front Suspension & Drive





GROUP 2 - Front Suspension & Drive

Illustration Title	Group-Fig. No
Front Suspension	
Suspension, Front	Fig. 002-110
Front Axle Drive Shafts	
Shaft, Front Drive	Fig. 002-210

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE


TRANS

TRIM


DESCRIPTION

	NOTE:Sales codes:	
	[BR3]= ANTI-LOCK 4-WHEEL DISC	
	[BR4]=ANTI-LOCK 4-WHEEL DISC, PER	
	[BR5]=ANTI-LOCK 4-WHEEL DISC, PER	
(32)	[BR6]=ANTI-LOCK 4-WHEEL DISC, HD	
(12)	[SDB]=SUSPENSION - HEAVY DUTY	-
	[SDC]=SUSPENSION - TOURING	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	[SDD]=SUSPENSION - PERFORMANCE	
	[SDG]=SUSPENSION - 4-WHL INDEP. TOURING	
$\bigcirc 27 \qquad \bigcirc 9 \qquad \boxed{}$	[SDE]=SUSPENSION - SPORT	
27 9	[ZAC Through ZRF]=Spring Group Types Found on Individual Vehicle Sales Listing.	
(29)	1	DAMPER, Strut
	4782 012AC 1	[SDC], Right
28	4782 013AC 1	[SDC], Left
	4782 110AD 1	[SDD], Right
	4782 111AD 1	[SDD], Left
(6)	4895 182AC 1	[SDG], Right
	4895 183AC 1	[SDG], Left
	2 4782 228AA 1	ISOLATOR, Front Suspension
		Spring, Lower
(30)	3	SPRING, Front Coil
	4782 084AB 1	[SDC, ZAD, ZND] [SDD, ZBD,
	4782 085AB 1	ZPD] [SDG, ZCD, ZRD] [SDC, ZNE, ZAE] [SDD, ZBE, ZPE]
	4702 003/10	[SDG, ZNE, ZAE] [SDB, ZBE, ZFE]
	4782 086 1	[SDG, ZCF, ZRF] [SDD, ZBF, ZPF]
18 28	4 4782 235AA 1	SHIELD, Suspension, Right And Left
(18) (28) (28)	5 4782 233AA 1	ISOLATOR, Front Suspension
\sim (15)		Spring, Upper
(16)	6 4782 016 1	SEAT AND BEARING, Suspension
26) 25)		Strut
	7	BUMPER, Jounce
	4782 017 1	[SDC]
	4782 112 1	[SDD] [SDG]
(39) (35)	8	MOUNT, Strut
	4782 018AB 1	Right
20	4782 019AB 1	Left
	9	PIN, Front Strut Aligment, (NOT
		SERVICED) (Not Serviced)
	10 6501 483 4	NUT, Hex Flange, M8x1.25, Strur to
20)		Tower
	11 4782 238AB 1	CUP, Jounce Bumper
(40) (37) (38) (22) (24) (21) (23)		
(40) (37) (38) (22) (24) (21) (23)		
	CONCORDE-INTREPID-LHS-300M (LH)	TRANSMISSION
	SERIES LINE BODY ENGINE H = High Line D = Intrepid 41 = 4 Door Sedan EER = 2.7L V6 DOHC	TRANSMISSION DGX = 4 Speed Automatic
	P = Premium C = LHS, Concorde EES = 2.7L V6 DOHC 24V	·
	S = Special Y = 300M EGG = 3.5L V6 MPI 24V M = LXI EGW = 3.2L V6 MPI 24V	
	X = R/T EGC = 3.5L V6 SOHC	

Suspension, Front Figure 002-110



Suspension, Front Figure 002-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									-
-34									BRACKET
	5016 901AA-	AR							Knuckle to Strut, Right
	5016 902AA-	AR							Knuckle to Strut, Left
35	4782 224AB	1							SHIELD, Brake, Knuckle to Lower
									Control Arm
-36	6504 693	2							SCREW, Tapping, Heat Shield
									Attaching
37	4616 380	2							BUSHING, Lower Control Arm, Front
38	4616 383	2							BUSHING, Lower Control Arm, Rear
39	6506 677AA	2							WASHER, Flat
40	6504 707	4							NUT, M16x2.00

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium S = Special

M = LXIX = R/T D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

4

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I LIVI	HOMBER	1 411	- LINE	JULINIES	1001	LINGINE	INAMO	LIZIN	DESCRIPTION
ales Coc	de:								
	SPEED AUTO								
	L V6 DOHC 2								
	SL High Outpu								
	2L V6 SOHC	24 Valve							
1	:200 =47	4							SHAFT, Front Drive
	4882 517	1							With ABC, Birth
	4882 518 4882 519	1							With ABS, Right
	4882 519	<u>1</u> 1							Without ABS, Left Without ABS, Right
	4728 261	2							BOOT KIT, Half Shaft, Inner, w/or
4	4/20 201	۷							w/o ABS
3	4863 722	2							BOOT KIT, Half Shaft, Outer, w/or
	4000 122								w/o ABS
4	6502 541	2							NUT, Hex Flange Lock, M27x2,
•	0002 0 1 .	-							(34mm) Driveshaft Retaining
-5	6502 363	2				EGG,	DGX		O RING, CV Joint, I.D. 25.32 C/S
	0002 002					EGW			2.69
-6	4593 012	2				EGG,	DGX		CIRCLIP, Half Shaft
						EGW			•
		(11)							
SONCORDE-I SERIES I = High Line I = Premium I = Special		repid S, Concord	BC 41	ODY 1 = 4 Door Se	edan E E	ENGINE EER = 2.7L V EES = 2.7L V EGG = 3.5L V	/6 DOHC 24\	[TRANSMISSION DGX = 4 Speed Automatic


S = Special M = LXI X = R/T


EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Group – 004 Parking Brake











Lever Assembly And Cables Parking Brake Figure 004-110



ITEM	PART	QTY	LINE	ernice	BODY	FNOINE	TDANC	TDIM	DESCRIPTION
ITEM	NUMBER	QIT	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4770 000								LEVER R L R L WELL OLL
1	4779 088	1							LEVER, Park Brake, With Cable
2	4221 463	1							SWITCH, Parking Brake
3	5135 211AA	1							CABLE, Parking Brake Release
4									CLIP, Rear Parking Brake Cables
									(Service in Item 8), (NOT
									SERVICED) (Not Serviced)
5	4779 086	1							TUBE, Brake, Cable
6	6504 828AA	1							SCREW, Tap Hex Flg Hd P/Brake
									Cable Front, Rear, Intermediate
									M6.3x1.81x19.00
7	6101 445	1							NUT AND WASHER, Hex Nut-Cone
									Washer, M8 x 1.25, P/Brake Lever
									Attch
8	6101 795	1							SCREW, Tapping, M8x1.25x30, P/
									Brake Mech Mount
9	4779 071	1							CABLE, Parking Brake, Intermediate
10	4779 076	2							CABLE, Parking Brake, Rear
-11									SPACER, Parking Brake
	4779 082	1							Right
	4779 083	1							Left
-12	2201 467	2							CLIP, Parking Brake Cable, Rear
-13	4779 038	1							EQUALIZER, Parking Brake Cable,
									Rear
-14	4580 640AB-	1							BRACKET, Parking Brake Cable,
									Reaction
-15									HANDLE, Parking Brake
	QN42 HD5	1	D						MEDIUM QUARTZ
		1	С						MEDIUM QUARTZ
	QN42 LAZ	1	C						AGATE
	<u> </u>	<u>·</u> 1	Y						AGATE
		1	D						AGATE
	QN42 MF1	1	C						LIGHT NEUTRAL
	QIV-Z IVII I	1	Y						LIGHT NEUTRAL
	QN42 RK5	1	C						CAMEL TAN/AGATE
	QIV+2 IVIVO	1	Y						CAMEL TAN/AGATE
		1	D						CAMEL TAN/AGATE
-16		1	D						
-10									PAD, Parking Brake Lever, Service in Item 1, (NOT REQUIRED)
17									BRACKET, Parking Brake, Service in
-17									
									Cover Assy, Inst Panel Group 8,
									(NOT SERVICED) (Not Serviced)
-18									CLIP, Push, .164-7.5
NCORDI	E-INTREPID-LHS-3 LINE	00M (LH)-		ODY		ENGINE		-	TRANSMISSION
= High Li	ne D = Intre		4	1 = 4 Door Sec	dan E	ER = 2.7L V		!	DGX = 4 Speed Automatic
= Premiu = Special		S, Concord M	de			ES = 2.7L V EGG = 3.5L V		/	
= LXI	1 = 3001	IVI				GG = 3.5L v GW = 3.2L \			
= R/T						GC = 3.5L V			

Lever Assembly And Cables Parking Brake Figure 004-110




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6034 833	2	С						P/Brake Mtg
		2	Υ						P/Brake Mtg
		2	D						P/Brake Mtg
-19									SCREW, Hex Flange Head Tapping,
									.164-15x.75
	6034 743	2	С						P/Brake Handle to Cvr
		2	Υ						P/Brake Handle to Cvr
		2	D						P/Brake Handle to Cvr

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Group – 005 Service Brakes





005–100 Front Brakes	005–200 Rear Brakes	005–300 Power Brake Booster	005–400 Brake Master Cylinder
005–500 Brake Lines and Hoses	005–600 Brake Pedals		
0000	The state of the s		

GROUP 5 - Service Brakes

Illustration Title	Group-Fig. No.
Front Brakes	
Brakes, Front	Fig. 005-110
Rear Brakes	
Brakes, Rear Disc	Fig. 005-210
Power Brake Booster	
Booster, Power Brake	Fig. 005-310
Brake Master Cylinder	
Hydraulic Control Unit Anti-lock Brakes	Fig. 005-410
Master Cylinder, Brake	Fig. 005-420
Brake Lines and Hoses	
Lines And Hoses, Front Brakes	Fig. 005-510
Lines and Hoses, Rear Brakes	Fig. 005-520
Brake Pedals	
Pedal, Brake	Fig. 005-610

PART





ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
SALES (CODE:								
BRE=4-V	WHEEL DISC								
BRB= P	OWER FRONT	DISC/F	REAR DRU	JM					
BRG= A	NTI-LOCK 4-W	HEEL-C	DISC, 15"						
BR3= AN	NTI-LOCK 4-WI	HEEL D	ISC						
BR4= AN	NTI-LOCK 4-WI	HEEL D	ISC, PERI	F					
WCS=16	X 7.0 BLACK								
1									ROTOR, Brake
	4779 020AB	1							[BRG,BRE]
	4779 101AA	1							[BR3,BRW]
	4779 133AA	1							[BR4, BR5]
2									CALIPER, Disc Brake
	5010 033AA	1							Left
	5010 032AA	1							Right
3	4728 121	1							PISTON PACKAGE, Disc Brake
4	6502 527	4							BOLT, Hex Flange Head, M8-1.
									25x68.50
5	4383 471	1							BUSHING, Disc Brake Caliper
6	4423 573	1							SLEEVE, Disc Brake Caliper
7	3780 788	1							SCREW, Bleeder
8	4238 717	1							CAP, Bleeder
9									PAD KIT, Front Disc Brake
	5010 034AA	1							[BR3 or BRW or BR5 or BR6]
	5018 595AA	1							[BR4]
10	4779 055	2							CLIP, Brake, (Is Required when
									Replacing Pad Package for 15",16
									Brakes)
11	6505 519AA	5							STUD, Hub
12	6502 541	2							NUT, Hex Flange Lock, M27x2, Hub
									and Bearing to Spindle
13	6502 410	3							BOLT, Hub, and Bearing to Knuckle
									(M12x1.75-53)
14	4593 450AA	1							HUB AND BEARING, Brake
15	4782 224AB	1							SHIELD, Brake
<u></u>									

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC


Brakes, Rear Disc Figure 005-210

PART




Brakes, Rear Disc Figure 005-210


PART



Booster, Power Brake Figure 005-310



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
	1	4779 072AB	1							BOOSTER, Power Brake
	2									CLAMP, HOSE CLAMP, (NOT
										REQUIRED)
	3									HOSE, Brake Booster Vacuum
		4779 832AC	1							2.7L (EER,EES)
		4779 833AC	1							3.2L (EGW) 3.5L (EGG)
	4	4723 391	1							VALVE, Brake Booster Check
	-5	4723 640	1							GROMMET, Brake Booster Check
										Valve
	6									ROD, Brake Booster, Push Rod M/
										Cyl. (Service in Booster), (NOT
										SERVICED) (Not Serviced)
_	7	3580 171	1							CAP, Brake Check Valve
	8	3699 447	1							GASKET, Booster To Dash
	-9	4583 417	1							REINFORCEMENT, Brake Booster
	-10	6101 445	1							NUT AND WASHER, Hex Nut-Coned
										Washer, M8 x 1.25, Brake Booster
_										Mount
	-11	6502 524	2							NUT, Hex Lock, M8x1.25, Brake M/
										Cylinder to Booster Mount
	-12									HOSE, Brake Booster, (NOT
										REQUIRED)



CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Hydraulic Control Unit Anti-lock Brakes Figure 005-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HYDRAULIC CONTROL UNIT, An
									Lock Brake System
	4897 780AA	1							w/o Traction Control
	4897 781AA	1							w/Traction Control
2	6504 766	1							SCREW AND WASHER, Hex Head
3									MODULE, Anti-Lock Brake System
	4602 252AD	1							w/o Traction control
	4602 253AD	1							w/Traction Control
-4	6504 802AA-	4							SCREW, 6 Lobed, ECU to HCU
									M4x0.7x48.50
5	4897 785AA	1							BRACKET, Brake Control Unit
				_					


X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Master Cylinder, Brake Figure 005-420





	PART	O.T.Y		050150	Dany				DECORPTION
ITEN	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4779 530	1							MASTER CYLINDER, Brake
2	4509 683	1							CAP, Master Cylinder Reservoir
3	5086 001AA	1							RESERVOIR, Brake Master Cylinder
4	4723 389	2							GROMMET, Master Cylinder
									Reservoir
5	4723 394	2							PIN, Master Cylinder Reservoir
6	4797 655	1							SWITCH, Brake Fluid Level

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Lines And Hoses, Front Brakes Figure 005-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									_
1	4779 120AA	1							HOSE, Brake, Right
2	6035 098	2							BOLT, Hex Head, .437-20x.937
3	6035 727	4							WASHER, Brake Hose Attaching
4	4779 121AA	1							HOSE, Brake, Left Front
5	4779 748	1							TUBE, Brake, Hydraulic Control Unit
									to Right Front Hose
6	4779 065	1							TUBE BUNDLE, Brake Lines, to
									Master Cylinder
7	4779 749	1							TUBE, Brake, Hydraulic Control Unit
									to Left Front Hose
8	4779 114AA	1							JUNCTION BLOCK, Brake Tube

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Lines and Hoses, Rear Brakes Figure 005-520



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOSE, Brake
	4779 012AD	1							Right Rear
	4779 122AA	1							[SDD], Export
2									HOSE, Brake
	4779 013AD	1							Left Rear
	4779 123AA	1							[SDD], Export
3	6035 098	2							BOLT, Hex Head, .437-20x.937
									Brake Hose Attaching
4	6035 727	4							WASHER, Brake Hose
5	5011 478AB	1							CLIP, Fuel Line
6	5010 231AB	1							CLIP, Fuel Line
7	5011 478AB	1							CLIP, Fuel Line
8	5010 230AA	1							CLIP, Fuel Line
9	1843 251	1							TUBE, Steel, .187 25 Foot Roll
10									NUT, Brake Line
	5014 835AA	1							M10
	5014 836AA	1							M12


CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	HOMBER			_ OLIVIEO		LIVOINE		1	DESCRIPTION
1	4779 284	1							BRACKET, Brake Pedal
2		<u>'</u> 1							·
_	4294 633	-							SPACER, Brake Pedal Bracket
3	2467 770	2							BUSHING, Pedal Shaft
4	6101 445	4							NUT AND WASHER, Hex Nut-Co
									Washer, M8 x 1.25
5	4294 036	1							CLIP, Push Rod to Pedal WD92
									LG950 THK019
6	4671 336	1							SWITCH, Stop Lamp
7	4779 025	1							PEDAL, Brake
-8	4019 420	1							PIN, Master Cylinder Push Rod
-9									SHAFT, Brake Pedal Pivot, (Servi
									in Item 1), (NOT SERVICED) (N
									Serviced)
10	4779 027	1							PAD, Pedal
									•

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Group – 007 Cooling



007–100 Radiator and Related Parts	007–200 Water Pump and Related Parts	007–300 Tank, Coolant Engine	007–400 Pulleys and Related Parts
007–500 Drive Belts	007–600 Lines, Transmission Oil Cooler		

GROUP 7 - Cooling

Illustration Title	Group-Fig. No
Radiator and Related Parts Radiator And Related Parts	Fig. 007-110
Water Pump and Related Parts Water Pump and Related Parts	Fig. 007-210
Tank, Coolant Engine Coolant Recovery System Heater Plumbing	Fig. 007-310
Pulleys and Related Parts Drive Pulleys 2.7L Engine	Fig. 007-415 Fig. 007-420
Drive Belts Drive Belts	Fig. 007-420
Lines, Transmission Oil Cooler Oil Cooler Transmission	Fig. 007-610


Radiator And Related Parts Figure 007-110

24 18 25 17 11 29 29 19 10 10 10 17	
13 16 20	
22 27 28 30 29 36 37 26	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•	•				•			•
NOTE:0	ales Codes:								
	TRANSMISSIC	N - Δ11	TOMATIC	1-SDEED					
	2.7L V6 DOHC			4-3FEED					
	2.7L V6 DONE 2.7L V6 24V W								
	'MAGNUM' 3.5								
	3.5L HIGH OU			DI					
-	: 3.2L V6 SOH			1					
-	ENGINE COO			ח חודע					
	HEAVY DUTY			ווטטט					
	SEVERE DUT								
1	SEVENE DOT	1 0001	LING						RADIATOR, Engine Cooling
'	4758 288	1							[NMB]
	5010 359AA	1							[NMC, NMS]
-2	3010 339AA	'							SHROUD, Fan
-2	4758 294	1							[NMB,NMC]
	5066 160AA-	1							[NMS]
-3	3000 TOOAA-	'							FAN, Cooling
	4758 293	2							[NMB,NMC]
	5066 161AA-	2							[NMS]
-4	4734 648	2							NUT, Hex-Flanged, M5X0.8-6H, Fa
	4754 040	2							blade, Left-Hand Thread
-5									MOTOR, Radiator Fan
-5	5072 180AA-	1							[NMB,NMC], Right
	5072 180AA- 5072 181AA-	1							[NMB,NMC], Left
	5066 162AA-	1							[NMS], Right
	5066 163AA-	<u>'</u>							[NMS], Left
-6	4758 307	6							SCREW, Motor to Shroud
-7	5066 164AA-	1							HARNESS, Radiator Fan with
-1	3000 TO+AA-	'							Relays, [NMS]
-8	4592 114	1							LABEL, Fan Caution
-9	5011 583AA-	1							CLIP, Radiator Fan Shroud
10	3011 303/01	•							SHIELD, Radiator
10	4805 212AB	1	D						D-H, Right
	4805 213AB	1	D						D-H, Left
	4805 204AB	1	D						D-P, Right
	4805 205AB	1	D						D-P, Left
	4805 244AC	1	C						C-P, Right
	4805 245AC	1	C						C-P, Left
	4805 246AC	1	Y						Y, Right
	4805 247AC	1	Y						Y, Left
11	5010 376AA	2	•						SEAL, Radiator, Upper And Lower
12	5010 377AA	2							SEAL, Radiator Side Air, Right & L
12	3010 07774	_							OEAE, Radiator Glac All, Right & E
	E-INTREPID-LHS-3	00M (LH)				NOINE			TRANSMISSION
ERIES = High Li	ne D = Intre	epid		DDY = 4 Door Sec		NGINE ER = 2.7L V	6 DOHC		TRANSMISSION DGX = 4 Speed Automatic
= Premiu = Specia	m $C = LHS$	6, Concor			E E	ES = 2.7L V EGG = 3.5L V	6 DOHC 24\ /6 MPI 24V		
I = LXI = R/T						GW = 3.2L \ GC = 3.5L \			


>>>

Radiator And Related Parts Figure 007-110





Radiator And Related Parts Figure 007-110



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4792 239	1				EGW			
			1				EGG			
	28									HOUSING, Thermostat
		4792 361	1				EGW			
_			1				EGC,			
	00						EGG			COMMENTED WAY ON A MANAGE
	29									CONNECTOR, Water Outlet, W/Tube
		4663 723AF	1				EER			and Housing
_		4003 723AF	<u>'</u> 1				EES			
	30		•				LLO			HOUSING, Water Outlet
	00	4792 329AC	1				EER			rioconto, maior canot
			1				EES			
	31									SCREW, Bleeder
		3780 788	1				EER			
			1				EGW			
_	32									O RING
		4792 307AB	1				EER			
			1				EES			
	-33	6504 640	2				EER			BOLT, Hex Flange Head, Heater
_										Tube attaching, Heater Tube to
	-34	6504 636	2				EER			Housing BOLT, Hex Flange Head, Connector
	-34	0304 030	2				LLIX			Attaching Front
	-35	6505 069AA-	2				EES			BOLT, Hex Flange Head, Connector
_			_							Attaching Rear
	36									HOUSING, Thermostat
		4792 328	1				EER			
			1				EES			
	37									THERMOSTAT, Engine Coolant
		4792 237AC	1				EER			
			1				EES			

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic


AR = Use as required -= Non illustrated part # = New this model year

Water Pump and Related Parts Figure 007-210

	PART												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
NOTE: Sa	NOTE: Sales Codes:												
[EER] = 2	.7L V6 DOHC	24 VAI	LVE MPI										
[EGC] = 'N	MAGNUM' 3.5	L V6 S	OHC 24V										
[EGG] = 3	.5L HIGH OU	TPUT \	/6 24V MP	I									
[EGW] = 3	3.2L V6 SOHO	24 VA	LVE MPI										
1									PUMP, Water				
	4663 732	1				EER			with Gasket				
		1				EES			with Gasket				
	4792 195	1				EGW							
		1				EGC,							
						EGG							
2									GASKET, Water Pump				
	4663 731AB	1				EER							
		1				EES							
	4659 430AB	1				EGW							
		1				EGC,							
						EGG							
3									BOLT				
	6102 012	6				EER							
		6				EES							
		2				EGC,							
						EGG							
4									BOLT AND CONED WASHER, Hex				
		_							Head, M6x1.0x20				
	6101 682	5				EGW							

EGG

EGC, EGG



X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M


5 5

> BODY 41 = 4 Door Sedan

ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC


Coolant Recovery System Heater Plumbing Figure 007-310






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes:								
-	.7L V6 DOHC								
-	MAGNUM' 3.5								
	3.5L HIGH OU			P[
	3.2L V6 SOHO	24 VA	LVE MPI						
	4758 269AB	1							BOTTLE, Pressurized Coolant
	4596 198	1							CAP, Radiator
3	6034 716	2							SCREW AND WASHER, Hex Flange
	0500 040					500			Head, .25-14x.875, Bottle Mounting
4	6502 018	1				EGC,			CLAMP, Hose, M28.9 x 1.60
						EGG,			
F	4500 406	2				EGW			CLAMP Hose Supply Hose
	4592 126	2				EED			CLAMP, Hose, Supply Hose
6	6100 574	1				EER, EES			BOLT AND CONED WASHER, Hex Head, M8x20x17
7						EES			•
	4767 152AC	1				EER,			TUBE, Heater Return, w/Hose
	TIUI IOZAU	ı				EES.			
	4767 150AC	1				EGC,			
	4707 13040	'				EGG,			
						EGW			
-8	4792 308	1				EER			CLIP, Heater Hose
9	02 000	·							HOSE, Heater, Return (Roll Stock)
	3744 931	1				EER			, , , , , , , , , , , , , , , , , , , ,
		1				EES			
-10									O RING
	4792 307AB-	1				EER			
		1				EES			
11									BRACKET, Heater Tube To Block
	4596 266AC	1				EES			
		1				EER			
12									HOSE, Heater Supply, With
									Connector
	4767 172AF	1				EER,			
						EES			
	4767 170AB	1				EGC,			w/Tube
						EGG,			
						EGW			
13	4596 300AA	1				EGC,			HOSE, Bottle Supply
						EGG,			
						EGW			
14									NUT, Hex Flange, M8x1.25
NCOPPE !	INTREDICTURE	00M (LL)							
ERIES	INTREPID-LHS-3 LINE		BC	DDY		ENGINE			TRANSMISSION
= High Line = Premium		epid S, Concor		= 4 Door Se	edan E	EER = 2.7L V EES = 2.7L V			DGX = 4 Speed Automatic
= Special	Y = 300		u c		E	EGG = 3.5L V	6 MPI 24V	v	
= LXI = R/T						EGW = 3.2L \			
= K/ I					ŀ	EGC = 3.5L V	O SOHO		

Coolant Recovery System Heater Plumbing Figure 007-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6101 467	1				EER			Tube Attaching
		1				EES			
		1				EGC,			
						EGG,			
						EGW			



CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

D = Intrepid C = LHS, Concorde Y = 300M H = High Line P = Premium
S = Special
M = LXI


X = R/T

BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

Drive Pulleys 2.7L Engine Figure 007-415




1754	PART	ОТУ	LINE	OFFICE	BODY	ENOINE	TDANO	TD.184	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE: S	Sales Codes:								
	2.7L V6 DOHC	24 VAI	VE MPI						
_	2.7L V6 24V W								
1	4792 312AB	1				EER			SPRING, Tension
2									SCREW, Hex Head, M8x1.25x25
	6101 436	1				EER			
		1				EES			
3									PULLEY, A/C Belt Idler
	4792 259AC	1				EER			
		1				EES			
4									BRACKET, Tensioner Pulley
	4792 578AA	1				EER			
		1				EES			DUCUINO
5	4792 594AA	1				EER			BUSHING
	4792 394AA	1				EES			
6		'				LLO			SCREW AND WASHER, Hex Head
									M8x1.25x30
	6503 847	2				EER			
		2				EES			
7									BOLT
	6505 840AA	1				EER			
		1				EES			
8									DAMPER, Crankshaft
	4792 430AA	1				EER			
		1				EES			
9									NUT AND WASHER, Hex Nut-Cone
	0404 440								Washer, M10 x 1.5
	6101 448	<u>1</u> 1				EER			
10		1				EES			PULLEY, Idler
10	4792 112AD	1				EER			FOLLET, Idle!
	4792 112AD	1				EES			
-11						LLO			SPACER, Idler Pulley, w/Washer
	6034 408	1				EER			
		1				EES			
12						-			BUSHING
	4792 594AA	1				EER			
		1				EES			
13									SCREW AND WASHER, Hex Head
									M8x1.25x30

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Drive Pulleys 2.7L Engine Figure 007-415



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6101 462	5				EER			
		4				EES			
14									BOLT, Hex Flange Head, M6x1.0x40
	6503 256	1				EER			
		1				EES			
15									BOLT, Hex Flange Head, M10x1.
									50x55
	6503 209	1				EER			
		1				EES			
16									BRACKET, Power Steering Pump
	4792 309	1				EER			Idler Pulley Mounting
		1				EES			
-17	4792 118	1							PULLEY, Power Steering Pump
18	3300 2201	1				EER			BUSHING, Idler Pulley

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

Drive Pulleys 3.2L - 3.5L Engine Figure 007-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
	ales Codes:								
	3.5L HIGH OU			'I					
[EGVV] = 1	3.2L V6 SOHC	, 24 VA	LVE MPI						SCREW AND WASHER, Hex Head M8x1.25x40
	6101 513	2				EGW			
		2				EGC,			
_						EGG			
2	6101 448	2							NUT AND WASHER, Hex Nut-Con
3									Washer, M10 x 1.5 SPACER, Idler Pulley
3	6034 408	1				EGW			9mm
	0004 400	1				EGC,			9mm
		<u> </u>				EGG			******
4									PULLEY, Idler
	4792 112AD	1				EGW			
		1				EGG			
5									BUSHING, Idler Pulley
	3300 2201	1				EGW			
		1				EGC,			
6						EGG			BRACKET, Idler
O	4573 516	1				EGW			Pulley Mounting
	1070 010	1				EGC,			Pulley Mounting
						EGG			3
7									SCREW, M8x1.25 Tapped Head, M10x1.5x50
	6502 592	1				EGW			
		1				EGC,			
8						EGG			SCREW AND WASHER, Hex Head
	6502 929	1				EGW			M8x1.25x110
	6502 929	1				EGC,			
		'				EGG			
9	6502 894	1				EGC,	DGX		BOLT
						EGG,			
						EGW			
10									DAMPER, Crankshaft
	4663 176	1				EGW			



X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Drive Pulleys 3.2L - 3.5L Engine Figure 007-420

		6 8
		3
13 5	10 (9)	1
14	(2)	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EGC,			
						EGG			
11									PULLEY, Idler
	4663 534	1				EGW			,
		1				EGG			
12									DEFLECTOR, Idler Roller Bearing
	4483 016	1				EGW			
		1				EGC,			
		-				EGG			
13									BRACKET, Idler Pulley
	4663 571	1				EGW			,, , , , , , , , , , , , , , ,
		1				EGC,			
		-				EGG			
14									BOLT AND WASHER, Hex Head
									M10x1.5x30
	6506 019AA	2				EGW			
		2				EGC,			
						EGG			
-15	4792 118	1							PULLEY, Power Steering Pump
-16									BRACKET, A/C Belt Guide and
. •									Engine Lift
	4792 573AA-	1				EGC,			5
						EGG			
		1				EGW			
						-			


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Drive Belts Figure 007-510

		PART	0.TV		050150	DODY				DECODINE
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-										



NOTE:	Sales Codes:			
[EER] =	2.7L V6 DOHC	24 VALVE MPI		
[EGC] =	MAGNUM 3.5L	V6 SOHC 24V		
[EGG] =	3.5L HIGH OUT	TPUT V6 24V MPI		
[EGW] :	= 3.2L V6 SOHC	24 VALVE MPI		
1	4792 071	1	EER,	BELT, A/C
			EES	
2	4663 950	1	EGC,	BELT, A/C Compressor
			EGG,	
			EGW	
3	4792 070AB	1	EER,	BELT, Alt. and Power Steering
			EES	
4	4573 013AB	1	EGC,	BELT, Accessory Drive
			EGG,	
			EGW	
-5				LABEL, Belt Routing
	4792 155	1	EER,	
			EES	
	4792 545AA-	1	EGC,	
			EGG,	
			EGW	

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Oil Cooler, Transmission Figure 007-610

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE

TRIM

DESCRIPTION

TRANS

[EER] = [EGC] = [EGG] =	Sales Codes: 2.7L V6 DOHC MAGNUM 3.5L 3.5L HIGH OUT 3.2L V6 SOHC 5010 360AB 5014 113AA 5010 360AA 5010 373AA 4596 424AA	V6 SOHC 24V FPUT V6 24V MPI	EER,	COOLER KIT, Auxiliary Trans Oil, Includes mounting package [NMS] [NMC] BRACKET, Oil Cooler Tube CLAMP, Hose LINE, Oil Cooler Pressure
	4767 055	1	EES EGC, EGG, EGW	
5	4698 960	1	EER, EES	LINE, Oil Cooler Return
	4767 050	1	EGC, EGG, EGW	
6	6101 451	1		SCREW AND WASHER, Hex Head,
7	4758 267AD	1		M6x1x25 BRACKET, Oil Cooler Tube, Line to Oil Pan
-8	4592 093	1		RETAINER, Oil Cooler Line



H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC


TRANSMISSION DGX = 4 Speed Automatic

(3)

Group – 008

Electrical





Group – 008

Electrical

008–1000 Battery Tray and Cables	008–1100 Lamps – Front, Rear and Courtesy	008–1200 Wiring–Engine & Related Parts	008–1300 Wiring–Headlamp to Dash
		PA IONS	
008-1400	008–1500	008–1600	008–1900
Wiring-Instrument Panel	Wiring-Body & Accessories	Wiring Repair	Spark Plugs–Cables–Coils
	-500	WIRING REPAIR PKG.	

GROUP 8 - Electrical	
Ilustration Title	Group-Fig. No.
Starters	
Starter (Engine Starter Motor)	Fig. 008-105
Alternators Alternator (Generator)	Fig. 008-205
Modules Modules <t< td=""><td>Fig. 008-405</td></t<>	Fig. 008-405
Relays	
Relays	Fig. 008-505
Sensors	
Sensors, Engine [2.7L EER, EES]	Fig. 008-605
Sensor, Engine [3.2 EGW, 3.5 EGG]	Fig. 008-610
Sensors, Transmission	Fig. 008-615
Sensors, Body	Fig. 008-620
Single Board Engine Controllers Single Board Engine Controller (Powertrain Control Module)	Fig. 008-705
Switches	
Switches - Instrument Panel	Fig. 008-805
Switches - Engine	Fig. 008-810
Switches - Body	Fig. 008-815
Horns	
Horns	Fig. 008-905
Battery Tray and Cables	
Battery Tray	Fig. 008-1005
₋amps - Front, Rear and Courtesy	
amps-Front	Fig. 008-1105
.amps-Rear	Fig. 008-1107
.amps-Cargo, Dome and Courtesy	Fig. 008-1110
Bulbs	Fig. 008-1115
Wiring-Engine & Related Parts Wiring-Engine and Related Parts	Fig. 008-1205
Wiring-Headlamp to Dash	
Viring-Headlamp to Dash	Fig. 008-1305
Wiring-Instrument Panel	
Viring-Instrument Panel	Fig. 008-1405

GROUP 8 - Electrical Illustration Title Group-Fig. No. Wiring-Body & Accessories Wiring-Body and Accessory Fig. 008-1505 Wiring Repair Wiring Repair Packages Spark Plugs-Cables-Coils Spark Plugs-Cables-Coil Fig. 008-1905

Starter (Engine Starter Motor) Figure 008-105

5	4	
	3	
(1)	2	6

1756									
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EER= 2.7	L V6 DOHC 2	4 VALV	E MPI						
EES=2.7L	V6 DOHC 24	V							
EGW= 3.2	2L V6 SOHC 2	24 VAL\	/E MPI						
EGG= 3.5	IL HIGH OUTF	PUT V6	24V MPI						
1									STARTER
	4609 345	1				EER,			
						EES			
	4609 346AB	1				EGG,			
						EGW			
2	4531 484	1							SHIELD, Starter
3	4593 525	1							SLEEVE, Starter Shield
4									WIRING, Starter
	4759 893AA	1				EER,			
						EES			
	4759 367AB	1				EGC,			
						EGG,			
						EGW			
5									NUT, (NOT SERVICED) (Not
_									Serviced)
6									STUD, (NOT REQUIRED)

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Alternator (Generator) Figure 008-205


PART



Alternator (Generator) Figure 008-205



Alternator (Generator) Figure 008-205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4573 516	1				EGW			
		1				EGG			
22									SCREW, M8x1.25 Tapped Head,
									M10x1.5x50
	6502 592	1				EGW			Alternator Idler Pulley
		1				EGG			Alternator Idler Pulley
23									SCREW AND WASHER, Hex Head,
									M8x1.25x110
	6502 929	1				EGW			Alternator Belt, Tensioner
		1				EGG			Alternator Belt, Tensioner
24									PULLEY, Idler
	4792 112AD	1				EGW			
		1				EGG			
25									SCREW AND WASHER, Hex Head,
									M8x1.25x40
	6101 513	2				EGW			Tension Bracket Assembly To
									Timing Cover Rear
		1				EGW			Tension Bracket Assembly To
									Timing Cover Front
		2				EGG			Tension Bracket Assembly To
									Timing Cover Rear
		1				EGG			Tension Bracket Assembly To
									Timing Cover Front
-26									COVER, Alternator Bracket
	4602 081AB-	1				EER			Alternator B+ Terminal
		1				EGW			Alternator B+ Terminal
		1				EGG			Alternator B+ Terminal
		1				EES			Alternator B+ Terminal
27	4792 309	1				EER			BRACKET, Power Steering Pump

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Modules Figure 008-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4606 517AB	1							MODULE, EATX
2	4606 047	1							BRACKET, Transmission Control
									Unit
3	6502 691	4							NUT, Hex Flange Lock, M6x1, (TMC
									Bracket Attaching
4	6504 505	4							SCREW, Hex Head, M6x1x16,
									(TMC) Mounting
5	6101 786	1							SCREW, Self Tapping, M6x1x15,
									(TMC Bracket Attaching
6									MODULE, Air Bag Control
	4602 274AD	2							Side Impact, Export
	4602 420AE	1	D						
		1	С	H, M					
	4602 430AE	1	С	Р					
		1	Υ						
7	4602 229AC	1							MODULE, Daytime Running Lamp
-8									MODULE, Body Controller
	4602 282AH-	1							Base [JLJ]
_	4602 284AH-	1							Premium [JLK]
-9	1000 05010								MODULE, Anti-Lock Brake System
	4602 252AD-	1							/Transian Control
40	4602 253AD-	1							w/Traction Control
-10	4602 271AC-	4	С	Ь					MODULE, Seat Memory
	4002 27 TAC-	1	Y	Р					
-11		1	ĭ						MODULE, Overhead Console
-11	4760 145AB-	1	D						MODULE, Overnead Console
	4700 143AB-	1	Y						
		1	C	Р					
		'		<u>'</u> H					
		1	C	M					
	4760 761AB-	1	Y	•••					w/o Garage Door Opener
-12		·	·						ANTENNA
	4602 316AA-	1	D						for Garage Door Opener
		1	Y						for Garage Door Opener
		1	Ċ	Н					for Garage Door Opener
-13									POWER DISTRIBUTION CENTER,
									See Illus.1305), (NOT SERVICED
									(Not Serviced)
-14									MODULE, Climate Control (See
									Group 24), (NOT SERVICED) (No

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

September 16, 2005

Modules Figure 008-405



	1	1						1	
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
- II EIVI	NOMBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIW	DESCRIPTION
4.5									MODULE
-15									MODULE, Engine Control, S.B.E.C.
									(See Illus.705), (NOT SERVICED) (Not Serviced)
-16									MODULE, Keyless Entry Receiver
10	4602 269AA-	1							WODOLL, Reyless Littly Receiver
	4759 016AC-								Export
									·

X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

Relays Figure 008-505




1 2 3 4	4760 603AC 4606 409AA 4638 094	1 1 1	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
3	4606 409AA	1							
3	4606 409AA	1							
3									RELAY, Backlite Electric
									RELAY, Mini
	4638 094	1							Door Lock,Headlamp,Front Fog Lamp,Horn
	4638 094								Park Lamps
	4030 034	<u>·</u> 1							RELAY PACKAGE, Electrical,
4		'							Headlamp Washer, Radiator Fan,
4									Automatic Shutdown
									RELAY, Mini
	4671 168	1							TCM Shutdown, Starter
	4071 100	1							A/C Clutch, Fuel Pump, Wiper, Rea
		•							Fog Lamp
									r og Lamp

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Sensors, Engine [2.7L EER, EES] Figure 008-605



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4606 133AE	4							SENSOR, Oxygen
2									SENSOR KIT, Throttle Position
	4897 247AA	1				EES			
		1				EER			
3									SENSOR, Air Temperature
	5602 7872	1				EER			
		1				EES			
4									SENSOR, Coolant Temperature
	5602 7873	1				EES			
_		1				EER			
5	1000 10111					EED			SENSOR, Map
	4896 131AA	1				EER			
6	4606 133AE	1 4				EES			SENSOR, Oxygen
7	4000 133AE	4							SENSOR, Oxygen SENSOR, Camshaft
,	4609 089AC	1				EER			SENSON, Camshart
	4000 000/10	1				EES			
8	4606 133AE	4				LLO			SENSOR, Oxygen
9	4606 133AE	4							SENSOR, Oxygen
10	4609 009	1				EER,			SENSOR, Crankshaft
						EES			
11									SWITCH, Oil Pressure
	4608 303	1				EER			
		1				EES			
12									SENSOR, Detonation
	4557 667AB	1				EER			
		1				EES			


P = Premium
S = Special
M = LXI

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Sensor, Engine [3.2 EGW, 3.5 EGG] Figure 008-610



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	4606 133AE	4							SENSOR, Oxygen
_	2	4606 133AE	4							SENSOR, Oxygen
	3									SENSOR, Coolant Temperature
		5602 7873	1				EGW			
_			1				EGG			
	4									SENSOR, Map
		5293 985AA	1				EGW			
	_		1				EGG			
_	5									SENSOR, Air Temperature, (NOT
	•									SERVICED) (Not Serviced)
	6									THROTTLE BODY, See Group 14,
	7									(NOT SERVICED) (Not Serviced) SENSOR, Throttle Position
_		4606 083	1				EGG			SENSOR, Illiottie Position
		4000 000	1				EGW			
	8		•				20			SENSOR, Detonation
		4606 093	1				EGW			<u> </u>
_			1				EGG			
	9									SENSOR, Camshaft
		4609 086	1				EGW			
_			1				EGG			
	10									SWITCH, Oil Pressure
		4608 303	1				EGW			
			1				EGG			
_	11	4609 153AB	1				EGG,			SENSOR, Crankshaft
							EGW			

P = Premium
S = Special
M = LXI

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Sensors, Transmission Figure 008-615


5 - 6	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SENSOR, Transmission Input Speed
	4800 878	1				EGC,	DGX		
						EGG,			
		4				EGW	DOV		
		1				EER,	DGX		
2						EES			O RING, Trans Speed Sensor
2	6501 657AB	1				EGC,	DGX		O KING, Hans Speed Sensor
	0301 037 AB	ı				EGG,	DOX		
						EGW			
		1				EER,	DGX		
						EES			
3									SENSOR, Manual Valve Lever
	4659 677AC	1				EGC,	DGX		
						EGG,			
						EGW			
		1				EER,	DGX		
						EES			
4	1050 050					500	D.0.\(SEAL, Manual Valve Position Senso
	4659 678	1				EGC,	DGX		
						EGG, EGW			
		1				EGW EER,	DGX		
		ı				EES	DOX		
5									SENSOR, Transmission Output
									Speed
	4800 879	1				EGC,	DGX		·
						EGG,			
						EGW			
		1				EER,	DGX		
						EES			
6									O RING, Trans Speed Sensor
	6501 658AB	1				EGC,	DGX		
						EGG,			
						EGW	DOV		
		1				EER,	DGX		
						EES			

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5604 2395	1							SENSOR, Ambient Temperature
2	4779 050	1							SENSOR, Anti-Lock Brakes, Right
									Front
3	4779 051	1							SENSOR, Anti-Lock Brakes, Left
									Front
4	4779 052AB	1							SENSOR, Anti-Lock Brakes, Right
									Rear
5	4779 053AB	1							SENSOR, Anti-Lock Brakes, Left
									Rear
-6	4698 662	1							SENSOR, A.T.C. Sun, Contains Auto
									Headlamp Sensor
-7	4882 797	1							SENSOR, Washer Fluid Level

P = Premium
S = Special
M = LXI

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Single Board Engine Controller (Powertrain Control Module) Figure 008-705

1	3

	PART	1 '	1	1					
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
FR = 2.7	7L V6 DOHC 2	24 VAL	VE MPI						
	2L V6 SOHC 2								
GG= 3.5	L HIGH OUTF	PUT V6	3 24V MPI						
1									MODULE, Engine Controller
	4606 775AA	1				EES			w/European Emissions
	4606 980AA	1				EGG			w/Leaded Fuel
	4896 185AA	1				EES			w/Leaded Fuel
	4896 272AA	1				EGG			w/Federal Emissions
	4896 344AA	1				EGG			w/Mexico Emissions
	4896 462AA	1				EGW			w/Federal Emissions
	4896 530AA	1				EES			w/Federal Emissions
	4896 632AA	1				EGG			w/Federal Emissions, High Speed
									Engine Controller
	4896 653AA	1				EGW			w/Mexico Emissions
	4606 682AC	1				EER			w/Federal Emissions
	4896 350AE	1				EGW			w/California Emissions
	4896 360AG	1				EES			w/California Emissions
	4896 370AB	1				EGG			w/European Emissions
	4606 614AF	1				EER			w/California Emissions
	4896 240AF	1				EGG			w/California Emissions
	4896 742AF	1				EGG			w/California Emissions, High Spee
									Engine Controller
	4896 828AB	1				EGC			w/California Emissions
	4606 806AA	1				EGC			w/Federal Emissions, High Speed
	4896 345AA	1				EGC			[NAM,NZ5]
2	6504 495	3	-				-		SCREW, Tapping, Engine Controlle
									Mounting
3	4606 046	1							BRACKET, Engine Control Module
4	6502 691	4							NUT, Hex Flange Lock, M6x1,
									Engine Controller Bracket Mountir
-5									COVER PACKAGE, Powertrain
									Control Module, (NOT REQUIRED

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Switches - Instrument Panel Figure 008-805



4760 154AF		PART								
EES= 2.7L V6 DOHC 24 VALVE	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EES= 2.7L V6 DOHC 24 VALVE EGW = 3.2L V6 SOHC 24 VALVE MPI EGG= 3.5L SOHC EGG= 3.5L HIGH OUTPUT V6 24V MPI 1		-								
EES= 2.7L V6 DOHC 24 VALVE EGW = 3.2L V6 SOHC 24 VALVE MPI EGG= 3.5L SOHC EGG= 3.5L HIGH OUTPUT V6 24V MPI 1	EER = 2	2.7L V6 DOHC	24 VAL	VE MPI						
EGC = 3.5L SOHC EGG = 3.5L HIGH OUTPUT V6 24V MPI 1	EES= 2.	.7L V6 DOHC 2	4 VALV	<u>Έ</u>						
EGG = 3.5L HIGH OUTPUT V6 24V MPI 1 4760 151AF 1 SWITCH, Headlamp 2 4760 154AF 1 without Auto Headlamps 4760 158AF 1 without Auto Headlamps 3 4760 158AF 1 SWITCH, Headlamp and Fog I without Auto Headlamps -4 6504 912AA- 6 D SWITCH, Headlamp and Fog I Front and Rear Fog Lamps, SCREW, Tapping, Headlamp STo Bezel 5 4760 594AC 1 SWITCH, Multifunction SWITCH, Ignition 6 5014 176AA 1 SWITCH, Ignition CONTROL, A/C And Heater without ATC 4698 198AB 1 D without ATC 4698 199AB 1 D with ATC 4698 199AB 1 D SWITCH, Speck Lid Release 8 SWITCH, Deck Lid Release 9 4671 336 1 C P SWITCH, Stop Lamp, Sto	EGW =	3.2L V6 SOHC	24 VAL	VE MPI						
1	EGC= 3	.5L SOHC								
2	EGG = 3	3.5L HIGH OUT	PUT V	6 24V MPI						
4760 154AF	1	4760 151AF	1							SWITCH, Headlamp
4760 158AF 1	2									SWITCH, Headlamp and Fog Lamp
3		4760 154AF	1							without Auto Headlamps
Front and Rear Fog Lamps, I SCREW, Tapping, Headlamp S To Bezel 5		4760 158AF	1							with Auto Headlamps
Front and Rear Fog Lamps, I SCREW, Tapping, Headlamp S To Bezel 5	3	4760 156AF	1							SWITCH, Headlamp and Fog Lamp
SCREW, Tapping, Headlamp STO Bezel SWITCH, Multifunction CONTROL, A/C And Heater Without ATC Without ATC Without ATC Without ATC With ATC With ATC With ATC With ATC With ATC SWITCH, Deck Lid Release SWITCH, Deck Lid Release SWITCH, Deck Lid Release SWITCH, Stop Lamp, Sto										Front and Rear Fog Lamps, Expo
To Bezel SWITCH, Multifunction SWITCH, Multifunction SWITCH, Ignition CONTROL, A/C And Heater without ATC without ATC with ATC Af698 199AB 1 D with ATC with ATC with ATC with ATC Af698 199AB 1 D with ATC with ATC with ATC Af698 199AB 1 D with ATC with ATC with ATC with ATC Af698 199AB 1 D with ATC with ATC With ATC with ATC Af698 199AB 1 D SWITCH, Deck Lid Release SWITCH, Deck Lid Release SWITCH, Deck Lid Release SWITCH, Stop Lamp, Stop La	-4	6504 912AA-	6	D						SCREW, Tapping, Headlamp Switch
SWITCH, Ignition CONTROL, A/C And Heater without ATC without ATC without ATC with										
CONTROL, A/C And Heater without ATC	5	4760 594AC	1							SWITCH, Multifunction
CONTROL, A/C And Heater without ATC			1							SWITCH, Ignition
Mithout ATC	7									_
4698 199AB 1 D with ATC		4698 198AB	1	D						
4698 199AB 1 D with ATC			1	C, Y						without ATC
1		4698 199AB	1							with ATC
8			1	Υ						with ATC
8			1	С	Р					with ATC
4760 847AC 1 C P 1 Y 1 D 1 C H 1 C M 9 4671 336 1 SWITCH, Stop Lamp, Stop Lam	8									
1 Y 1 D 1 C H 1 C M 9 4671 336 1 SWITCH, Stop Lamp, Sto		4760 847AC	1	С	Р					
1 C H 1 C M 9 4671 336 1 SWITCH, Stop Lamp,			1							
1 C M 9 4671 336 1 SWITCH, Stop Lamp, Stop			1	D						
9 4671 336 1 SWITCH, Stop Lamp, S			1	С	Н					
Speed Control			1	С	М					
Speed Control	9	4671 336	1							SWITCH, Stop Lamp, Stop Lamp &
10 4760 352AD 1 SWITCH, Speed Control, Resultance										
Canel/Accel 11	10	4760 352AD	1							SWITCH, Speed Control, Resume/
11 4760 353AD 1 SWITCH, Speed Control, On/O 12 SWITCH, Remote Radio, (NOT REQUIRED) 13 SWITCH, Traction Control 4760 152AB 1 D 1 C, Y										
12 SWITCH, Remote Radio, (NOTREQUIRED) 13 SWITCH, Traction Control 4760 152AB 1 D 1 C, Y	11	4760 353AD	1							SWITCH, Speed Control, On/Off
REQUIRED) 13 SWITCH, Traction Control 4760 152AB 1 D 1 C, Y										•
13 SWITCH, Traction Control 4760 152AB 1 D 1 C, Y										
4760 152AB 1 D 1 C, Y	13									
1 C, Y		4760 152AB	1	D						·
			_							
	14	4565 022	1							SWITCH AND LAMP, Glove Box

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CWITCH Oil Brossure
	4608 303	1				EER			SWITCH, Oil Pressure
	+000 000	1				EGW			
		1				EES			
		1				EGC,			
						EGG			
	INTREPID-LHS- LINE	OUN (I FI)							



H = High Line
P = Premium
S = Special
M = LXI
X = R/T

C = LHS, Concorde Y = 300M


EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

2 3 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	5
	14)
6 7 8 10 11 9	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 EIVI	NONBER	Q I I	LINE	JERIES	BODT	ENGINE	INANS	IKIIWI	DESCRIPTION
	71 1/0 50110 -	4 \ / 4 1	(E.MS)						
	.7L V6 DOHC 2								
	3.2L V6 SOHC 2								
	3.5L HIGH OUTF	OI VE	24V MPI						CMITCH Davies Mindow
1	4700 070 4 4	0							SWITCH, Power Window
	4760 978AA	2 1							1-Gang, (Chrome), Rear Door
	50007 COF A C	-							1-Gang, (Chrome), Front Door
	56007 695AC	1							 Gang Passenger door Black Rear Doors Black
2		2							SWITCH, Sunroof
	SX16 1L2AA	1	Y						SWITCH, Sulfooi
	SAID ILZAA								
		1	D C	ш					
		1		H P					
		<u>1</u> 1	C C	<u>Р</u> М					
3		ı	C	IVI					SWITCH, Memory Selector
3	RF29 LAZAB	1	С	Р					[AZ]
	KFZ9 LAZAD	1	Y	Г					[AZ]
	RF29 MF1AB	<u>'</u> 	C	P					[FK]
	KF29 WIF IAD	1	Y	Г					[FK]
	RF29 RK5AB	1	C	Р					[K9]
	KF29 KKJAD	1	Y	Г					[K9]
4		'	ı						SWITCH, Courtesy Lamp
4	4607 064	1	D						SWITCH, Courtesy Lamp
	4007 004	1	Y						
		1	C	Н					
		'		M					
		1	C	P					
5		'	O	•					SWITCH, Deck Lid Alarm
3	4608 287AB	1	D						SWITCH, Deck Liu Alaim
	4000 201 AD	'	C						
		1	Y						
6	4797 655	1	•						SWITCH, Brake Fluid Level
7	4707 000	'							SWITCH, Power Window
•	5026 004AA	1							Five Gang Black
	5026 010AA	1							Five Gang Chrome
8	3020 010/01	•							SWITCH, Window
J	4760 976AA	1	С	Р					five gang chrome
	55 57 57 61	1		•					five gang chrome
9		•	•						SWITCH, Mirror
J	4760 174AF	1	С	Н					5 5. i, iii
	., 00 11 7/11	1	D						
		'							

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		1					<u> </u>			
			4	0	N.4					
_		TA55 VK9AA	1	C C	<u>М</u> Р					dark suede
		TASS VRSAA	1	Y	Г					dark suede
		TA55 DX9AA		C	Р					flat black
		TASS DASAA	1	Y	Р					flat black
_	10		1	T						SWITCH, Door Lock
		4760 977AA	1	С	Р					Chrome
		4700 977AA	1	Y	Г					Chrome
		4760 857AB	1	D						Black
_		+100 031 AD	'	C	Н					Black
			1	C	M					Black
	11		'	O	IVI					SWITCH, Seat
	• • •	4601 756AB	1	С	Н					Right
_		4001 700/ID	'	C	M					Night
			1	D						Right
			1	Y						Right
			1	Ċ	Р					Right
_		4601 757AB	1	C	<u>·</u> H					Left
			1	C	М					Left
			1	D						Left
			1	Y						Left
_			1	С	Р					Left
	12									KNOB, Power Seat Switch
		4607 042	1	С	Н					Right
			1	D						Right
_			1	С	Р					Right
			1	Υ						Right
			1	С	M					Right
		4607 043	1	С	Н					Left
_			1	Υ						Left
			1	D						Left
			1	С	Р					
			1	Υ						
		4607 044	1	С	Н					recliner, Right
			1	D						recliner, Right
			1	С	Р					recliner, Right
_			1	Υ						recliner, Right
			1	С	М			<u>-</u>		recliner, Right
		4607 045	1	С	Н					recliner, Left
			1	Υ						recliner, Left
_			1	D						recliner, Left

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year







	PART											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
		1	С	Р					recliner, Left			
		1	С	М		recliner, Left						
13	4760 162AB	2					SWITCH, Central Locking					
14						SWITCH, Heated Seat						
	QP36 LAZAD	2	С	Р					[AZ]			
		2	Υ						[AZ]			
	QP36 MF1AD	2	С	Р					[FK]			
		2	Υ						[FK]			
	QP36 RK5AD	2	С	Р					[K9]			
		2	Υ						[K9]			

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line
P = Premium
S = Special
M = LXI

X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Horns Figure 008-905

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						-	-	-		
		4760 943AC 4760 944AC	1 1							HORN AND BRACKET, Low Note HORN AND BRACKET, High Note
(2)										
	CONCORDE- SERIES	INTREPID-LHS-3	00M (LH)	BC	DDY		NGINE			TRANSMISSION DGX = 4 Speed Automatic
	H = High Line P = Premium S = Special	D = Intro C = LHS Y = 300	epid S, Concor M	de 41	= 4 Door Se	dan E E E	NGINE ER = 2.7L V ES = 2.7L V GG = 3.5L V GW = 3.2L V	6 DOHC 6 DOHC 24V 6 MPI 24V	/ /	DGX = 4 Speed Automatic
	S = Special M = LXI X = R/T					E E	$GW = 3.2L \ V$ $GC = 3.5L \ V$	/6 MPI 24V 6 SOHC		

Battery Tray Figure 008-1005




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EER = 2.7	7LV6 DOHC								
	2L V6 SOHC 2	4 VAL	/E MPI						
EGG= 3.5	L HIGH OUTF	PUT V6	24V MPI						
NOTE: Po	sitive battery v	wiring s	erviced in	engine har	ness only.				
1									BATTERY, [See Mopar Battery
									Catalog], (NOT SERVICED) (Not
									Serviced)
2	4580 743AB	1							BRACKET, Battery Hold Down
3	6101 718	2							SCREW AND WASHER, Oval Head
									M6x1x25, Battery Hold Down
4	4609 098AB	1							HEATER, Battery
5	4609 121AD	1							CORD, Engine Block Heater
6	4580 197AF	1							TRAY, Battery
-7	6101 712	3							NUT, U, M6x1, Battery Tray & Hold
									Down Attaching
8	4760 739AB	1							BRACKET, Battery Wiring
9	4759 333AB	1							BRACKET, Battery Wiring, Air
									Cleaner Attaching
-10	4760 819AB-	1							COVER, Battery, Remote Battery
									Post Positive
-11	4760 584AB-	1							INSULATOR, Battery Cable
-12									LABEL, Battery
	4780 518AC-	1							Negative Jumper
	4793 062	1							European
	4760 567AC-	1							WIRING, Battery Negative
-14	504C CC7AA	4				FFC			WIRING KIT, Battery Positive
	5016 667AA-	1				EES			Repair Kit
	5016 668AA-	1				EGG			Repair Kit
-15		1				EGW			Repair Kit TERMINAL, Eyelet, (NOT
-15									REQUIRED)
									REQUIRED)

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Lamps-Front Figure 008-1105



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CH=Con									
CP=LHS									
D=Intrep									
Y=300M									
1			.,						HEADLAMP
	4780 002AC	1	Y						(European), Right
	4780 003AC	1	Y						(European), Left
	4780 010AF	1	С	H, M					Right
	4780 011AF	1	C	H, M					Left
	4780 012AC	1	Y						Right
	4780 013AC	1	Y	п					Left
	4780 014AB	1	С	P P					Right Left
	4780 015AB 4780 004AD	<u>1</u> 1	C D	Р					
	4780 004AD 4780 005AD	1	D						Right Left
-2	4760 003AD	'	D						U-CLIP, Headlamp
-2	5003 395AA-	4	С	Н, М					O-CLIF, Headiamp
	5003 393AA- 5003 753AA-	<u>1</u> 1	Y	⊓, IVI					
	3003 733AA-	1	C	Р					
3	6505 760AA	4	C	ľ					SCREW, Large Round Washer He
4	4630 559AC	2							CLIP, Lamp
-5	+000 000/10								COVER, Headlamp
3	QN78 SW1	1	Υ						Washer, Stone White, (European
	QIVIO OVVI	•	•						Right
	QN78 VTE	1	Υ						Washer, Champagne Pearl,(
	Q. 1. 0 V. 1. 2	•	•						European), Right
	QN78 VAW	1	Υ						Washer, Deep Slate, (European
									Right
	QN78 VLB	1	Υ						Washer, Slate Blue, (European)
									Right
	QN78 WG2	1	Υ						Washer, Light Green, (Europear
									Right
	QN78 WEL	1	Υ						Washer, Black, (European), Righ
	QN78 XBQ	1	Υ						Washer, Blue, (European), Righ
	QN78 XGR	1	Υ						Washer, Emeral Green, (Europe
), Right
	QN78 WS2	1	Υ						Washer, Charcoal, (European),
									Right
	QN78 XRV	1	Υ						Washer,Orange-Red, (European
									Right
	QN79 VAW	1	Υ						Washer, Deep Slate, (European)
									Left


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

Lamps-Front Figure 008-1105



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	0170 0144								M
	QN79 SW1	1	Y						Washer, Stone White, (European), Left
	QN79 VTE	1	Υ						Washer, Champagne Pearl,
	Q	·	•						(European), Left
	QN79 WEL	1	Υ						Washer, Blackl, (European), Left
	QN79 VLB	1	Υ						Washer, Slate Blue, (European),
									Left
	QN79 WG2	1	Υ						Washer, Light Green, (European),
	QN79 WS2	1	Y						Left Washer, Charcoal, (European), Lef
	QN79 WS2 QN79 XBQ	1	Ϋ́						Washer, Blue, (European), Left
	QN79 XGR	1	Ϋ́						Washer, Emeral Green,
	QIVIO XOIX	'	•						(European), Left
	QN79 XRV	1	Υ						Washer, Orange-Red, (European),
									Left
-6	0154 822	1	D						BULB, 3157 NAK, Turn Signal
7									NOZZLE, Washer, Headlamp
	4805 072AC	1							(European), Right
	4805 073AC	1							(European), Left
8									SCREW, (NOT SERVICED) (Not
	4070 505								Serviced)
9	4676 565	2	Y Y						LAMP, Front Fender
-10 -11	4805 071AB-	1	ř						HOSE, Washer, Headlamp BULB, Headlamp
-11	0154 846AA-	1	С	Р					High Beam
	0.01010707	<u>·</u> 1		•					High Beam
	L000 9006	1	Υ						Trade # 9006, Low Beam, Export
	0154 846AA-	1	С	H, M					High Beam
		1	Υ						High Beam
	L000 9005	1	Υ						High Beam,Export
-12									BULB, Headlamp, 9006XS
	0154 870AA-	1	D						Low Beam
		1	С	H, M					Low Beam
40		1	Υ						Low Beam
-13	E002 E06	4	0	Р					RETAINER, Headlamp Bulb
	5003 596AA-	1 1	C Y	Р					Right Right
		'	C	Н, М					Right
-14	4805 573AA-	1	D	11, 111					SOCKET, Lamp, Turn signal
-15	4399 900	1	C	Р					SOCKET, Park, Turn, and Side
-		•	-						Lamp
-16									LAMP, Fog

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC


TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

September 16, 2005



Lamps-Front Figure 008-1105



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4574 826AB-	1	Υ						Right
	4574 836	1	D	Р					Right
	4574 827AB-	1	Υ						Left
	4574 837	1	D	Р					Left
	4805 046AC-	2	С	Р					
-17	L00H 335W	1	D	Р					BULB, Fog Lamp, H-3 35 Watt
-18	L000 9040	2	С	Р					BULB, Fog Lamp, 50 Watt
-19	4728 646	2	Υ						BULB PACKAGE, 55 Watt, Fog
									Lamp
-20	4805 395AA-	2	С	Р					BRACKET, Fog Lamp
-21									LAMP, Side Marker
	4805 038AB-	1	С	Р					Right
	4805 039AB-	1	С	Р					Left
-22									VENT, Headlamp, (NOT REQUIRE
-23									LAMP, Front Combination
	4805 140AB-	1	Υ						w/Headlamp Washers, Right,Exp
	4805 141AB-	1	Υ						w/Headlamp Washers, Left,Expor
	4805 269AA-	1	С	Н					Left
	4805 138AB-	1	Υ						Right
	4805 139AB-	1	Υ						Left
	4805 268AA-	1	С	Н					Right
	4805 269AA-	1	С	М					Left
	4805 268AA-	1	С	М					Right
-24	4676 801	2	Υ						GASKET, Side Marker Lamp
-25	0153 620	2	Υ						BULB, 8/4, Side repeater,
									(European)
-26	4759 379AA-	1	Υ						WIRING, Headlamp
-27	5014 121AA-	1	Υ						MOTOR, Headlamp Leveling,
									(European)
-28									WELT, Headlamp
	5014 909AA-	1	С	H, M					•
		1	C	P					
-29			-						WIRING, Fog Lamp
	4760 632	1	С	Р					. 5
	4760 721	1	Υ						


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

Lamps-Rear Figure 008-1107




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Turn
	4574 960AH	1	D						Right
	4574 961AH	1	D						Left
	4780 050AH	1	Y						Right
	4780 051AH	1	Υ						Left
	4780 052AI	1	Υ						w/Rear Fog Lamps, Right
	4780 053AI	1	Υ						w/Rear Fog Lamps, Left
	4780 058AG	1	С	Р					Right
	4780 059AG	1	С	Р					Left
2									LAMP, Tail Stop Backup
	4780 062AG	1	С	H, M					Right
	4780 063AG	1	С	H, M					Left
-3									LAMP, BackUp
	4574 900	1	С	Р					Right
	4574 901	1	С	Р					Left
4	3420 2385	6							NUT, Wing, M6x1
5									LAMP, High Mounted Stop
	4780 179AC	1	С						
	4805 121AC	1	Υ						
6	4574 615	1	D						LAMP, Deck Lid
7	6502 589	4	D						NUT, Wing, M6, Deck Lid, Applique
-8	5303 251	1	С						SOCKET, High Mounted Stop Lamp
9	0154 883AA	1	Υ						BULB, 921, Deck Lid Lamp
-10	L000 0912	2	D						BULB, 912, Deck Lid Lamp
11	6101 777	AR							SCREW, Hex Flange Head Tapping
									M6x1.00x20.00, Chmsl Attaching
-12	6101 712	2	Υ						NUT, U, M6x1, Chmsl Attaching
-13									LAMP, License Plate
	4574 904	1	D						,
		<u>·</u> 1	Y						
		1	C	Р					
		1	C	M					
		1	C	Н					
-14		•		• • •					BULB, 168
	L000 0168	2	С	Р					Side Marker Lamp
	2000 0100	2	C	H					Side Marker Lamp
-15	4760 148	1	J	1.1					LAMP, Trunk
- 13	+100 140	ı							LAWII, HUIK

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Lamps-Cargo, Dome and Courtesy Figure 008-1110



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_	1									LAMP, Door
		4760 186	1	С	Р					Right
			1	Υ						Right
			1	D						Right
_			1	С	М					Right
		4760 187	1	С	Р					Left
			1	Υ						Left
			1	С	Н					Left
			1	D						Left
			1	С	М					Left
	2	L000 0906	1							BULB, 906, Trunk Lamp
	3									LAMP, Courtesy
_		HR76 TL2	1	D						Right
		HR77 TL2	1	D						Left
	4									HANDLE
		QB26 TL2AB	1	D						Grab-Rear, w/Courtesy Lamp, Lt.
_										Neutral, Right
			1	Υ						Grab-Rear, w/Courtesy Lamp, Lt.
										Neutral, Right
			1	С	Н					Grab-Rear, w/Courtesy Lamp, Lt.
_										Neutral, Right
			1	С	Р					Grab-Rear, w/Courtesy Lamp, Lt.
										Neutral, Right
			1	С	М					Grab-Rear, w/Courtesy Lamp, Lt.
										Neutral, Right
		QB27 TL2AB	1	D						Grab-Rear, w/Courtesy Lamp, Lt.
										Neutral, Left
			1	Υ						Grab-Rear, w/Courtesy Lamp, Lt.
_										Neutral, Left
			1	С	Н					Grab-Rear, w/Courtesy Lamp, Lt.
										Neutral, Left
			1	С	Р					Grab-Rear, w/Courtesy Lamp, Lt.
_										Neutral, Left
			1	С	М					Grab-Rear, w/Courtesy Lamp, Lt.
			_	_						Neutral, Left
	5	4728 529	1	D						LENS, w/Grab Handle
	-6	1007.00								SWITCH, Courtesy Lamp
		4607 064	1	D						
			1	Y						
			1	С	Н					
_			1	С	M					

P = Premium
S = Special
M = LXI

X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

Lamps-Cargo, Dome and Courtesy Figure 008-1110



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Ī		-						-		
			1	С	Р					
_	7									LAMP, Reading
		PB83 TL2AB	1	D						Front Overhead, Black
			1	Υ						Front Overhead, Black
	8	4760 148	1							LAMP, Trunk, Lens
	9									WIRING, Reference, (NOT
										REQUIRED)
	10	6016 270AB	1							CLIP, Wiring, Offset, Square Insert
	-11	4565 022	1							SWITCH AND LAMP, Glove Box
	-12									WIRING, Overhead Console
		4760 644	1	D						
			1	Υ						
			1	С	Н					
			1	С	М					

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

Bulbs Figure 008-1115

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4									DIUD III-adlama
1	0454.0404.4			11.54					BULB, Headlamp
	0154 846AA	1	С	H, M					High Beam
		1	Y						High Beam
	L000 9005	1	Y	Б					High Beam,Export
	0154 846AA	1	C	Р					High Beam
	1 000 0000	1	D	Б					High Beam
	L000 9006	1	С	Р					Low Beam
0		1	Υ						Low Beam,Export
-2	0454.0704.4			11.54					BULB, Headlamp, 9006XS
	0154 870AA-	1	С	H, M					Low Beam
		1	Y						Low Beam
		1	D	_					Low Beam
-3	0154 869AA-	2	C	P					BULB, Fog Lamp, 50 Watt
-4	0154 866AA-	1	D	Р					BULB, Fog Lamp, H-3 35 Watt
-5	4728 646	2	Υ						BULB PACKAGE, 55 Watt, Fog
									Lamp
6									BULB AND SOCKET, Heater and
									A/C Control
	5011 273AA	4	Υ						w/Automatic Temp. Control
		4	С	Р					w/Automatic Temp. Control
	5013 815AA	3	D						w/Manual A/C
	5011 273AA	4	D						w/Automatic Temp. Control
		4	С	H, M					w/Automatic Temp. Control
	5013 815AA	3	C, Y						w/Manual A/C
-7									BULB, Auxiliary A/C Blower Switc
									ENW1-EW33112, (NOT
									REQUIRED)
-8									BULB AND SOCKET
	4897 949AA-	1	С	Р					Analog Clock
		1	Υ						Analog Clock
-9	0154 822	1	D						BULB, 3157 NAK, Turn Signal An
									Side Marker Lamp
-10	L000 0912	2	D						BULB, 912, Chmsl,Lamp
-11	0153 625	2	Υ						BULB, W10/5, License Plate Lam
									Export
-12									BULB, 168
	L000 0168	1	С	Н					License Plate Lamp
		1	D						License Plate Lamp
		2	С	Н					Side Marker
		1	С	Р					License Plate Lamp
		1	Υ						License Plate Lamp



SERIES H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Bulbs Figure 008-1115

			PART							
		ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM
								-		
				1	С	М				
				2	С	М				
		-13 -14	L000 0906	1						
		-14	L000 0161	1	С					
				1	D, Y					
		-15								
			L000 0192	1	С	Р				
				1	Y					
				1	C D	Н				
<u>(1)</u>	(6)			2	С	М				
Ÿ		-16								
1			L000 0194	1	С	Н				
				1	С	M				
		-17	0153 620	2	Y					
		-18								
			4897 949AA-	. 1	С	Р				
				1	Υ					
			L000 921E	1	Y					
		-20	0504.000	4	Б					
			6501 966	1	D C	Н				
				1	C	M				
				1	Y					
				1	С	Р				

CONCORDE-INTREPID-LHS-300M (LH)-

SERIES H = High Line P = Premium S = Special

M = LXIX = R/T

LINE D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

DESCRIPTION

License Plate Lamp

BULB, 906, Trunk Lamp

BULB, 8/4, Front Fender Side

BULB, 921, Deck Lid Lamp

Repeater, Export BULB AND SOCKET Analog Clock Analog Clock


BULB, Sunvisor

Side Marker

Reading Lamp Reading Lamp Reading Lamp Reading Lamp Reading Lamp BULB, 194 Glove Box Glove Box

BULB, 161 Ash Receiver Ash Receiver BULB, 192

Wiring-Engine and Related Parts Figure 008-1205




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EER = 2.7	L V6 DOHC 2	24 VAL	/E MPI–						
EGW= 3.2	2L V6 SOHC 2	24 VAL\	/E MPI						
EGG=3.51	_ HIGH OUTP	OT V6	24V MPI						
DGX=TRA	NOISSIMENA	- 4-SPE	ED AUTO	MATIC					
1									WIRING, Engine
	4760 555AF	1				EER			
	4759 666AC	1				EGW			
		1				EGG			
	4760 555AF	1				EES			
2	1750 110AB								WIRING, Knock Sensor Jumper
	4759 419AB	1				EER			
0		1				EES			WIDING 11/1 areas To Dook (CEE
3									WIRING, H/Lamp To Dash (SEE ILLUS. 1305), (NOT REQUIRED)
4	4760 567AC	1							WIRING, Battery Negative, w/Nuts
4	4700 307AC	'							and Bolts
5									SWITCH, Oil Pressure
	4608 303	1				EER			SWITOIT, Oil Flessure
	1000 000	1				EGW			
		1				EGG			
6									STRAP, Ground
	4760 832AC	1				EER			Engine
	4760 831AC	1				EGW			Engine
		1				EGG			Engine
	4760 832AC	1				EES			Engine
-7	4759 893AA-	1				EER,			WIRING, Starter
						EES			
-8									WIRING, Transmission
	4759 990AA-	1				EGG,	DGX		
						EGW			
		1				EER,	DGX		
						EES			
	4609 121AD-	1							CORD, Engine Block Heater
	4609 325	1							HEATER, Engine Block
-11	1000 1	_							CAPACITOR, Ignition
	4609 133AA-	2				EER			
		2				EGW			
		2				EGG			

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Wiring-Headlamp to Dash Figure 008-1305

PART




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Headlamp to Dash
	4759 750AA	1	D, Y						W/ABS, up to 12/4/99
		1	С	H, M					W/ABS, up to 12/4/99
	4759 751AA	1	D, Y						w/o ABS
		1	С	H, M					w/o ABS
	4759 752AA	1	С	Р					
	4759 753AB	1	Υ						w/o ABS, (European)
	4759 754AB	1	Υ						w/ ABS, (European)
	4759 750AC	1							W/ABS, after 12/4/99
2									WIRING, Front End Lighting
	4759 647AA	1	D						With Fog Lamp
	4759 648AA	1	D						Up to 08/19/99, Without Fog Lamp
	4759 649AA	1	С	H, M					w/o Headlamp Washer
		1	Υ						w/o Headlamp Washer
	4759 661AA	1	С	Р					
	4759 663AB	1							w/Headlamp Washer, Export
	4759 648AC	1	D						After 08/19/99
3									COVER, Power Distribution Center
	4760 135AB	1							Lower
	4760 134AC	1							Upper
4	4760 691	1							BRACKET, Power Distribution Center
-5	6102 075AA-	2							FUSE CARTRIDGE, 20 Amp
-6	6102 076AA-	2							FUSE CARTRIDGE, 30 Amp
-7	6102 077AA-	2							FUSE CARTRIDGE, 40 Amp
-8	6102 078AA-	2							FUSE CARTRIDGE, 50 Amp
-9	5066 164AA-	1							HARNESS, Radiator Fan with Relays

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Wiring-Instrument Panel Figure 008-1405

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Instrument Panel
	4759 882AA	1	D						w/Automatic Temp. Control, AM/F
									Cassette
	4759 883AA	1	Υ						Export
	4759 884AA	1	Υ						w/Manual A/C
	4759 885AA	1	С	Р					
		1	Υ						w/Security Alarm
	4759 886AA	1	Υ						w/Automatic Temp. Control
	4759 887AA	1	С	H, M					w/Automatic Temp. Control
	4759 889AA	1	С	H, M					w/Manual A/C
	4759 890AA	1	D						w/Automatic Temp. Control
	4759 891AA	1	D						w/Manual A/C
	4759 892AA	1	D						w/Manual A/C, AM/FM Cassette
2	4760 228AB	1							JUNCTION BLOCK, Instrument
									Panel
-3									BRACKET, Instrument Panel Wiring.
									(NOT REQUIRED)
4	4760 060	1							FLASHER, Hazard (Combination)
5	6101 486	2							FUSE, Mini, 10 AMP, Red, Airbag
									Module
-6	6102 075AA-	2							FUSE CARTRIDGE, 20 Amp
-7	6102 076AA-	2							FUSE CARTRIDGE, 30 Amp
-8	6102 077AA-	2							FUSE CARTRIDGE, 40 Amp
-9	6102 078AA-	2							FUSE CARTRIDGE, 50 Amp

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

ITEM

PART

NUMBER

QTY

LINE

16 18 9 5 3 13 22 22 19 17 15
(19) (17) (20) (1) (15)

=Dodg	e CM=Chrysler	Concord	de LXI CH	I =Chrysler (Concorde	CP=Chrysi	er LHS Y=	<u>-Chrysie</u>	er 300
1									WIRING, Body Left
	4759 681AD	1	D	Н					w/o ABS, Power Seats, w/Four
									Speakers,
	4759 682AD	1	D	Н					w/ABS, Four Speakers
	4759 683AD	1	D	Н					w/o ABS, w/ Eight or Nine
									Speakers
	4759 684AD	1	D	Н					w/ABS, Eight or Nine Speakers
	4759 686AD	1	С	H, M					w/o ABS, w/Four Speakers, (CH-
									CM)
	4759 687AD	1	С	H, M					w/ABS, Four Speakers, (CH-CM)
	4759 690AE	1	С	Р					with 240 Watt Amp
	4759 691AE	1	С	Р					with 360 Watt Amp
	4759 693AD	1	Υ						
	4759 695AD	1	Υ						with 360 Watt Amp, Memory
	4759 798AB	1	Υ						with 360 Watt Amp, Export
	4759 799AB	1	Υ						with 360 Watt Amp, Memory, Side
									Air Bags, Export
	4759 785AD	1	D	P, X					With Infinity
	4759 899AB	1	D	Н					[BRW,BRE,JPV,JPR,RCD]
2									WIRING, License Lamp
	4759 727AA	1	Υ						Export
	4759 728AA	1	С	M					
		1	С	Н					
	4759 729AA	1	С	Р					
	4759 731AA	1	D						
		1	Υ						
3									WIRING, Power Seat
	4759 807AA	1	Υ						Passenger
	4759 809AA	1	Υ						Driver Side
	4760 449AC	1	С	Н					Driver Side
		1	D						Driver Side
		1	С	М					Driver Side
	4760 450AC	1	С	Н					Passenger
		1	D						Passenger
		1	С	M					Passenger
	4759 804AA	1							Export
-4									WIRING, Heated Seat
	4760 768AC-	1	Υ						Passenger Side
	4759 805AA-	1	Υ						w/Side Impact Airbags, Passenge
									Side

SERIES BODY ENGINE TRANS TRIM

CONCORDE-INTREPID-LHS-300M (LH)-

SERIES H = High Line P = Premium
S = Special
M = LXI


X = R/T

LINE D = Intrepid C = LHS, Concorde Y = 300M BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

DESCRIPTION



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4760 769AC-	1	С	Р					Driver Side
5									WIRING, Headliner
	4760 106AD	1	D						Base
	4760 107AD	1	D						Premium
		1	С	М					Premium
		1	Υ						Premium
		1	С	Н					Premium
	4760 108AD	1	D						w/Trip Computer, Garage Door
									Opener, w/o Sunroof
		1	С	Н					w/Trip Computer, Garage Door
									Opener, w/o Sunroof
		1	С	M					w/Trip Computer, Garage Door
									Opener, w/o Sunroof
		1	Υ						w/Trip Computer, Garage Door
									Opener, w/o Sunroof
		1	С	Р					w/Trip Computer, Garage Door
									Opener, w/o Sunroof
-6									WIRING, Electric Back Light Feed
	4759 522AA-	1	D						
	4759 138AB-	1	С						
		1	Υ						
-7									WIRING, High Mounted Stop Lam
	4604 407	1	Υ						
	4759 748AA-	1	С						
-8									WIRING, Electric Backlight Ground
	4759 137AB-	1	С						
		1	Υ						
	4759 523AA-	1	D						
9									WIRING, Overhead Console
	4760 644	1	D						
		1	Υ						
		1	С	Р					
		1	С	М					
		1	С	Н					
10									WIRING, Front Door
	4759 626AB	1							w/Eight Speaker System, w/o
									Courtesy Lamps, Right
	4759 627AB	1							w/Eight Speaker System, w/o
									Courtesy Lamps, Left
	4759 631AB	1							w/Eight or Nine Speaker System
									Courtesy Lamps, Power Mirror

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

September 16, 2005





		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4759 628AB	1							w/Eight or Nine Speaker System,
_										Courtesy Lamps, Power Mirrors,
										w/o Security Alarm, Right
		4759 629AB	1							w/Eight or Nine Speaker System,
										Courtesy Lamps, Power Mirrors,
										w/o Security Alarm, Left
		4759 633AB	1							w/Power Heated Memory Mirrors,
										Left
_		4759 722AB	1							w/Four Speaker System, w/o
										Courtesy Lamps, Power Mirrors,
										Right
		4759 723AB	1							w/Four Speaker System, w/o
_										Courtesy Lamps, Power Mirrors,
										Left
		4759 730AB	1							w/Eight or Nine Speaker System,
										Courtesy Lamps, Power Mirrors,
_										Security Alarm, Right
		4759 635AB	1							w/Power Heated Folding Mirrors,
		4750 7044B								Left,Export
		4759 724AB	1							w/Four Speaker System, w/
_										Courtesy Lamps, Power Mirrors,
		4750 705 A D								w/o Security Alarm, Right
		4759 725AB	1							w/Four Speaker System, w/
										Courtesy Lamps, Power Mirrors,
-		4750 700AD								w/o Security Alarm, Left
		4759 732AB	1							w/Power Heated Memory Mirrors,
		4759 734AB	1							Right w/Power Heated Folding Mirrors,
		4709 734AD	1							
-	11									Right,Export WIRING, Rear Door
		4759 641AA	2							w/o Courtesy Lamps
		4759 642AA	2							w/Courtesy Lamps
		4759 643AA	2							w/Eleven Infinity Speaker System
-	-12	4759 671AA-	1							CLIP, Wiring, Body
	13	4700 07 1701	•							WIRING, Deck Lid
	.0	4760 131AF	1	D						w/o Security Alarm
		4760 662AF	1	D						w/ Security Alarm
-		4759 450AF	<u>·</u> 1	Y						w/o Security Alarm
		4759 451AF	1	Y						w/ Security Alarm
		4760 678AE	1	C						w/o Security Alarm
		4760 679AE	1	C						w/ Security Alarm
_										<u> </u>

X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-14	6505 297AA-	11							NUT, Hex Flange, M5-1.6, Deck
									Wiring Attaching
15	4700 0704 0		_						WIRING, Taillamp
	4760 072AC	1	D	_					
	4760 075AD	1	С	P N4					
	4760 082AD	1	С	H, M					
40	4760 083AD	1	Υ						WIDING Hardleys To Dock (0
16									WIRING, Headlamp To Dash,(S
17									Illus. 1305), (NOT REQUIRED
17									WIRING, Engine, (See Illus. 120
18									(NOT REQUIRED)
10									WIRING, Transmission, (See IIIL 1205), (NOT REQUIRED)
19									WIRING, Power Distribution Cer
13									(See Illus. 1305), (NOT
									REQUIRED)
20									WIRING, Junction Block & Fuse
									(See Illus. 1405), (NOT
									REQUIRED)
21									WIRING, Instrument Panel, (See
-'									Illus. 1405), (NOT REQUIRED
22									WIRING, Battery, (See Illus. 120
									(NOT REQUIRED)
-23	4759 379AA-	1	Υ						WIRING, Headlamp, (EUROPEA
-24	4481 618	2	Υ						WIRING, Side Repeater Lamp
-25									WIRING, A/C and HEATER
	4760 451	1							
	4760 757	1							w/A.T.C.
-26	4609 121AD-	1							CORD, Engine Block Heater
-27	4609 122AB-	1							CLIP, Engine Heater Cord, Block
									Heater Cord Support
-28	4609 325	1							HEATER, Engine Block
-29									WIRING, Fog Lamp
	4760 632	1	С	Р					
	4760 721	1	Υ						
-30									WIRING, Side Marker Jumper
	4760 631AB-	1	С	H					
		1	С	M					
-31									WIRING, Fuel Tank Jumper
	4759 769AA-	1							
	4759 771AA-	1							California Emissions
-32									WIRING, Sunroof


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4760 109AC-	1	С	Р					w/Trip Computer, Garage Door
									Opener
		1	С	Н					w/Trip Computer, Garage Door
									Opener
		1	Υ						w/Trip Computer, Garage Door
									Opener
		1	D						w/Trip Computer, Garage Door
									Opener
		1	С	M					w/Trip Computer, Garage Door
									Opener
	4760 731AE-	1							
-33									GROMMET, Door Wiring, (NOT
									REQUIRED)
-34									BRACKET, Wiring
	4760 495AB-	1							Rear Door
	4760 496AB-	1							Front Door
-35	4760 691	1							BRACKET, Power Distribution Center

P = Premium
S = Special
M = LXI

X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Wiring Repair Packages Figure 008-1605

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-1	5013 930AA	A- 1							WIRING PACKAGE, Underhood Connector Repair, For Electrical Connector Repair Information visit the World Wide Web at http://dto. vftis.com/mopar/disclaimer.asp
For Electrical Connector Repair Information visit the World Wide Web at										
http://dto.vftis.com/mopar/disclaimer.asp										
	CONCORDE- SERIES H = High Lind P = Premium S = Special M = LXI X = R/T	INTREPID-LHS LINE B D = In C = Lh Y = 30	trepid HS, Concor	B0 41	DDY = 4 Door Se	dan E E E E	NGINE ER = 2.7L V ES = 2.7L V GG = 3.5L V GW = 3.2L V GC = 3.5L V	6 DOHC 24\ '6 MPI 24V /6 MPI 24V		FRANSMISSION DGX = 4 Speed Automatic


Spark Plugs-Cables-Coil Figure 008-1905




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	7L V6 DOHC 24 2L V6 SOHC 24								
	SL V6 SONC 24 SL HIGH OUTP								
1	DE TIIOTT OOTT	01 00	Z-T V 1V11						WIRING, Engine
•	4760 555AF	1				EER			TTI (II TO, LINGINIO
		1				EES			
	4759 666AC	1				EGW			
		1				EGG			
		1				EGC,			
						EGG			
2									SPARK PLUG
	SPRC1 2PEC5					EGW			
	SPRE1 0PMC					EER			
	SDDC4 2DEC	6				EES			
	SPRC1 2PEC5	0 0				EGC, EGG			
2						EGG			COIL Ignition
3	4609 088AF	6				EGW			COIL, Ignition
	4009 000AI	6				EGG			
	4609 095AG	6				EER			
	1000 000/10	6				EES			
4									SCREW, Pan Head, (NOT
									SERVICED) (Not Serviced)
5									BOLT
	6505 121AA	12				EGW			Ignition Coil Mounting
		12				EGG			Ignition Coil Mounting
-6									BRACKET, Engine Wiring
	4759 237AB-	1				EER			
		1				EES			
_	4760 497AB-	1							
-7	4000 400 4 4	•				EED			CAPACITOR, Ignition
	4609 133AA-	2				EER EGG			
		2				EES			
		2				EES			
CONCORDE	-INTREPID-LHS-30	OM (LH)		NDV		NONE			TRANSMISSION
SERIES H = High Lin	LINE e D = Intrep	oid		DDY = 4 Door Se	dan E	ENGINE ER = 2.7L V		I	TRANSMISSION DGX = 4 Speed Automatic
P = Premium S = Special M = LXI		Concor			E E	ES = 2.7L V EGG = 3.5L V EGW = 3.2L \	6 DOHC 24\ '6 MPI 24V	/	
X = R/T						GC = 3.5L V			

Group – 08A

Instrument Panel and Radios and Consoles







GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No
Instrument Panel	
Instrument Panel - Intrepid	Fig. 08A-105
Instrument Panel - Concorde	Fig. 08A-110
Instrument Panel LHS/300M	Fig. 08A-115
Instrument Panel Cluster	
Cluster-Instrument Panel	Fig. 08A-205
Radio, Antenna, and Speakers	
Radios	Fig. 08A-305
Antenna-Speakers-Amplifiers	Fig. 08A-310
Consoles	
Console-Floor - Intrepid/LHS/300M	Fig. 08A-405
Console-Floor - Concorde	Fig. 08A-410
Cancala-Overhead	Fig 084-420


Instrument Panel - Intrepid Figure 08A-105




Instrument Panel - Intrepid Figure 08A-105




Instrument Panel - Intrepid Figure 08A-105



Instrument Panel - Concorde Figure 08A-110




Instrument Panel - Concorde Figure 08A-110





Instrument Panel - Concorde Figure 08A-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QN25 HD5AB	1	С						Med. Quartz, (CH-CM)
	QN25 LAZAB	1	С						Agate, (CH-CM)
	QN25 RK5AB	1	С						Camel Tan, (CH-CM)
32									DOOR, Glove Box
	PP25 1AZ	1	С						Agate, (CH-CM)
	PP25 1D5	1	С						Med. Quartz, (CH-CM)
	PP25 1K9	1	С						Dark Suede, (CH-CM)
-33	4595 012	2	С						BUMPER, Glove Box Door, (CH-CM)
-34	4580 818AB-	1							STORAGE KIT, Multipurpose, Pouch/
									Tow Hook, Installed in Glovebox
35									BEZEL, Instrument Panel, Center
	MN84 AAAAC	1	С						Argent, w/Traction Control, (CH-
									CM)
	PV74 AAAAC	1	С						Argent, w/o Traction Control, (CH-
									CM)
36									BIN, Instrument Panel
	RT23 HS6AB	1	С						Dark Quartz, (CH-CM)
	RT23 LAZAB	1	С						Agate, (CH-CM)
	RT23 VK9AB	1	С						Dark Suede, (CH-CM)
-37	4685 536	1	С						KNOB AND ELEMENT, Cigar
									Lighter, (CH-CM)
-38									ASH RECEIVER, Smokers Package
	QR25 HD5AA	- 1	С						Med. Quartz, (CH-CM)
	QR25 LAZAA-	- 1	С						Agate, (CH-CM)
	QR25 RK5AA	- 1	С						Camel Tan, (CH-CM)
-39									STRUT, Passenger Air Bag
	4698 896AA-	1	С						Right
	4698 897AA-	1	С						Left
-40									BASE, Cigar Lighter
	4685 590	1	D, Y						
		1	C						
-41	4760 856AB-	1	С						CAP, Cigar Lighter
-42	4793 555	1	С						RING, Cigar Lighter Mounting

H = High Line P = Premium
S = Special
M = LXI


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC


TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			4	С						Passenger Airbag Attaching
(1)	11									END CAP, Instrument Panel
(5)		MN87 HD5AE	3 1							Med. Quartz, Left
		MN87 LAZAB								Agate, Left
		MN87 MF1AE								Lt. Neutral, Left
		MN87 RK5AE	3 1							Camel Tan, Left
	12									END CAP, Instrument Panel
		MN86 HD5	1							Med. Quartz, Right
		MN86 LAZ	1							Agate, Right
		MN86 MF1	1							Lt. Neutral, Right
(3)		MN86 RK5	1							Camel Tan, Right
	-13									SUPPORT, Instrument Panel
		4698 660	1	С						Right End
			1	Υ						Right End
		4698 661	1	С						Left End
$(11) \qquad \qquad (3)$			1	Υ						Left End
(8)	14	4698 651	1							BRACKET, Steering Column
	15	4698 816	1							PLATE, Steering Column Cover
	16									COVER, Steering Column
		PD51 LAZAD	1	С						Agate
			1	Y						Agate
		PD51 MF1AD) 1	С						Light Neutral
$(15) \qquad (14) \qquad (14) \qquad (14) \qquad (15) \qquad (15) \qquad (15) \qquad (16) \qquad (16) \qquad (17) \qquad $			1	Y						Light Neutral
16 (9)		PD51 RK5AD) 1	С						Camel Tan
	47	C404 04C	1	Y						Camel Tan
	-17	6101 946	2							SCREW, Tapping, I/P Steering
	18									Column Attaching
	10	QN42 LAZ	1	С						HANDLE, Parking Brake
(18)		QN42 LAZ	1							Agate Agate
30 19		QN42 MF1	1	C						Lt.Neutral
		QIV I Z IVII I	1	Y						Lt.Neutral
		QN42 RK5	1	Ċ						Camel Tan
		<u> </u>	<u>·</u> 1	Y						Camel Tan
	19	4698 659	1							BIN, Storage
(20)	20									MAT, Instrument Panel, (NOT
										REQUIRED)
Control (Control (Con	21									REINFORCEMENT, Instrument
$\begin{array}{c} 33 \\ \hline \end{array}$										Panel
(24)		4698 711	1	Υ						
\sim (23)			1	С						_
	22									PANEL, Instrument Closure
$\frac{26}{}$	CONCORDE	-INTREPID-LHS-3	00M (LH)							
(27)	SERIES	LINE		BC	DY	E	NGINE	0.00110]	FRANSMISSION
	H = High Lir P = Premiun	n C = LHS	6, Concor	de 41	= 4 Door Sec	uan E E	ER = 2.7L V ES = 2.7L V	ь DOHC 6 DOHC 24'	_ [√	DGX = 4 Speed Automatic
	S = Special		M			E	GG = 3.5L V	'6 MPI 24V		
	M = LXI X = R/T					E E	GW = 3.2L \ GC = 3.5L V	/6 МРІ 24V 6 SOHC		
						_				







Cluster-Instrument Panel Figure 08A-205



Cluster-Instrument Panel Figure 08A-205



Radios Figure 08A-305



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
RAS=RAD	DIO - AM/FM (CASSE [*]	TTE						
RBY=RAD	DIO - AM/FM (CASSE	TTE, CD						
NOTE: Fo	or warrenty rep	air on t	the 4 disc	changer or	der on finc	tion 11 (Z4	858522AF	·)	
RBL=RAD	OIO-AM/FM/MV	W/LW/R	DS CASS	CHGR CT	RL				
RAZ=RAD	DIO - AM/FM C	CASSE	TTE						
RBN=RAD	DIO - AM/FM (CASSE	TTE, CHAI	NGER CTF	RL				
RBR=RAD	DIO - AM/FM (COMPA	CT DISC						
RBB=RAD	DIO - AM/FM (CASS, (CHANGER	CONTRO	LS				
RAD=RAD	DIO - AM/FM (CASSE	TTE/CD, R	DS					
1	56038 931AA	1	C, D, Y		41				RADIO, AM/FM Cassette, Sales
									Code (RAS)
2	4858 541AB	1							RADIO, AM/FM with CD and
									Cassette, Sales Code (RBY)
3	4858 513AH	1							RADIO, AM/FM/Cassette With CD
									Control, Sales Code (RBL), Export
4	4858 540AG	1	C, D, Y		41				RADIO, AM/FM with CD and
									Cassette, Sales Code (RAZ)
5	4858 584AG	1	C, D, Y		41				RADIO, AM/FM Cassette with CD
									Control, Sales Code (RBN)
6	4858 585AG	1	C, D, Y		41				RADIO, AM/FM with CD and
									Equalizer, Sales Code (RBR)
7	56038 518AB	1							RADIO, AM/FM Cassette with CD
									Control, Sales Code (RBB)
8	4858 543AB	1							RADIO, AM/FM/Cassette With CD,
									Sales Code (RAD), Export
-9	8220 5893	1	C, D, Y		41				PLAYER PACKAGE, CD Changer -
									4 Disc, SEE NOTE:
-10	4759 529AA-	1							DIN CORD, CD Player

CONCORDE-INTREPID-LHS-300M (LH)-

SERIES H = High Line P = Premium S = Special


M = LXIX = R/T

LINE D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan


ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Antenna-Speakers-Amplifiers Figure 08A-310



	PART	071		050150	DODY	FNONE	TD 4110		DECORIDE
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CH Con	oordo								
CH=Con CP=LHS									
	or CD Change	r renlac	ement orde	or 7485850	22AE on E	unction 11			
1	or ob onange	Геріас	ement orde	51 Z -1 00002	-ZAI 0111	unction 11.			STRAP, Ground
'	4760 873AA	1							Radio Noise Suppression
	4581 286AC	1							Exhaust
	4760 831AC	1							Engine [EGW,EGG,EGC], Left
	4760 832AC	1							Engine [EER,EES], Right
	4760 833AC	1							Engine [EER,EES], Left
2	4760 558AE	<u>·</u> 1							STRAP, Radio Noise Suppression
3	6100 048	2							NUT, Hex, M6x1.00, Amplifier
Ŭ	0.00 0.0	_							Bracket Attaching
4									AMPLIFIER, Radio
•	4760 293AE	1							[RDH]
	4760 296AC	1							[RDM]
	4760 688AC	1	С						[RDS]
	4760 902AB	1	Y						[RDS]
5	6101 331	3	•						BOLT, M6x1.00x20
6	4760 696AB	1							BRACKET, Amplifier
-7	8220 3465	1	C, D, Y		41				PLAYER KIT, CD Changer - 6 Disc
-8	0220 0 100	•	0, 2, .		• •				CHANGER, CD, (NOT SERVICED)
									(Not Serviced)
9	6101 331	3							BOLT, M6x1.00x20, Amplfier Brack
Ü	0.01.001	Ü							Attaching
10	6101 442	3							U-NUT, M6 x 1.00, M6x1.00,
	0.0								Amplfier Bracket Attaching
-11	6502 604	1							NUT, U Multi Thread, M6 x 1.00,
									Fixed Mast Antenna Mounting
12	4760 867AB	1							GROMMET, Antenna Mounting,
		<u> </u>							Antenna Mounting
13	4760 858AE	1							BODY AND CABLE, Antenna, Rea
. •	00 000, 12	•							Mount
14	4760 907AA	1							MAST, Antenna, Black
15	6502 604	<u>·</u> 1							NUT, U Multi Thread, M6 x 1.00,
. •		•							Mast Antenna Mounting
16	6101 777	1							SCREW, Hex Flange Head Tapping
. •	0.0	•							M6x1.00x20.00, Mast Antenna
									Mounting
17	4760 303AB	1							ANTENNA, Module, Electric Back
									Light
18									CABLE, Antenna
	4760 868AC	1							Body
		·							
ONCO===	. INTREDED:								
ONCORDE ERIES	E-INTREPID-LHS-3 LINE	UUM (LH)		DDY		ENGINE			TRANSMISSION
= High Li	ne D = Intre		41	= 4 Door Se	dan l	EER = 2.7L V		!	DGX = 4 Speed Automatic
= Premiur = Special			de			EES = 2.7L V EGG = 3.5L V		/	
= LXI	1 = 3001	••				EGW = 3.2L \	/6 MPI 24V		
= R/T						EGC = 3.5L V	6 SOHC		

Antenna-Speakers-Amplifiers Figure 08A-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4760 869AD	1							Instrument Panel
-19									CABLE, Backlite Antenna
	4760 871AC-	1							Body
	4760 872AD-	1							Instrument Panel
20									SPEAKER, Front Door
	4760 364AC	1	С						6.5' Base [RCD]
		1	D						6.5' Base [RCD]
	4760 374	1	Υ						6.5' Infinity [RCE, RCP]
		1	D						6.5' Infinity [RCE, RCP]
		1	С						6.5' Infinity [RCE, RCP]
	4787 140	1	D						6.5' Midline [RCG]
		1	С						6.5' Midline, [RCG]
	5026 465AA	1							Door Flag Speaker [RCE, RCP]
	4760 650AB	2							Door Flag Speaker [RCG]
	5026 465AA	2							Door Flag Speaker [RCE, RCP]
21	4760 371	1							SPEAKER, Instrument Panel, 2.5
									Infinity [RCE,RCP]
22									SPEAKER, Rear Door
	4760 685AB	1	С						2.5' Speaker [RCP]
		1	Υ						2.5' Speaker [RCP]
23									SPEAKER, Rear, 6x9
	4760 849AD	2							[RCD]
	4760 851AC	2							[RCG]
	4760 852AC	2							[RCE,RCP]
-24									SCREW, Tapping
	6035 934AA-	3	Υ						Speaker Attaching
		3	D						Speaker Attaching
		3	С						Speaker Attaching, (CP-CH-CM
-25	6505 127AA-	8	-						SCREW, Hex Head, Rear Shelf
		-							Speaker Attaching
-26	4609 133AA-	2							CAPACITOR, Ignition


CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI


X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC










Console-Floor - Concorde Figure 08A-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-		-	-	-	-	-		
CH=Con	ncorde								
	ncorde LXI								
1									CONSOLE, Floor
	PJ45 1D5AF	1	С						Med. Quartz, (CH-CM)
	PJ45 1AZAF	1	С						Agate, (CH-CM)
	PJ45 1K9AF	1	С						Dark Suede, (CH-CM)
2	6034 743	5							SCREW, Hex Flange Head Tapping
									.164-15x.75, Console Attaching
3									PANEL, Console
	PC54 LAZ	1	С						Agate, (CH-CM), Right
	PC55 HD5	1	С						Med. Quartz, (CH-CM), Left
	PC54 HD5	1	С						Med. Quartz, (CH-CM), Right
	PC54 RK5	1	С						Camel Tan, (CH-CM), Right
	PC55 RK5	1	С						Camel Tan, (CH-CM), Left
	PC55 LAZ	1	С						Agate, (CH-CM), Left
4									BEZEL, Console Shifter
	SG29 1D5AA	11	С						Med. Quartz, CH-CM), Without
									Autostick
	SG29 1AZAA	1	С						Agate, (CH-CM), Without Autostick
	SG29 1K9AA	1	С						Dark Suede, (CH-CM), Without
									Autostick
5									ARMREST, Console
	RD56 1AZAC	1	С						Agate, Quartz, (CH-CM)
	RD56 1D5AC	1	С						Med. Quartz, (CH-CM)
	RD56 1K9AC	1	С						Dark Suede, (CH-CM)
-6	PR29 DX9AB	- 1	С						LATCH, Armrest Lid, Flat Black, (Ch
									CM)
7									CAP, Floor Console End
	RD53 1AZAB	1	С						Agate, (CH-CM)
	RD53 1D5AB	1	С						Med. Quartz, (CH-CM)
	RD53 1FKAB	1	С						Lt. Driftwood, (CH-CM)
	RD53 1K9AB	1	С						Dark Suede, CH-CM)
-8	4698 756	1	С						LINER, Floor Console, (CH-CM)
-9									CUPHOLDER, Console
	RD49 HD5AC	- 1	С						Med. Quartz, (CH-CM)
	RD49 LAZAC	- 1	С						Agate, (CH-CM)
	RD49 MF1AC	- 1	С						Lt. Neutral, (CH-CM)
	RD49 RK5AC	- 1	С	<u>-</u>			<u>-</u>		Camel Tan, (CH-CM)
	RD49 VK9AC	- 1	С						Dark Suede, (CH-CM)
10	4698 768	1	С						BRACKET, Console, (CH-CM), Fron
11	4698 786AC	1	С						BRACKET, Console, (CH-CM), Rear


X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Console-Floor - Concorde Figure 08A-410







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CP=LHS									
CH=Conc									
CM=Cond	cordeLXI								
1									CONSOLE, Overhead Mini, Less
									Electronics
	5014 271AA	1	С						w/o Sunroof
		1	D						w/o Sunroof
		1	Υ						w/o Sunroof
	5014 272AA	1	Υ						w/ Sunroof
		1	D						w/ Sunroof
		1	С						w/ Sunroof
-2									RETAINER, Overhead Console
	5003 662AA-	1	С						
		1	D						
		1	Υ						
3									MODULE, Overhead Console
	4760 145AB	1	Υ						with GDO
		1	D						with GDO
		1	С						with GDO
	4760 761AB	1	Υ						without GDO
4									LAMP, Reading
	PB83 TL2AB	1	С						w/Lens, Lt. Neutral Beige, (CH-CM
		1	D						w/Lens, Lt. Neutral Beige
		1	Υ						w/Lens, Lt. Neutral Beige
	TK50 1L2AA	1	D						With Sunroof
		1	С						With Sunroof
5									WIRING, Overhead Console
	4760 644	1	D						,
		1	Y						
		1	C						
6			_						BULB, 192
ŭ	L000 0192	2	D						Reading Lamp
		2	C						(CP-CH), Reading Lamp
-7									LENS, Message Center
•	5012 882AA-	1	D						,
	5512 502/VA	1	Y						
		'	•						

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Group – 009 Engine Mounting






GROUP 9 - Engine Mounting

Illustration Title	Group-Fig. No.
Engine Mounting	
Engine Mounts 2.7L Engine	Fig. 009-110
Engine Mounts 3.2L Engine	Fig. 009-120
Engine Mounts 3.5L Engine	Fig. 009-130

Engine Mounts 2.7L Engine Figure 009-110

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Codes								
[DGX]=A	utomatic 4 spd	Trans							
[EER]=2.	7L Engine.								
[EES]=2.	7L Engine w/M	TV.							
1									CUSHION, Engine Support
	4593 184	1				EES			Right
	4593 285	1				EES			Left
	4593 184	1				EER			Right
	4593 285	1				EER			Left
2									SHIELD, Engine Mount
	4593 286AB	1				EES			
		1				EER			
3	6101 763	6				EER			BOLT AND WASHER, Hex Head,
									M10x1.5
4									BRACKET, Engine Mount
	4593 243	1				EER			Left
		1				EES			Left
	4593 244	1				EER			Right
		1				EES			Right
-5	4725 363AB-	1				EER,	DGX		BRACKET, Transmission Case
						EES			Mounting
6	6101 448	2				EER			NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5
7	4663 970AB	1							SUPPORT, Transmission
8	4663 952	1							COLLAR, Structural, Oil Pan To
_		_							Transmission
-9	6506 019AA-	9							BOLT AND WASHER, Hex Head,
									M10x1.5x30


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Engine Mounts 3.2L Engine Figure 009-120



	Sales Codes Automatic 4 spd	Trans				
	3.2L Engine.	TTUTIO				
	3.5L Engine					
1						CUSHION, Engine Support
	4593 184	1		EGW		Right
	4593 287	1		EGW		Left
2	4593 286AB	1		EGW		SHIELD, Engine Mount
3	6101 622	6		EGW		SCREW AND WASHER, Hex Head
						M10x1.5x55
4						BRACKET, Engine Mount
	4593 182	1		EGW		Right
	4593 245	1		EGW		Left
-5	4725 363AB-	1		EGG,	DGX	BRACKET, Transmission Case
				EGW		Mounting
6	6101 448	2				NUT AND WASHER, Hex Nut-Con-
						Washer, M10 x 1.5
7	4663 970AB	1				SUPPORT, Transmission
-8	4663 952	1				COLLAR, Structural, Oil Pan To
						Transmission
-9	6506 019AA-	9				BOLT AND WASHER, Hex Head,
						M10x1.5x30


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Engine Mounts 3.5L Engine Figure 009-130

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes								
	Automatic 4 spd								
-	3.5L Magnum Er	•							
-	3.5L Hi-Output E	ngine							
EGW]=	3.2L Engine.								
1									CUSHION, Engine Support
	4593 184	1				EGC,			Right
						EGG			
	4593 287	1				EGC,			Left
						EGG			
2	4593 286AB	1				EGC,			SHIELD, Engine Mount
						EGG			
3	6101 622	6				EGC,			SCREW AND WASHER, Hex Head,
						EGG			M10x1.5x55
4									BRACKET, Engine Mount
	4593 182	1				EGC,			Right
						EGG			
	4593 245	1				EGC,			Left
						EGG			
5	4725 363AB	1				EGC,	DGX		BRACKET, Transmission Case
						EGG,			Mounting
						EGW			
6	6101 448	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5
7	4663 970AB	1							SUPPORT, Transmission
-8	4663 952	1							COLLAR, Structural, Oil Pan To
									Transmission
-9	6506 019AA-	9							BOLT AND WASHER, Hex Head,
									M10x1.5x30


X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Group – 2.7L

Engine 2.7L Six Cylinder





Group – 2.7L

Engine 2.7L Six Cylinder


2.7L-900 Crankcase Ventilation		
G G G G G G G G G G G G G G G G G G G		

GROUP 2.7L - Engine 2.7L Six Cylinder

Illustration Title	Group-Fig. No.
Engine Identification I.D. Location 2.7L Engine	Fig. 2.7L-110
Cylinder Head Cylinder Head 2.7L Engine	Fig. 2.7L-210
Cylinder Block Cylinder Block 2.7L Engine	Fig. 2.7L-310
Crankshaft, Piston and Drive Plate Crankshaft, Piston, and Torque Converter 2.7L Engine	Fig. 2.7L-410
Camshafts & Valves Camshaft and Valves 2.7L Engine	Fig. 2.7L-510
Timing Belt and Cover Timing Chain and Cover 2.7L Engine	Fig. 2.7L-610
Engine Oiling Engine Oiling 2.7L Engine	Fig. 2.7L-710
Manifolds Manifold, Intake and Exhaust 2.7L Engine	Fig. 2.7L-810
Crankcase Ventilation Crankcase Ventilation 2.7L Engine	Fig. 2.7L-910


I.D. Location 2.7L Engine Figure 2.7L-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	. is located o	n the let	ft bank at t	the rear of	the block j	ust below t	he head.		
NOTE: Sa [EER]=2.7									LAREL E : LL III II (ALOT
1									LABEL, Engine Identification, (NOT SERVICED) (Not Serviced)
CONCORDE-I	NTREPID-LHS-3	00M (LH)							
SERIES H = High Line P = Premium S = Special M = LXI X = R/T	LINE D = Intre	epid S, Concor	BC 41	DDY = 4 Door Se	dan E E E E	NGINE ER = 2.7L V ES = 2.7L V GG = 3.5L V GW = 3.2L V GC = 3.5L V	6 DOHC 24\ '6 MPI 24V /6 MPI 24V	[FRANSMISSION DGX = 4 Speed Automatic



Cylinder Head 2.7L Engine Figure 2.7L-210

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION




	• • •			Head Cover Gaskets, Spark Plug Well Gask e body Gasket, Valve Guide Seals and EGR
ales C		Guorioto, Lowor inter	to to Cymraor Frodu Cachoto, Frincia	o body Gabitot, valvo Galad Godio and EGI
	2.7L Engine.			
_	2.7L Engine. 2.7L Engine w/M	Γ\/		
-1	Lingine w/wi	· V		GASKET PACKAGE, Engine, See
-1				Notes
	4897 627AF-	1	EES	Notes
	409/ 02/AF-	1	EER	
2		ı	LEN	COVER, Cylinder Head, Right
2	4663 704AC	1	EER	COVER, Cylinder Flead, Right
	4003 704AC	1	EES	
-3		1	EES	COVER, Cylinder Head, Left
-3	4663 703AD-	1	EER	OOVER, Oylinder Flead, Left
	-1000 TOOAD-	1	EES	
4		•	LLO	GASKET, Cylinder Head Cover, Lo
4	4663 713AC	1	EER	GAGRET, Cyllinder Flead Gover, E
	4003 7 13AC	1	EES	
-5		1	EES	GASKET, Cylinder Head Cover,
-3				Right
	4663 980AC-	1	EER	Nigiti
	4003 900AC-	<u> </u>	EES	
6		ı	EES	ISOLATOR, Cylinder Head Cover,
O				Grommet And Bolt
	4792 320	8	EER	Grofflinet And Bolt
	4792 320	10	EES	
-7		10	EES	ISOLATOR, Cylinder Head Cover,
-7				Grommet And Stud
	4792 321AB-	6	EER	Grofflinet And Stud
	4/92 32 IAD-	6 4	EES	
0		4	EES	CAP, Oil Filler
8	4792 298	1	EER	CAP, Oil Filler
	4792 290	1	EES	
9		1	EES	HEAD Cylindor
Э	4662 070 A D	1	EED	HEAD, Cylinder
	4663 978AB	1	EER EES	Right
	4663 695AB	1	EER	Right
	4003 095AB	1		Left Left
10		1	EES	
10	4662 60446	4	FFD	GASKET, Cylinder Head
	4663 694AC	1	EER	Right
		1	EES	Right

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Cylinder Head 2.7L Engine Figure 2.7L-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4663 693AC	1				EER			Left
		1				EES			Left
11									BOLT
	6504 087	16				EER			
		16				EES			
12									NIPPLE, Crankcase Vent
	4663 712	1				EER			
		1				EES			
13									PLUG, Core, 1.25 Diameter
	4556 020	2				EER			
		2				EES			
-14		_							PLUG, Core
	4792 279	7				EER			
45		6				EES			DILIO Como With Vent 4 00
-15									PLUG, Core With Vent, 1.00
									Diameter, (NOT SERVICED) (Not
16									Serviced) NAMEPLATE, 2.7L DOHC 24 Valve
10	4792 431AA	1				EER			NAMEL LATE, 2.7E DOLLO 24 VAIVE
	4732 431AA	1				EES			
-17		•				LLO			NIPPLE, Crankcase Vent
	4663 712	1				EER			
		1				EES			
-18									GASKET, Spark Plug Well
	4792 213AB-	3				EER			-
		3				EES			
-19									SCREW AND WASHER, Hex Head,
									M8x1.25x20
	6101 452	2				EER			
		2				EES			
-20									BOLT
	6101 996	1				EER			
		1				EES			

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Cylinder Block 2.7L Engine Figure 2.7L-310

2	3
CONTRACTOR OF THE PARTY OF THE	
	5
	12
	(13)

EER]=2.7L EES]=2.7L -1 4 2 4 3 4 -4 6 5 4 -6 6 -7 4 -8 6 -9 4 -10 6	les Codes L Engine. L Engine w/M ² 4897 727AE- 4897 427AA 4448 856 5034 331 4663 942 5036 189AA- 4663 941	1 1 1 4 4 1 AR			EER, EES EER EER EER EER EER EER EER		GASKET PACKAGE, Engine, Low BLOCK, Short Contains: Crank, Rods, Pistons, Rings Contains: Crank, Rods, Pistons, Rings DOWEL, Block To Cylinder Head PLUG, Hex Socket, 3/8-18NPTx.4 PLUG, Core, 1.50 Diameter
EER]=2.7L EES]=2.7L -1 4 2 4 3 4 -4 6 5 4 -6 6 -7 4 -8 6 -9 4 -10 6	L Engine. L Engine w/M ² 4897 727AE- 4897 427AA 4448 856 6034 331 4663 942 6036 189AA- 4663 941	1 1 1 4 4 1 AR			EES EES EER EER EER EER EER EER EES		BLOCK, Short Contains: Crank, Rods, Pistons, Rings Contains: Crank, Rods, Pistons, Rings DOWEL, Block To Cylinder Head PLUG, Hex Socket, 3/8-18NPTx.4 PLUG, Core, 1.50 Diameter PLUG, Core, 1.0726 O.D.
3 4 -4 6 5 4 -6 6 -7 4 -8 6 -9 4 -10 6	Engine w/M ⁻ 4897 727AE- 4897 427AA 4448 856 5034 331 4663 942 5036 189AA- 4663 941	1 1 1 4 4 1 AR			EES EES EER EER EER EER EER EER EES		BLOCK, Short Contains: Crank, Rods, Pistons, Rings Contains: Crank, Rods, Pistons, Rings DOWEL, Block To Cylinder Head PLUG, Hex Socket, 3/8-18NPTx.4 PLUG, Core, 1.50 Diameter PLUG, Core, 1.0726 O.D.
-1 4 2 4 3 4 -4 6 5 4 -6 6 -7 4 -8 6 -9 4 -10 6	4897 727AE- 4897 427AA 4448 856 6034 331 4663 942 6036 189AA- 4663 941	1 1 1 4 4 1 AR			EES EES EER EER EER EER EER EER EES		BLOCK, Short Contains: Crank, Rods, Pistons, Rings Contains: Crank, Rods, Pistons, Rings DOWEL, Block To Cylinder Head PLUG, Hex Socket, 3/8-18NPTx.4 PLUG, Core, 1.50 Diameter PLUG, Core, 1.0726 O.D.
2 4 3 4 -4 6 5 4 -6 6 -7 4 -8 6 -9 4 -10 6	4897 427AA 4448 856 6034 331 4663 942 6036 189AA- 4663 941	1 1 4 4 4 AR 2 2 2			EES EES EER EER EER EER EER EER EES		BLOCK, Short Contains: Crank, Rods, Pistons, Rings Contains: Crank, Rods, Pistons, Rings DOWEL, Block To Cylinder Head PLUG, Hex Socket, 3/8-18NPTx.4 PLUG, Core, 1.50 Diameter PLUG, Core, 1.0726 O.D.
3 4 -4 6 5 4 -6 6 -7 4 -8 6 -9 4 -10 6	1448 856 6034 331 4663 942 6036 189AA- 4663 941	1 4 4 1 1 4 4 AR			EER EES EER EER EER EER EER EES		Contains: Crank, Rods, Pistons, Rings Contains: Crank, Rods, Pistons, Rings DOWEL, Block To Cylinder Head PLUG, Hex Socket, 3/8-18NPTx.4 PLUG, Core, 1.50 Diameter PLUG, Core, 1.0726 O.D.
3 4 -4 6 5 4 -6 6 -7 4 -8 6 -9 4 -10 6	1448 856 6034 331 4663 942 6036 189AA- 4663 941	1 4 4 1 1 4 4 AR			EES EER EER EER EER EES EER,		Contains: Crank, Rods, Pistons, Rings Contains: Crank, Rods, Pistons, Rings DOWEL, Block To Cylinder Head PLUG, Hex Socket, 3/8-18NPTx.4 PLUG, Core, 1.50 Diameter PLUG, Core, 1.0726 O.D.
3 4 -4 6 5 4 -6 6 -7 4 -8 6 -9 4 -10 6	1448 856 6034 331 4663 942 6036 189AA- 4663 941	1 4 4 1 1 4 4 AR			EES EER EER EER EER EES EER,		Rings Contains: Crank, Rods, Pistons, Rings DOWEL, Block To Cylinder Head PLUG, Hex Socket, 3/8-18NPTx.4 PLUG, Core, 1.50 Diameter PLUG, Core, 1.0726 O.D.
-4 6 5 4 -7 4 -8 6 -9 4 -10 6	6034 331 4663 942 6036 189AA- 4663 941	4 4 1 4 4 4 AR			EES EER EER EER EES EER, EES		Contains: Crank, Rods, Pistons, Rings DOWEL, Block To Cylinder Head PLUG, Hex Socket, 3/8-18NPTx.4 PLUG, Core, 1.50 Diameter PLUG, Core, 1.0726 O.D.
-4 6 5 4 -7 4 -8 6 -9 4 -10 6	6034 331 4663 942 6036 189AA- 4663 941	4 4 1 4 4 4 AR			EES EER EER EER EES EER, EES		Rings DOWEL, Block To Cylinder Head PLUG, Hex Socket, 3/8-18NPTx.4 PLUG, Core, 1.50 Diameter PLUG, Core, 1.0726 O.D.
-4 6 5 4 -7 4 -8 6 -9 4 -10 6	6034 331 4663 942 6036 189AA- 4663 941	4 1 4 4 AR			EER EER EES EER, EES		PLUG, Hex Socket, 3/8-18NPTx.4 PLUG, Core, 1.50 Diameter PLUG, Core, 1.0726 O.D.
-4 6 5 4 -7 4 -8 6 -9 4 -10 6	6034 331 4663 942 6036 189AA- 4663 941	4 1 4 4 AR			EER EER EES EER, EES		PLUG, Hex Socket, 3/8-18NPTx.4 PLUG, Core, 1.50 Diameter PLUG, Core, 1.0726 O.D.
-4 6 5 4 -8 6 -9 4 -10 6	6034 331 4663 942 6036 189AA- 4663 941	4 1 4 4 AR			EER EER EES EER, EES		PLUG, Core, 1.50 Diameter PLUG, Core, 1.0726 O.D.
5 4 -6 6 -7 4 -8 6 -9 4 -10 6	4663 942 6036 189AA- 4663 941	1 4 4 AR 2 2			EER EES EER, EES		PLUG, Core, 1.50 Diameter PLUG, Core, 1.0726 O.D.
5 4 -6 6 -7 4 -8 6 -9 4 -10 6	4663 942 6036 189AA- 4663 941	4 4 AR 2 2			EER EES EER, EES		PLUG, Core, 1.50 Diameter PLUG, Core, 1.0726 O.D.
-6 6 -7 4 -8 6 -9 4 -10 6	6036 189AA- 4663 941	4 AR 2 2			EES EER, EES		PLUG, Core, 1.0726 O.D.
-6 6 -7 4 -8 6 -9 4 -10 6	6036 189AA- 4663 941	4 AR 2 2			EES EER, EES		
-7	4663 941	AR 2 2			EER, EES		
-7	4663 941	2			EES		
-8 6 -9 4 -10 6		2					DI 110 0 4 00 D: 4
-8 6 -9 4 -10 6		2			FFS		PLUG, Core, 1.00 Diameter
-8 6 -9 4 -10 6		_					,
-9 4 -10 6	6036 191AA-	A D			EER		
-10 6 -11 4		AR			EER,		PLUG, Core, 1.569 O.D.
-10 6 -11 4					EES		
-10 6 -11 4							PLUG, Cylinder Block Oil Hole
-11 4	4792 132	2			EER		1/2
-11 4		2			EES		1/2
	6036 190AA-	AR			EER,		PLUG, Core, .572 O.D.
					EES		
12 4	4556 018	1			EES		PLUG, Cylinder Block Oil Hole, 5
12 7	4609 325	1					HEATER, Engine Block
13							BOLT, Hex Head, M6x1.00x25, (N
							SERVICED) (Not Serviced)
-14							DOWEL, M6x14
6	6100 902	1			EER		
4-		2			EES		DOLT
-15							BOLT
6	6504 631	8			EER		Tie Bolt Cap m8x1.25x50.00
40 -	2500 0 12	8			EES		Tie Bolt Cap m8x1.25x50.00
-16 6	6503 948	AR			EER		BOLT, Hex Flange Head, Vertical
47							main Bearing Cap
-17							STRAP, Ground
NCORDE-IN RIES	ITDEDIE	00M (LH)——	BODY	F	ENGINE	 	TRANSMISSION

H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

41 = 4 Door Sedan

EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Cylinder Block 2.7L Engine Figure 2.7L-310

2	3
	<u></u>
	(12)
	13)

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4760 832AC-					EER			Engine Grond Right
		1				EES			Engine Grond Right
-18									STRAP, Ground
	4760 833AC-					EER			Engine Ground Left
		1				EES			Engine Ground Left
-19	5240 849	2				EER			DOWEL, Block To Clutch Housing

H = High Line
P = Premium
S = Special
M = LXI

X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

41 = 4 Door Sedan

ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

DGX = 4 Speed Automatic

Crankshaft, Piston, and Torque Converter 2.7L Engine Figure 2.7L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
141	HOMBEN	411		LOTIVIES		LITORIAL	I INAINO		DEGOME HOR
NOTE: Sa	ales Codes								
	7L Engine.								
EES]=2.7	L Engine w/M	TV							
1	5000 40744	4 D				FF0			PISTON PIN AND ROD
	5003 427AA	AR AR				EES EER			
2		AK				LLK			PISTON RING SET, COMPLETE ENGINE, STD.
	4897 027AA	1				EES			,
		1				EER			
3						_			BEARING PACKAGE, Connecting Rod, Standard
	4796 546AB	AR				EES			
-4		AR				EER			BEADING DACKAGE Connection
-4	4706 E 47 A D	۸۵				FFO			BEARING PACKAGE, Connecting Rod, .025mm Undersize
	4796 547AB-	AR AR				EES EER			
-5		AIX				LLIX			BEARING PACKAGE, Connecting Rod, .25mm Undersize
	4796 548AB-	AR				EES			*
		AR				EER			
6									BEARING PACKAGE, Crankshaft, Standard
	4796 543	AR				EES			
-7		AR				EER			BEARING PACKAGE, Crankshaft,
	5010 154AA-	AR				EES			00011111
		AR				EER			
-8									BEARING PACKAGE, Crankshaft, 003mm
	5010 155AA-	AR				EES			
		AR				EER			
-9						_			BEARING PACKAGE, Crankshaft 003mm
	5010 156AA-	AR				EES			
-10		AR				EER			BEARING PACKAGE, Crankshaft 006mm
	5010 157AA-	AR				EES			33311111


P = Premium S = Special M = LXI

X = R/T

41 = 4 Door Sedan

ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Crankshaft, Piston, and Torque Converter 2.7L Engine Figure 2.7L-410



ITEM	PART NUMBER	OTY	LINIT	ernice	DODY	FNOINE	TDANC	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		AR				EER			
-11									BEARING PACKAGE, Crankshaft,
									.025mm Undersize
	4796 544	AR				EES			
		AR				EER			
-12									BEARING PACKAGE, Crankshaft,
									.25 mm Undersize
	4796 545	AR				EES			
40		AR				EER			DEADING Organish of
13	4792 020AB	2				EER			BEARING, Crankshaft
	4792 UZUAD	2				EES			
14		2				LLO			CRANKSHAFT
17	4663 638	1				EER			CKARCHALI
	1000 000	1				EES			
15		•							BOLT
	6505 840AA	1				EER			
		1				EES			
16									DAMPER, Crankshaft
	4792 430AA	1				EER			
		1				EES			
17									BOLT, Connecting Rod
	6504 720	12				EER			
		12				EES			
18									BOLT, Bearing Cap
	6504 630	8				EER			
	6504 629	8				EES			
19	5003 816AC	1							CONVERTER PACKAGE, Torque
20	4474 000					FED			PLATE, Drive Plate Backing
	4471 933	1				EER			
21		1				EES			BOLT, Drive Plate and Flywheel
21	6503 465	8				EER			to Crankshaft
	0000 400	8				EES			to Grankshart
22		O				LLO			PLATE, Torque Converter Drive
	4736 179AB	1				EES			,
		1				EER			
23	6504 383	4				<u> </u>			BOLT, Hex Head, M10x1.50 x 13.2
									Drive Plate to Torque Converter
24									RING, Piston Pin
	4663 664	12				EER			

CONCORDE-INTREPID-LHS-300M (LH)-

SERIES H = High Line P = Premium S = Special M = LXI

X = R/T


LINE D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic



Crankshaft, Piston, and Torque Converter 2.7L Engine Figure 2.7L-410




Camshaft and Valves 2.7L Engine Figure 2.7L-510

PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		.ock, Retaine	r, Spring,	, Seal and	l Valve qua	ntities are	listed per (Cylinder H	ead	
5	Sales Cod									
(6) ×	[EER]=2.7	L Engine. L Engine w/N	/T\/							
	1	L Liigiile w/i	/11 V							ROCKER ARM, Inlet and Exhaust
(4)										Valve
		4792 295	24				EER			
			24				EES			
(13)	2									ADJUSTER, Valve Lash
		4663 985	24				EER			
	•		24				EES			OAMOUAET E L
(17)	3	4700 050	4				FED			CAMSHAFT, Exhaust
		4792 058	1				EER EES			Right
		4792 059	1				EER			Right Left
		4702 000	1				EES			Left
(1)	4		·							CAMSHAFT, Intake
$(14) \qquad (2)$		4792 063	1				EER			Left
3			1				EES			Left
		4792 062	1				EER			Right
(7)———— 8/A			1				EES			Right
	5									BOLT, Bearing Cap
8		6504 177	20				EER			
	6		20				EES			CAR CAR Com Pooring SERVICED
9										CAP, CAP, Cam Bearing SERVICED IN HEAD, (NOT SERVICED) (Not
										Serviced)
	7									LOCK, Valve Spring Retainer
		4663 722	24				EER			
			48				EES			
	8									RETAINER, Valve Spring
		4663 721	12				EER			
(15) (16) (9)			12				EES			ODDING V/ I
	9	4663 801	12				EER			SPRING, Valve
	,	4003 001	12				EES			
	10		12				LLO			SEAL, Valve Guide
		4663 904	12				EER			
			12				EES			
	11									VALVE, Intake, Standard
		4663 899	6				EER			
$\sqrt{\frac{12}{12}}$										
\mathcal{L}	CONCORDE-I	INTREPID-LHS-	300M (LH)-							FDANCMICCION
	SERIES H = High Line	LINE D = Intr	epid	41	DDY = 4 Door Se	dan E	ENGINE EER = 2.7L V	6 DOHC	[FRANSMISSION DGX = 4 Speed Automatic
	P = Premium S = Special	C = LH3 Y = 300	S, Concord	de		E	ES = 2.7L V EGG = 3.5L V	6 DOHC 24\	V	
	M = LXI	1 = 300	71VI			E	EGW = 3.2L \	/6 MPI 24V		
	X = R/T					E	EGC = 3.5L V	6 SOHC		

Camshaft and Valves 2.7L Engine Figure 2.7L-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
		6				EES			
12									VALVE, Exhaust, Standard
	4663 902	6				EER			
		6				EES			
13									CHAIN, Timing
	4663 674	2				EER			
		2				EES			
14									TENSIONER, Chain
	4663 676	2				EER			Cam to Cam Secondary
		2				EES			Cam to Cam Secondary
15									GUIDE, Intake/Exhaust Valve,
									Standard Size, SERVICED IN
									HEAD, (NOT SERVICED) (Not
									Serviced)
16									SEAT, Intake and Exhaust Valves
									SERVICED IN HEAD, (NOT
									SERVICED) (Not Serviced)
17									BOLT AND WASHER, M6x12
	6102 001	6				EER			
		6				EES			

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC


TRANSMISSION DGX = 4 Speed Automatic

Timing Chain and Cover 2.7L Engine Figure 2.7L-610




	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOTE:									
•		hain Tensioner	Packa	ge Contain	s: Timing (Chain Guic	les, Timing	Chain, Ch	ain Ter	nsioner, Chain Case Gasket.
	Sales Co	odes:								
		.7L Engine								
		7L Engine w/M	TV.							
	-1									TENSIONER PACKAGE, Timing
		5400 04444					EED			Chain
		5183 244AA-	1				EER EES			
	2		1				EES			CAP
	2	4792 586AA	1				EER			CAF
		47 92 300AA	1				EES			
	3		•							SEAL, Primary Tensioner Retainer
•										Cap
		4792 480AA	1				EER			•
			1				EES			
_	4									PLUG, Chain Guide Access
		4663 698	1				EER			Right
			1				EES			Right
			2				EER			Left
-			2				EES			Left
	5	4000 000								GUIDE, Timing Chain
		4663 636	1				EER			Long
	0		1				EES			Long
	6									SCREW AND WASHER, Hex Head, M8x1.25x20
		6101 452	2				EER			Chain Guide Attach
		0101 402	2				EES			Grain Guide Attach
	7		_				LLO			BOLT AND CONED WASHER, Hex
•	<u> </u>									Head, M8x35x17
		6100 297	4				EER			Chain Guide Attach
			4				EES			
	8									SPROCKET, Intake Camshaft
•		4792 305	1				EER			Left
			1				EES			Left
		4792 306	1				EER			Right
			1				EES			Right
	9		_							BOLT, Hex Flange Head, M8x40
		6505 229AA	2				EER			
	40		2				EES			OLUBE, Timin v. Ob sin
-	10									GUIDE, Timing Chain
	CONCORDE	E-INTREPID-LHS-3	00M (I H)							
;	SERIES	LINE		BC	DDY		NGINE	0.0000		TRANSMISSION
!	H = High Li P = Premiu S = Special	m $C = LHS$, Concor		= 4 Door Se	E	ER = 2.7L V ES = 2.7L V EGG = 3.5L V	6 DOHC 24\ /6 MPI 24V		DGX = 4 Speed Automatic
)	M = LXI X = R/T						GW = 3.2L \ GC = 3.5L V			


Timing Chain and Cover 2.7L Engine Figure 2.7L-610




Timing Chain and Cover 2.7L Engine Figure 2.7L-610




Engine Oiling 2.7L Engine Figure 2.7L-710




Engine Oiling 2.7L Engine Figure 2.7L-710



Engine Oiling 2.7L Engine Figure 2.7L-710



Manifold, Intake and Exhaust 2.7L Engine Figure 2.7L-810




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE: S	ales Codes								
	2.7L V6 24V wi	th Activ	e Intake						
EES] = 2	2.7L V6 DOHC	24 V M	IPI						
1									BOLT
	6504 604	1				EER			Upper intake to head
		1				EES			Upper intake to head
	6506 225AA	7				EER			Upper intake to lower
		7				EES			Upper intake to lower
2									PLENUM, Intake Manifold
	4792 380AC	1				EER			
	4792 556AC	1				EES			
3									BOLT, Hex Flange Head, M6x35
	6504 605	8				EER			
		8				EES			
4									GASKET, Intake Plenum
	4663 759	3				EER			
		3				EES			
5									MANIFOLD, Intake
	4591 273	1				EER			
		1				EES			
6									GASKET, Intake Manifold
	4663 760	6				EER			
		6				EES			
7									CLIP
	4578 014AA	1				EER			
		1				EES			
8									TUBE, Heater Hose, Serviced in
									Assy., (NOT SERVICED) (Not
									Serviced)
9									SENSOR, Coolant Temperature
	5602 7873	1				EER			
		1				EES			
10									O RING
	4792 307AB	1				EER			
		1				EES			
11	6505 846AA	6				EER			BOLT, Hex Flange Head
12									SHIELD, Exhaust Manifold
	4663 766AB	1				EER			Upper Right
		1				EES			Upper Right
	4663 767	1				EER			Lower Left
		1				EES			Lower Left

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Manifold, Intake and Exhaust 2.7L Engine Figure 2.7L-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									_
	4663 768	1				EER			Lower Right
		1				EES			Lower Right
	4663 993	1				EES			Upper Left
		1				EER			Upper Left
13									GASKET, Exhaust Manifold
	4663 992	2				EER			
		2				EES			
14									MANIFOLD, Exhaust
	4663 762AB	1				EER			Right
	4663 763	1				EER			Left
	4663 762AB	1				EES			Right
	4663 763	1				EES			
15									SCREW, Hex Flange Head, M8x1.
									25x40
	6505 429AA	13				EER			
		13				EES			
-16									COVER, Intake Manifold
	4792 534AA-	1				EER			
		1				EES			
-17									STUD, M8-1.25x65, (NOT
									SERVICED) (Not Serviced)
-18	6504 968AA-	7				EER			NUT, J

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Crankcase Ventilation 2.7L Engine Figure 2.7L-910

3 4 1	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
EER]=2.	7L Engine								
EES]=2.7	7L Engine w/M	TV.							
1	4792 606AA	1				EER,			VALVE, PCV
						EES			
2									HOSE, Cylinder Head To Intake
									Manifold PCV
	4663 792AC	1				EER			
		1				EES			
3									HOSE, Make Up Air
	4591 275	1				EER			
		1				EES			
4									NIPPLE, Crankcase Vent
	4663 712	1				EER			
		1				EES			

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Group – 3.2L


Engine 3.2L Six Cylinder





Group – 3.2L

Engine 3.2L Six Cylinder




GROUP 3.2L - Engine 3.2L Six Cylinder


Illustration Title	Group-Fig. No.
Engine Identification I.D. Location 3.2L Engine	Fig. 3.2L-110
Cylinder Head Cylinder Head 3.2L Engine	Fig. 3.2L-210
Cylinder Block Cylinder Block 3.2L Engine	Fig. 3.2L-310
Crankshaft, Piston and Torque Convertor Crankshaft, Piston, And Torque Converter 3.2L Engine	Fig. 3.2L-410
Camshafts & Valves Camshaft And Valves 3.2L Engine	Fig. 3.2L-510
Timing Belt and Cover Timing Belt and Cover 3.2L Engine	Fig. 3.2L-610
Engine Oiling Engine Oiling 3.2L Engine	Fig. 3.2L-710
Manifolds Manifold, Intake and Exhaust 3.2L Engine	Fig. 3.2L-810
Crankcase Ventilation Crankcase Ventilation 3.2L Engine	Fig. 3.2L-910

I.D. Location 3.2L Engine Figure 3.2L-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Engine I D	is located a	n the le	oft bank at	the reer of	the block i	iust balaw i	the head		
NOTE; Sal		n the le	n bank at t	ine rear or	the block j	ust below t	ine nead.		
[EGW]=3.2 1	L Engine.								LABEL, Engine Identification, (NOT SERVICED) (Not Serviced)
ERIES	NTREPID-LHS-3 LINE		BC	ODY	E	ENGINE			TRANSMISSION
I = High Line I = Premium I = Special I = LXI I = R/T	D = Intre C = LHS Y = 3001	S, Concor	'de	I = 4 Door Se	E E	EER = 2.7L V EES = 2.7L V EGG = 3.5L V EGW = 3.2L \ EGC = 3.5L V	6 DOHC 24\ /6 MPI 24V /6 MPI 24V	/ /	DGX = 4 Speed Automatic



Cylinder Head 3.2L Engine Figure 3.2L-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: 9	Sales Code								
[EGW]=	3.2L Engine.								
-1	4897 632AC-	1				EGW			GASKET PACKAGE, Engine
2									COVER, Cylinder Head
	4792 098	1				EGW			Right
	4792 099	1				EGW			Left
3	4792 088	1				EGW			GASKET, Cylinder Cover, Cylinder
									Head Cover
4	4792 330	8				EGW			ISOLATOR, Cylinder Head Cover,
									Grommet And Bolt
5	4777 536	1				EGW			CAP, Oil Filler
6	4663 892	2				EGW			HEAD, Cylinder, Partial
7									GASKET, Cylinder Head
	4792 128AB	1				EGW			Right
	4792 129AB	1				EGW			Left
8	6504 329	16				EGW			BOLT, m11x1.50x205.00 Cylinder
									Head Attach
9	4556 020	2				EGW			PLUG, Core, 1.25 Diameter, Cylinder
									Head Core Hole Cup
10	4648 604	6				EGW			TUBE, Spark Plug
11	6034 826	2				EGW			PLUG, Hex Socket, 3/8-18NPT
-12	4777 042	3				EGW			SEAL, Spark Plug Tube

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Cylinder Block 3.2L Engine Figure 3.2L-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
[EGW]=	3.2L Engine.								
-1	4897 732AA-	1				EGW			GASKET PACKAGE, Engine
2	4897 432AC	1				EGW			BLOCK, Short, Consists: Crank,
									Rods, Pistons, Rings, Pick Up
									Tube, Oil Pan
3	4448 856	4				EGW			DOWEL, Block To Cylinder Head
4	4663 941	2				EGW			PLUG, Core, 1.00 Diameter
5	4663 942	4				EGW			PLUG, Core, 1.50 Diameter
6	4663 870	1				EGW			RETAINER, Crankshaft Rear Oil
									Seal
7	6504 436	7				EGW			BOLT, Hex Flange Head, M6x20
8	4663 625	1				EGW			SEAL, Rear Main Crankshaft
9	6100 902	1				EGW			DOWEL, M6x14
10	4556 018	3				EGW			PLUG, Cylinder Block Oil Hole
11	6505 643AA	2				EGW			DOWEL, Block To Clutch Housing
12	4641 780	1							STRAP, Tie
13	6504 101	8				EGW			BOLT, Hex Flange Head
14	6102 003	2				EGW			BOLT AND CONED WASHER, Hex
									Head, M6x16x14
15	4760 831AC	1				EGW			STRAP, Ground
16	4609 325	1							HEATER, Engine Block
17									BOLT, Hex Head, M6x1.00x25, (NO
									SERVICED) (Not Serviced)

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Crankshaft, Piston, And Torque Converter 3.2L Engine Figure 3.2L-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes								
[EGG]=3	.5L Hi-Output E	Engine							
[EGW]=3	3.2L Engine.								
1	5010 332AA	AR				EGW			PISTON PIN AND ROD
2	4897 032AA	1				EGW			PISTON RING SET, COMPLETE
									ENGINE, STD.
3	4626 657	AR				EGW			BEARING PACKAGE, Connecting
									Rod, Standard
-4	4626 658	AR				EGW			BEARING PACKAGE, Connecting
									Rod, .025mm Undersize
-5	4626 659	AR				EGW			BEARING PACKAGE, Connecting
									Rod, .25mm Undersize
6	6035 095	12				EGW			BOLT, Connecting Rod, .375-25x2.
									250
7	5003 962AA	AR				EGW			BEARING PACKAGE, Crankshaft,
									Standard
-8	5010 134AA-	AR				EGW			BEARING PACKAGE, Crankshaft, -
									006mm
-9	5010 135AA-	AR				EGW			BEARING PACKAGE, Crankshaft, +
									003mm
-10	5010 136AA-	AR				EGW			BEARING PACKAGE, Crankshaft, -
									003mm
-11	5010 137AA-	AR				EGW			BEARING PACKAGE, Crankshaft, -
40	5000 00444	4.5				E0)4/			006mm
-12	5003 964AA-	AR				EGW			BEARING PACKAGE, Crankshaft,
40	5000 005 A A	۸۵				E0\\\			.025mm Undersize
-13	5003 965AA-	AR				EGW			BEARING PACKAGE, Crankshaft,
4.4	4702 020 A D	2				E0\\\			.25 mm Undersize
14	4792 020AB	2 1				EGW			BEARING, Crankshaft
15 16	4792 176	1				EGW EGW			CRANKSHAFT
-16	4448 557	•							DOWEL, Crankshaft Sprocket
17	6101 984	1				EGW			BOLT, Damper to Crankshaft m12x
10	4663 176	1				EGW			75x70.00 DAMPER, Crankshaft, Vibration
18 19	6036 159AA					EGW			NUT, Hex, .375-24
20	6504 101	12 8				EGW			BOLT, Hex Flange Head, Cranksha
∠∪	0004 101	0				EGW			Bearing Cap m10x1.50.100.00
21	5003 816AC	1							CONVERTER PACKAGE, Torque
22	4471 933	1				EGW			PLATE, Drive Plate Backing
23	6503 465	8				EGW			BOLT, Drive Plate and Flywheel, to
20	3000 1 00	3				LOVV			Crankshaft

H = High Line P = Premium
S = Special
M = LXI


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Crankshaft, Piston, And Torque Converter 3.2L Engine Figure 3.2L-410



Camshaft And Valves 3.2L Engine Figure 3.2L-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Code								
EGW]=	3.2L Engine.								
1	4573 460	6				EGW			ROCKER ARM, Intake, Right
2	4573 459	6				EGW			ROCKER ARM, Intake, Left
3	4315 823	2				EGW			SHAFT, Rocker Arm, Intake
4	4663 998	2				EGW			SHAFT, Rocker Arm, Exhaust
5	4663 071	2				EGW			PEDESTAL, Rocker Shaft, Front
									Rocker Shaft
6	4663 996	6				EGW			ROCKER ARM, Exhaust, Exhaust
									Forked Rocker
7									CAMSHAFT
	4792 233	1				EGW			Left
	4792 234	1				EGW			Right
8	4663 072	4				EGW			PEDESTAL, Rocker Shaft,
									Intermediate Rocker Shaft
9	6503 279	20				EGW			BOLT, Hex Flange Head, M8x1.
									25x55, Pedestal Attach
10	4663 073	2				EGW			PEDESTAL, Rocker Shaft, Rear
									Rocker Shaft
11	4792 318	2				EGW			SEAL, Camshaft, Camshaft Front Oil
12	4536 513	48				EGW			LOCK, Valve Spring Retainer
13	4556 547	24				EGW			RETAINER, Valve Spring
14	4792 215	12				EGW			SPRING, Intake Valve
15	4792 216AB	12				EGW			SPRING, Exhaust Valve
16	4663 002	24				EGW			SEAL, Valve Guide, Standard
17	4663 836	12				EGW			VALVE, Intake, Standard
18	4663 347	12				EGW			VALVE, Exhaust, Standard
19	6502 847	3				EGW			SCREW AND WASHER, Hex Head,
									M8x1.25x25
20	4536 492	2				EGW			SEAL, Camshaft Thrust, Thrust Plate
21	4556 518	2				EGW			PLATE, Camshaft Thrust
-22	4573 379	2				EGW			DOWEL, Rocker, Rocker Shaft
									Pedestal

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

SERIES
H = High Line
P = Premium
S = Special
M = LXI


X = R/T

LINE
D = Intrepid
C = LHS, Concorde
Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Timing Belt and Cover 3.2L Engine Figure 3.2L-610

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: C	Sales Codes								
	3.2L Engine								
	5.2L Engine 5.5L Hi-Output E	Engino							
1	4663 818	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				EGW			COVER, Timing Belt
2	4573 937	1				EGW			•
3	4573 937	1				EGW			SEAL, Timing Belt Cover SEAL, Timing Belt Cover
3 4	4663 817	1				EGW			COVER, Timing Belt
	4483 443	-				EGW			GASKET, Timing Cover
5		2							
6	4659 430AB	1				EGW			SEAL, Water Pump To Front Cover
7	4556 535	1				EGW			COVER, Timing Belt
8	4792 335	1				EGW			COVER, Timing Belt, Right Bank Front
9	6502 847	3				EGW			SCREW AND WASHER, Hex Head,
									M8x1.25x25
10	6502 916	1				EGW			SCREW, Hex Head, M12x1.5x215, Right
11	6502 917	1				EGG			SCREW, Hex Head, M12x1.5x258,
									Left
12	6503 435	2				EGW			WASHER, Plain, M13x31.00x5.71,
									Camshaft Attaching
13	4792 025	1				EGW			GEAR, Camshaft
14	4792 224	1				EGW			SPROCKET, Camshaft
15	4556 546	1				EGW			COVER, Crankshaft Sprocket
16	4573 347	1				EGW			TENSIONER, Belt
17	6100 297	2				EGW			BOLT AND CONED WASHER, Hex
									Head, M8x35x17
18	4663 515	1				EGW			TENSIONER, Belt, w/Arm, Pivot Bolt
									and Snubber
19	4792 353	1				EGW			BELT, Timing
20	4536 479	1				EGW			GEAR, Timing Belt, Crankshaft
21	4448 557	1				EGW			DOWEL, Crankshaft Sprocket
22	4792 317	1				EGW			SEAL, Front Main Crankshaft,
		•							Crankshaft Front Oil
23	6506 019AA	2				EGW			BOLT AND WASHER, Hex Head,
-									M10x1.5x30

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium S = Special M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC


Engine Oiling 3.2L Engine Figure 3.2L-710

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS -	TRIM	DESCRIPTION
		NOMBER	<u> </u>	LINE	OLIVILO	5051	LITOIILE	INAIO	1131111	BESONII HON
	NOTE: Sale	s Codos								
$(4) \qquad (3) \qquad (5)$	[EGW]=3.2L									
(4) (3)	[EGG]=3.5L		Engine							
		281 090	1				EGW			FILTER, Engine Oil
		104 511AB	1				EGW			ADAPTER, Oil Filter
	3 48	397 171AA	1				EGW			ROTOR SET, Oil Pump
	4 47	792 123	1				EGW			GASKET, Oil Pump, Body to Block
	5 65	505 388AA	5				EGW			SCREW, Flange Head, M6x1x18
		63 844	1				EGW			PUMP, Engine Oil
26		343 208	1				EGW			PLUNGER, Oil Pressure Relief Valve
		102 473AB	1				EGW			SPRING, Oil Pressure Relief Valve
		306 273	1				EGW			CAP, Oil Pressure Relief Valve
		119 120	1				EGW			PIN, Cotter, .09375 x 1.250 Long
		503 866 792 317	1				EGW EGW			STUD, M8x, m8x1.25/m6x1.00x53.50 SEAL, Front Main Crankshaft
		032 920	1				EGW			SEAL, Oil Pick Up Tube
		500 070	1				EGW			SCREW AND WASHER, Hex Head,
$\begin{array}{cccccccccccccccccccccccccccccccccccc$,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u> </u>							M8x1.25x25, Oil Pickup Tube to Oil
$\begin{pmatrix} 12 \\ 8 \end{pmatrix}$										Pump
	15 46	663 848	1				EGW			TUBE, Oil Pickup, w/Strainer
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	16 46	663 840	1				EGW			GASKET, Oil Pan
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	17 46	63 841AC	1				EGW			PAN, Oil
(33)		504 018	1				EGW			PLUG, Oil Drain
	19 65	500 274	2				EGW			LOCK NUT, M6x1.0x6, Oil Pan
										Attaching
		663 862AE	1				EGW			INDICATOR, Engine Oil Level
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		663 863AD 003 905AA-	1				EGW EGW			TUBE, Engine Oil Indicator
		101 452	1				EGW			O RING, Engine Oil Level Tube SCREW AND WASHER, Hex Head,
$\begin{array}{c} 20 \\ \end{array}$	25 01	101 432	'				LGVV			M8x1.25x20, Indicator Tube
										Attaching
	24 46	663 938	1				EGW			TRAY, Windage
		504 102	8				EGW			BOLT, Hex Flange Head, m8x1.
										25x105.00
(27)	26 61	100 307	3				EGW			BOLT, Hex Head, m8x1.25x40.00
(23)	27 65	504 030	1				EGG,			NUT AND WASHER, Hex, M6x1,
							EGW			Engine Oil Cooler Line Isolator
(24) (36)	28 50	014 313AA	1				EGW			VALVE PACKAGE, Oil Cooler
		-04 400	4.0				5011			Pressure Control
(25)	29 65	504 438	12				EGW			BOLT, Hex Flange Head, M8x35,
										m8x1.25x35.00 Oil Pan Attach
16										
	CONCORDE-INT SERIES	FREPID-LHS-3 LINE	800M (LH)-)————— BOD)Y	F	NGINE		т	RANSMISSION
$ \begin{array}{c} (18) \\ (30) \end{array} $	H = High Line	D = Intre	epid	41 =	4 Door Sec	dan EB	$ER = 2.7L \ V6$	DOHC		DGX = 4 Speed Automatic
	P = Premium S = Special	C = LHS Y = 300	S, Concord M	rde			ES = 2.7L V6 GG = 3.5L V	6 DOHC 24V 6 MPI 24V		
(29)	M = LXI	. 300				E	3W = 3.2L V	'6 MPI 24V		
	X = R/T					E	GC = 3.5L V	b SUHC		_

Engine Oiling 3.2L Engine Figure 3.2L-710



Manifold, Intake and Exhaust 3.2L Engine Figure 3.2L-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
EGW]=3	3.2L Engine.								
1	4591 331	1				EGW			DECAL, 3.2L
2	5003 952AA	1				EGW			PLENUM, Intake Manifold, with
									Gasket
3	4663 851	1				EGW			GASKET, Intake Plenum, to Intake
									Manifold
4	6101 953	7				EGW			BOLT, Intake Plenum to Intake
									Manifold m6x1.00x85.00
5	6101 745	6				EGW			SCREW AND WASHER, Hex Head,
									M8x1.25x55
6	4792 184AC	1				EGW			MANIFOLD, Intake
-7	4606 226AC-	1				EGW			SOLENOID, Secondary Runner
									Valve
8	4663 852	2				EGW			GASKET, Intake Manifold, Intake
									Manifold to Head
9									MANIFOLD, Exhaust
	4792 456AA	1				EGW			Left
	4792 457AA	1				EGW			Right
10	6505 429AA	12				EGW			SCREW, Hex Flange Head, M8x1.
									25x40, Exhaust Manifold
11									SHIELD, Exhaust Manifold
	4663 859	1				EGW			Lower Left
	4663 860	1				EGW			Lower Right
	4663 861	1				EGW			Upper Right
	4663 959	1				EGW			Upper Left
12	6505 692AA	1				EGW			O RING
13	6505 846AA	6				EGW			BOLT, Hex Flange Head
14	4792 185AC	1				EGW			TUBE, Heater Feed
15	6500 136	2				EGW			SCREW AND WASHER, Hex Head,
									M6x1x14
16	6503 969	2				EGW			BOLT, Hex Flange Head, M6x1.
									00x17, m6x1.00x17.00 Strut to
									Intake Front
17	4792 110	1				EGW			STRUT, Intake Manifold
18	4792 111	1				EGW			STRUT, Intake Manifold
19	4663 960	1				EGW			STRUT, Intake Manifold, Intake
									Support Left Middle
20	6101 506	4				EGW			BOLT AND CONED WASHER,
									M8x1.25x18
21	4591 240	1				EGW			BRACKET, MTV Support

P = Premium
S = Special
M = LXI

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)


SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

Manifold, Intake and Exhaust 3.2L Engine Figure 3.2L-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-							
22									NUT AND WASHER, M6x1.00, MTV
									Support, (NOT SERVICED) (Not
									Serviced)
23	6100 902	1				EGW			DOWEL, M6x14, m6x1.00
24	3780 788	1				EGW			SCREW, Bleeder, Bleeder .375-
									24x1.180
25	5011 682AA	1				EGW			ACTUATOR, Manifold Tuning Valve,
									Manifold Tuning Valve (MTV)
26	5011 642AA	1				EGW			ACTUATOR KIT, Secondary Runner
									Valve
-27	4591 356	1				EGW			RESERVOIR, Secondary Runner
									Valve, Secondary Relief Valve
-28	6504 100	3				EGW			SCREW, M6X1.00X16.00
-29	5011 688AA-	1				EGW			SCREW, Manifold Tuning Valve
-30	5011 645AA-	1				EGW			HARNESS, Secondary Runner Valve
-31	5011 685AA-	1				EGW			STUD, Manifold Tuning Valve
									Support, 6MM, 6mm
-32	5011 684AA-	1				EGW			CLIP, SRV Harness to Bracket
-33	5011 683AA-	3				EGW			CLIP, SRV Harness To Manifold

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Crankcase Ventilation 3.2L Engine Figure



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTF: S	Sales Code								
	3.2L Engine.								
1	4792 606AA	1				EGW			VALVE, PCV
2	•••					- 4			COVER, Cylinder Head
=	4792 098	1				EGW			Right
	4792 099	1				EGW			Left
3	4792 256	1				EGW			HOSE, Make Up Air
4	4663 961	1				EGW			HOSE, Cylinder Head To Intake Manifold PCV, PCV
									Warmord 1 Ov, 1 Ov
_		_	_		_		_		


CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Group – 3.5L


Engine 3.5L Six Cylinder





Group – 3.5L

Engine 3.5L Six Cylinder




GROUP 3.5L - Engine 3.5L Six Cylinder


Illustration Title	Group-Fig. No.
Engine Identification I.D. Location 3.5L Engine	Fig. 3.5L-110
Cylinder Head Cylinder Head 3.5L Engine	Fig. 3.5L-210
Cylinder Block Cylinder Block 3.5L Engine	Fig. 3.5L-310
Crankshaft, Piston and Driveplate Crankshaft, Piston, And Torque Converter 3.5L Engine	Fig. 3.5L-410
Camshafts & Valves Camshaft And Valves 3.5L Engine	Fig. 3.5L-510
Timing Belt and Cover Timing Belt And Cover 3.5L Engine	Fig. 3.5L-610
Engine Oiling Engine Oiling 3.5L Engine	Fig. 3.5L-710
Manifolds Manifold, Intake And Exhaust 3.5L Engine	Fig. 3.5L-810
Crankcase Ventilation Crankcase Ventilation 3.5L Engine	Fig. 3.5L-910

I.D. Location 3.5L Engine Figure 3.5L-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	HOMBEN	~		J OLIVIEG	5051	LITOINE	INAIIO	1	DESCRIPTION
Engine I D	is located c	on the left b	nank et t	the rear of	the block i	ust helow t	he head		
NOTE: Sal		AT LITE TOTEL	Jain at	ino ibai Ul	are block j	GOL DOIOW L	ine rieau		
	L Magnum E	ingine							
[EGG]=3.5	L Hi-Output	Engine							
1									LABEL, Engine Identification, (NC
									SERVICED) (Not Serviced)
ONCORDE-IN	NTREPID-LHS-3	300M (LH)							
ERIES	LINE			DDY - 4 Door So	don	NGINE	e DOLIC		TRANSMISSION
= High Line = Premium	D = Intr C = LHS	S, Concorde	41	= 4 Door Se	E	ER = 2.7L V ES = 2.7L V	6 DOHC 24\	√	DGX = 4 Speed Automatic
	Y = 300	M			-	GG = 3.5L V	6 MDI 24V		
= Special = LXI	1 = 500	7171			=	:GW = 3.2L \	O MEL 24V		



Cylinder Head 3.5L Engine Figure 3.5L-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes								
	.5L Magnum E	•							
[EGG]=3	.5L Hi-Output E	-							
-1	4897 635AD-	1				EGC,			GASKET PACKAGE, Engine, Upper
						EGG			
2									COVER, Cylinder Head
	4792 098	1				EGC,			Right
						EGG			
	4792 099	1				EGC,			Left
						EGG			
3	4792 088	1				EGC,			GASKET, Cylinder Cover
						EGG			
4	4792 330	8				EGC,			ISOLATOR, Cylinder Head Cover,
						EGG			Grommet And Bolt
5	4777 536	1				EGC,			CAP, Oil Filler
						EGG			
6	4663 892	2				EGC,			HEAD, Cylinder
						EGG			
7									GASKET, Cylinder Head
	4663 890AB	1				EGC,			Right
						EGG			
	4663 891AB	1				EGC,			Left
						EGG			
8	6504 329	16				EGC,			BOLT, Cylinder Head Attach m11x1
						EGG			5x205.00
9	4556 020	2				EGC,			PLUG, Core, 1.25 Diameter, Cylinde
						EGG			Head Core Hole Cup
10	4648 604	6				EGC,			TUBE, Spark Plug
						EGG			- , - , - , - , - , - , - , - , - , - ,
11	6034 826	2				EGC,			PLUG, Hex Socket, 3/8-18NPT
-		_				EGG			-, ,
-12	4777 042	3				EGC,			SEAL, Spark Plug Tube
12	072	3				EGG			on in the state of


CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER		LINE	OERIEO		LITOINE	INARO		DESCRIPTION
NOTE: S	Sales Codes								
	.5L Magnum Er	ngine	,		,			,	
[EGG]=3	.5L Hi-Output E	£ngine							
-1	4897 732AA-	1				EGC,			GASKET PACKAGE, Engine, Lower
						EGG			
2	4897 435AC	1				EGC,			BLOCK, Short, Contains: Crank,
						EGG			Rods, Pistons, Rings, Pick Up
									Tube, Oil Pan
3	4448 856	4				EGC,			DOWEL, Block To Cylinder Head
						EGG			
4	4663 941	2				EGC,			PLUG, Core, 1.00 Diameter
						EGG			
5	4663 942	4				EGC,			PLUG, Core, 1.50 Diameter
						EGG			
6	4663 870	1				EGC,			RETAINER, Crankshaft Rear Oil
						EGG			Seal
7	6504 436	7				EGC,			BOLT, Hex Flange Head, M6x20
						EGG			
8	4663 625	1				EGC,			SEAL, Rear Main Crankshaft
						EGG			
9	6100 902	1				EGC,			DOWEL, M6x14
						EGG			
10	4556 018AB	3				EGC,			PLUG, Cylinder Block Oil Hole
						EGG			
11	6505 643AA	2				EGC,			DOWEL, Block To Clutch Housing
						EGG			
12	4641 780	1							STRAP, Tie
13	6504 101	8				EGC,			BOLT, Hex Flange Head, m10x1.
						EGG			5x100.00, Main Bearing Cap
14	6102 003	2				EGC,			BOLT AND CONED WASHER, Hex
						EGG			Head, M6x16x14
15	4760 831AC	1				EGC,			STRAP, Ground
						EGG			
16	4609 325	1							HEATER, Engine Block
17									BOLT, Hex Head, M6x1.00x25, (NO
									SERVICED) (Not Serviced)

H = High Line P = Premium
S = Special
M = LXI


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Crankshaft, Piston, And Torque Converter 3.5L Engine Figure 3.5L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1101115211	٦		02.1.20	2021	Litolitz			
NOTE: 9	Sales Codes								
	5.5L Magnum Er	ngine							
-	3.5L Hi-Output E	-							
_	3.2L Engine	rigirie							
رد٥٧٧]=، 1	5010 335AB	1				EGC,			PISTON PIN AND ROD
<u>'</u>	3010 3337 tB	<u>'</u>				EGG			TIOTON TIN AND ROD
2	4897 035AA	1				EGC,			PISTON RING SET, COMPLETE
_		•				EGG			ENGINE, STD.
3	4626 657	AR				EGG			BEARING PACKAGE, Connecting
									Rod, Standard
-4	4626 658AB-	AR				EGC,			BEARING PACKAGE, Connecting
						EGG,			Rod, .025mm Undersize
						EGW			
-5	4626 659AB-	AR				EGC,			BEARING PACKAGE, Connecting
						EGG,			Rod, .25mm Undersize
						EGW			
6	6035 095	12				EGC,			BOLT, Connecting Rod
						EGG			
7	5003 962AA	1				EGC,			BEARING PACKAGE, Crankshaft,
						EGG			Standard
-8	5010 134AA-	1				EGC,			BEARING PACKAGE, Crankshaft,
						EGG			006mm
-9	5010 135AA-	1				EGC,			BEARING PACKAGE, Crankshaft,
						EGG			003mm
-10	5010 136AA-	1				EGC,			BEARING PACKAGE, Crankshaft,
						EGG			003mm
-11	5010 137AA-	1				EGC,			BEARING PACKAGE, Crankshaft,
						EGG			006mm
-12	5003 964AA-	1				EGC,			BEARING PACKAGE, Crankshaft,
						EGG			.025mm Undersize
-13	5003 965AA-	1				EGC,			BEARING PACKAGE, Crankshaft,
						EGG			.25 mm Undersize
14	4792 020AB	2				EGC,			BEARING, Crankshaft
						EGG			
15	4792 177	1				EGC,			CRANKSHAFT
						EGG			
16	6101 984	1				EGC,			BOLT, Damper to Crankshaft m12x
		_				EGG			75x70.00
17	4663 176	1				EGC,			DAMPER, Crankshaft
						EGG			

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Crankshaft, Piston, And Torque Converter 3.5L Engine Figure 3.5L-410



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	18	6036 159AA	12				EGC,			NUT, Hex, .375-24
_							EGG			
	19	6504 101	8				EGC,			BOLT, Hex Flange Head, Crankshaft
							EGG			Bearing Cap m10x1.50x100.00
	20	5003 816AC	1							CONVERTER PACKAGE, Torque
	21	4471 933	1				EGC,			PLATE, Drive Plate Backing
							EGG			
	22	6503 465	8				EGC,			BOLT, Drive Plate and Flywheel,
_							EGG			Drive Plate to Crankshaft
	23	4736 179AC	1				EGC,			PLATE, Torque Converter Drive
							EGG			
	24	6504 383	4							BOLT, Hex Head, M10x1.50 x 13.20
_	25	6505 357AA	8				EGC,			BOLT, Crankshaft Bearing Cap
							EGG			

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI

X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

Camshaft And Valves 3.5L Engine Figure 3.5L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
112111	NOMBER	Q I I	LINE	OLIVIEO	ВОВТ	LINOINE	IIIAIIO	11111111	DECORIT HON
NOTE: \	/alve Guides ar	nd Valve	Seats are	serviced	in Cylinder	Head			
	Sales Codes	iu vaive	ocats are	301 VICEU	iii Oyiiiidei	Ticau			
	3.5L Magnum E	ngine							
	3.5L Hi-Output I	-							
1	4573 460	6				EGC,			ROCKER ARM, Intake, Right
						EGG			
2	4573 459	6				EGC,			ROCKER ARM, Intake, Left
						EGG			
3	4315 823	2				EGC,			SHAFT, Rocker Arm, Intake
						EGG			
4	4663 998	2				EGC,			SHAFT, Rocker Arm, Exhaust
						EGG			
5	4663 071	2				EGC,			PEDESTAL, Rocker Shaft, Front
						EGG			
6	4663 996	6				EGC,			ROCKER ARM, Exhaust, Exhau
						EGG			Forked Rocker
7									CAMSHAFT
	4663 886	1				EGC,			Right
						EGG			
	4663 887	1				EGC,			Left
						EGG			
8	4663 072	4				EGC,			PEDESTAL, Rocker Shaft,
•	0500 050					EGG			Intermediate
9	6503 279	20				EGC,			BOLT, Hex Flange Head, M8x1.
40	1000 070					EGG			25x55, Pedestal Attaching
10	4663 073	2				EGC,			PEDESTAL, Rocker Shaft, Include
11	4572 270	2				EGG			Dowel, Rear
-11	4573 379	2				EGC,			DOWEL, Rocker
12	4792 318	2				EGG EGC,			SEAL, Camshaft, Front Oil
14	7132 310	_				EGC, EGG			OLAL, Cambilalt, Florit Oil
13	4536 513	48				EGC,			LOCK, Valve Spring Retainer
13	+000 010	40				EGC, EGG			LOOK, valve opining Ketainer
14	4556 547	24				EGC,			RETAINER, Valve Spring
17	1000 071	4 7				EGG,			REPAREN, Valve Opining
15	4792 215	12				EGC,			SPRING, Intake Valve
.0	02 210					EGG			cc, mano varvo
16	4792 216AB	12				EGG			SPRING, Exhaust Valve
17	4663 002	24				EGC,			SEAL, Valve Guide
						EGG			,

P = Premium
S = Special
M = LXI


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)

SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Camshaft And Valves 3.5L Engine Figure 3.5L-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	6502 847	3				EGC,			SCREW AND WASHER, Hex Head,
						EGG			M8x1.25x25, m8x1.25x25.00 Thrust
									Plate
19	4536 492	2				EGC,			SEAL, Camshaft Thrust
						EGG			
20	4556 518	2				EGC,			PLATE, Camshaft Thrust
						EGG			
21	4663 836	12				EGC,			VALVE, Intake, Standard
						EGG			
22	4663 347	12				EGC,			VALVE, Exhaust, Standard
						EGG			


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

Timing Belt And Cover 3.5L Engine Figure 3.5L-610




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes								
	3.5L Magnum E	-							
[EGG]=3	3.5L Hi=Output	Engine							
1	4663 818	1				EGC,			COVER, Timing Belt, Right Rear
						EGG			
2	4573 937	1				EGC,			SEAL, Timing Belt Cover, Right Re
						EGG			
3	4573 919	1				EGC,			SEAL, Timing Belt Cover
						EGG			
4	4663 817	1				EGC,			COVER, Timing Belt, Left Rear
_		_				EGG			
5	4483 443	2				EGC,			GASKET, Timing Cover, Water inle
						EGG			to Block
6	4659 430AB	1				EGC,			SEAL, Water Pump To Front Cove
						EGG			Timing Belt Cover to Block
7	4556 535	1				EGC,			COVER, Timing Belt, Left Front
						EGG			
8	4792 335	1				EGC,			COVER, Timing Belt, Right Front
						EGG			
9	6502 847	3				EGC,			SCREW AND WASHER, Hex Hea
						EGG			M8x1.25x25
10	6502 916	1				EGC,			SCREW, Hex Head, M12x1.5x215
						EGG			Right
11	6502 917	1				EGC,			SCREW, Hex Head, M12x1.5x258
						EGG			Left
12	6503 435	2				EGC,			WASHER, Plain, M13x31.00x5.71
						EGG			Camshaft
13	4792 025	1				EGC,			GEAR, Camshaft, Right
						EGG			
14	4792 224	1				EGC,			SPROCKET, Camshaft, Left
						EGG			
15	4556 546	1				EGC,			COVER, Crankshaft Sprocket
						EGG			
16	4573 347	1				EGC,			TENSIONER, Belt
						EGG			
17	6100 297	2				EGC,			BOLT AND CONED WASHER, He
						EGG			Head, M8x35x17, Tensioner
18	4663 515	1				EGC,			TENSIONER, Belt, Tensioner, w/
						EGG			Arm, Pivot Bolt, and Snubber
19	4792 353	1				EGC,			BELT, Timing
						EGG			

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Timing Belt And Cover 3.5L Engine Figure 3.5L-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	4536 479	1				EGC,			GEAR, Timing Belt
						EGG			
21	4448 557	1				EGC,			DOWEL, Crankshaft Sprocket
						EGG			
22	4792 317	1				EGC,			SEAL, Front Main Crankshaft
						EGG			
23	6506 019AA	2				EGC,			BOLT AND WASHER, Hex Head,
						EGG			M10x1.5x30

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium S = Special

X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan


ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Engine Oiling 3.5L Engine Figure 3.5L-710


PART



Engine Oiling 3.5L Engine Figure 3.5L-710




Manifold, Intake And Exhaust 3.5L Engine Figure 3.5L-810




>>

Manifold, Intake And Exhaust 3.5L Engine Figure 3.5L-810



Crankcase Ventilation 3.5L Engine Figure 3.5L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-							-	
	Sales Codes								
	.5L Magnum E								
	.5L Hi-Output								= = =
1	4792 649AA	1				EGC,			VALVE, PCV
2						EGG			COVER, Cylinder Head
2	4792 098	1				EGC,			Right
	4792 090	'				EGG,			Night
	4792 099	1				EGC,			Left
						EGG			
3	4792 256	1				EGC,			HOSE, Make Up Air
						EGG			•
4	4663 961	1				EGC,			HOSE, Cylinder Head To Intake
						EGG			Manifold PCV

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

SERIES
H = High Line
P = Premium
S = Special
M = LXI

X = R/T

LINE
D = Intrepid
C = LHS, Concorde
Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Group – 011 Exhaust






Illustration Title Group-Fig. No. **Exhaust System** Exhaust System 2.7L - 3.2L - 3.5L Engine



011–100 Exhaust System		
Z Z		
Ula San San San San San San San San San Sa		

Fig. 011-110

Exhaust System 2.7L - 3.2L - 3.5L Engine Figure 011-110



	PART												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
NOTE: Sa	ales Codes												
[EER]=2.7	L Engine												
[EES]=2.7	EES]=2.7L Engine w/MTV EGC]=3.5L Magnum Engine												
[EGC]=3.	5L Magnum Ei	ngine											
[EGG]=3.	5L Hi-Output E	ngine											
[EGW]=3.	2L Engine												
	deral Emissior												
	ropean II Emi												
	lifornia Emissi												
	exico Emissior												
1	4581 013AC	2							CLAMP, Exhaust Manifold				
2									CONVERTER, Catalytic				
	4581 704AI	1				EER,			NAA,NAM Federal, Mexico Front				
	4504 70541					EES			Right				
	4581 705AI	1				EER,			NAA,NAM Federal, Mexico Front				
	4504 7004 4					EES			Left				
	4581 728AA	11				EER,			NAE,NAC California, European II				
	4E04 700	4				EES			Front Right				
	4581 729AA	1				EER,			NAE,NAC California, European II				
	4E04 700AI	4				EES EGC,			Front Left				
	4581 700AI	1				EGC,			NAA,NAM Federal, Mexico Front Right				
						EGG, EGW			Right				
	4581 701AI	1				EGC,			NAA,NAM Federal, Mexico Front				
	4501 701AI	'				EGG,			Left				
						EGW			Leit				
	4581 726AA	1				EGC,			NAE,NAC California, European II				
		·				EGG,			Front Right				
						EGW							
	4581 727AA	1				EGC,			NAE,NAC California, European II				
						EGG,			Front Left				
						EGW							
3									PIPE, Exhaust				
	4581 712AG	1				EGG			NAB Leaded Front Right				
	4581 713AG	1				EGG			NAB Leaded Front Left				
	4581 724AC	1				EER,			NAB Leaded Front Right				
						EES							
	4581 725AC	1				EER,			NAB Leaded Front Left				
						EES							
4	4581 010AB	1							BRACKET, Exhaust Pipe				
5	6101 503	2							SCREW AND WASHER, Hex Head,				
									M10x1.5x25				

X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic


AR = Use as required -= Non illustrated part # = New this model year


Exhaust System 2.7L - 3.2L - 3.5L Engine Figure 011-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
0									MULTI ED AND DECONATOR
6									MUFFLER AND RESONATOR, Exhaust
	4581 371AF	1				EER			Exilaust
	4301 37 1AI	1	С	Н		EES			
	4581 373AF	1	Ü	• • •		EGW			
	4581 375AF	<u>·</u> 1				EGG			
		1	D, Y			EES			
	4581 374AB	1	,			EGC			
7									PIPE AND RESONATOR, Exha
	4581 363AM	1	С	H, M		EER,			
						EES			
	4581 364AK	1	D	Н		EER			
	4581 365AM	1	D			EGW			
		1	D			EES			
	4581 367AM	1	С	H, M		EGW			
	4581 369AG	1	Υ			EGG			
		1	Υ			EES			
	4581 361AA	1				EGC			
	4581 370AH	1	С	Р		EGG			
8	6101 787	2							SCREW, Tapping, M8x20
9	6503 478	AR							SCREW, Tap, M9x1.25x26
10									STRAP, Ground
	4581 286AB	1	C	H, M		EER			
		1	D	Н		EER			
		1	Y			EGG			
		1	C Y	Р		EGG			
		1	ĭ			EER EGC			
11	4581 004	1 1				LGC			ISOLATOR, Exhaust Support
12	4301 004	'							CLAMP, Exhaust
12	4848 935AA	1	D			EGW			OL/ WIII , EXHAUST
	10 10 000/1/	1	C	H, M		EGW			
		1	C	P P		EGG			
		<u>·</u> 1		<u> </u>		EES			
		1				EGC			
13									CLAMP, Exhaust
	4695 220AB	1				EER,			
						EES			
		1				EGC,			
						EGG,			
						EGW			
14	4581 005AB	1							BRACKET, Exhaust
	E-INTREPID-LHS-30	00M (LH)-		ODV					TD ANOMIOCIC:
RIES = High Li = Premiu = Special = LXI	m $C = LHS$, Concord	4	ODY 1 = 4 Door Seda	an EE EE EG EG	G = 3.5L V	6 DOHC 24\ /6 MPI 24V /6 MPI 24V		TRANSMISSION DGX = 4 Speed Automatic

Group – 013 Frames and Bumpers






GROUP 13 - Frames and Bumpers


Illustration Title	Group-Fig. No
Frames	
Frame, Front	Fig. 013-115
Frame, Rear	Fig. 013-120
Front Bumper and Fascia	
Fascia, Front	Fig. 013-210
Rear Bumper and Fascia	
Fascia, Rear	Fig. 013-310

PART



Frame, Rear Figure 013-120

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: F	or additional co	mpone	nts refer to	Sheet Me	tal Illustrat	ion 210			
1									CAP, Floor Pan Rail
	4580 090AB	1							Right
	4580 091AB	1							Left
2									BRACKET, Tension Strut
	4580 028AB	1							Right
	4580 029AB	1							Left
3									CAP, Side Rail
	4580 042AC	1							Right
	4580 043AC	1							Left
4									REINFORCEMENT, Floor Pan
	4580 336AB	1							Right
	4580 337AD	1							Left
5									RAIL, Rear
	4580 436	1	С						Right
	4580 437	1	С						Left
	4580 302	1	D, Y						Right
	4580 303	1	D, Y						Left
6									RAIL, Frame Side
	4580 298AF	1	D, Y						Short, Right
	4580 299AF	1	D, Y						Short, Left
	4580 434AE	1	С						Long, Right
	4580 435AF	1	С						Long, Left
7	4580 062AC	2							EXTENSION, Rail Flange
8									EXTENSION, Body Side Sill, Inner
	4580 446AE	1							Right
	4580 447AE	1							Left
9									CROSSMEMBER, Rear Suspension
	4581 208	1							Luxury Tuned Suspension [SDG]
	4581 227	1							[SDC]

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI

X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Fascia, Front Figure 013-210




Fascia, Front Figure 013-210




Fascia, Front Figure 013-210

PART



Fascia, Rear Figure 013-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 LIVI	NOMBER	QII	LINE	JERIES	ВОВТ	LINGINE	IKANS	TIXIIVI	DESCRIPTION
1									FASCIA, Rear, Primed
	4574 893	1	Υ						
	4574 896	1	С	Р					
	4574 903AC	1	D						
	4574 905	1	С	M					
		1	С	Н					
	4805 153	1	Υ						EUROPE
-2									ABSORBER, Rear Energy
	4574 894	1	Υ						
	4574 895	1	С	Р					
	4574 902	1	D						
	4574 906	1	С	M					
		1	С	Н					
-3									SCREW, Special Head Plastic, M3
									80x3.60x36.50, Fascia to Foam
	6503 819	4	Υ -						
		4	D						
		4	С	M					0541 5 : 5
-4	4005 4004 4	0	0						SEAL, Fascia, Rear
	4805 400AA-	2	С	Н					
		2	C C	<u>Р</u> М					
-5		2	C	IVI					GROMMET, Fascia
-3	4805 336AA-	2	Υ						GROWINE I, Fascia
	4000 000AA-	2	C						
-6									CLIP, Fascia
O	4805 333AA-	4	С	Н					OEII , I asola
	1000 000/ 11 (2	Y						
		4	Ċ	Р					
		4	С	М					
7	6505 520AA	2							SCREW, Hex Head, M4.2 x 1.70
									33.50
-8	6505 161AA-	2							NUT, Plastic Snap In, For M6.3
									Screw
9	6504 700	6							RIVET, Blind Expansion (R-Lok),
									Fascia to Splash Shield
10	6504 521	9							PIN, Push
11	4805 405AB	2							FASTENER, Fascia
12									BRACE, Bumper Fascia
	4805 128	1	С	Р					Right
	4805 129	1	С	Р					Left


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

Fascia, Rear Figure 013-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4805 128	1	С	M					Right
	4805 129	1	С	М					Left
	4805 128	1	С	Н					Right
	4805 129	1	С	Н					Left
	4805 222AA	1	Υ						Right
	4805 223AA	1	Υ						Left
13									BRACKET, Fascia
	4805 094AB	1	D						Right
	4805 095AB	1	D						Left
14									RIVET, Bracket to Quarter Panel,
									(.187X.670), (NOT SERVICED)
									(Not Serviced)
15									REINFORCEMENT, Fascia
	4805 066AB	1	D						
	4805 077AB	1	С						
16	4805 109AB	1	Υ						REINFORCEMENT, Rear Bumper
17	6501 491	4	C, D						BOLT, Carriage, M8x1.25x20,
									Reinforcement to Deck Panel
18	6101 446	6							NUT AND WASHER
-19									KIT, License Plate, Fastener
	4574 923	1	Υ						
	4574 925	1	D	Р					
	4574 930	1	D	Н					
	4574 931	1	С	Р					
	4574 932	1	С	H, M					
-20	6504 975AA-	2							SCREW, Hex Flange Head Tapping M6.3 x 1.81 x 20.00, License Plate Attaching


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year


Group – 014
Fuel





Group – 014


Fuel



GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
Tank, Fuel Fuel Tank	Fig. 014-110
Fuel Tank Filler Tube	
Fuel Tank Filler Tube Fuel Lines	Fig. 014-210
Fuel Lines	Fig. 014-310
Fuel Rail Fuel Rail	Fig. 014-410
Fuel Pump and Sending Unit Fuel Pump and Level Unit	Fig. 014-510
Throttle Body	
Throttle Body 3.5L Engine EGG, EGC	Fig. 014-610 Fig. 014-620
Throttle Body 2.7L Engine EER, EES	Fig. 014-630
Throttle Controls Throttle Controls and Pedal	Fig. 014-710
Air Cleaner	
Air Cleaner and Intake System	Fig. 014-810
Speed Control	Fig. 014-1010

Fuel Tank Figure 014-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
NOTE: Sales Code									
	alifornia Emissi	ions							
1	5016 223AA	1							TANK, Fuel
-2	6504 179	4							SCREW AND WASHER, Hex Head,
_	0001170	•							M8-1.25x40, Fuel Tank Mounting
3	5016 387AA	1							VALVE KIT, Fuel Control
-4	4669 865	1							VALVE, Vent
-5	4695 659	1							PLUG, Fuel Tank Drain
-6	.000 000	·							WIRING, Fuel Tank Jumper
	4759 771AB-	1							NAE California
	4759 769AB-	1							Exclude NAE California
7	4581 037AC	1							SHIELD, Heat, Fuel Tank -Side-
8	4581 231	1							SHIELD, Heat, Fuel Tank Heat
									-Rear-
-9	6100 048	2							NUT, Hex, M6x1.00, Heat Shield to
									Fuel Tank Attach
10									SCREW, Hex Flange Head, M8-1.
									25x45, (NOT SERVICED) (Not
									Serviced)
11	4581 035	1							STRAP, Fuel Tank, Left
12	4581 036	1							STRAP, Fuel Tank, Right
-13									SEPARATOR, Fuel, (NOT
									REQUIRED)
-14	4581 315AB-	1							VALVE, Onboard Vapor Recovery
									Control, Flow Valve
-15	4581 327AA-	1							HOSE, Flow Valve to Control Valve
-16	4581 329AA-	1							HOSE, Flow Valve to Canister
-17	4581 332AA-	1							HOSE, Flow Valve to Recirc Line

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Fuel Tank Filler Tube Figure 014-210

3 2	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
		_										
NOTE	NOTE: Locking Gas Cap cannot be rekeyed after assy. 5015636AA is a package containing Gas Cap and Lock Cylinder											
	nstalled. Dealer R	-			-			· · · · · ·	a cao cap and			
1		•		~					CAP, Fuel Filler, Without [XJH] Non			
									Locking			
2	5015 636AA	1							CAP KIT, Fuel Tank Locking			
3									TETHER, Fuel Filler Cap			
	4682 676	1							Without [XJH] Non Locking			
	5278 461AA	1							[XJH] Locking			
4									SCREW, .19-16x1.00, (NOT			
									SERVICED) (Not Serviced)			
5									TUBE, Fuel Filler			
	4581 319AA	1							Contains: Small Filler Tube, Door,			
									Restrictor, Retainer and Seal,			
	1	_							Unleaded Fuel			
	4581 324AA	1							Contains: Door, Restrictor, Retainer			
	. = -								and Seal., Leaded Fuel			
6		1							CLAMP, HOSE CLAMP			
7		1	~						SCREW, Tapping, M8x1.25x30			
-8		1	С						TUMBLER, Ignition Number 1			
-9 10		1	С						TUMBLER, Ignition Number 2			
-10		1	С						TUMBLER, Ignition Number 3			
-11	5257 135	1	С						TUMBLER, Ignition Number 4			
									 -			
CONCOR SERIES	R <mark>DE-INTREPID-LHS-3</mark> LINE	300M (LH)-		ODY	г	ENGINE			TRANSMISSION			
H = High	n Line D = Intre		41	ODY 1 = 4 Door Se	edan E	EER = 2.7L V		ı	DGX = 4 Speed Automatic			
P = Prem	mium C = LHS	S, Concord			E	EES = 2.7L V	/6 DOHC 24\		,			
S = Spec M = LXI	cial Y = 300I	M				EGG = 3.5L V EGW = 3.2L V						
X = R/T						EGC = 3.5L V						
									01110-0005			

Fuel Lines Figure 014-310



Fuel Rail Figure 014-410

PART

5		
		3
		2 4 3

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: 9	Sales Codes								
	.7L Engine								
	.7L Engine 7L Engine w/M	T\/							
	.5L Magnum Er								
	.5L Magnum Er .5L Hi-Output E								
	3.2L Engine.	rigirie							
1	o.zc crigine.								RAIL, Fuel
'	5011 543AB	1				EER			KAIL, I dei
	3011 343AB	1				EES			
	5011 544AB	1				EGW			
	5011 544AC	1				EGC,			
	5011 544AC	1				EGC, EGG			
2						EGG			INJECTOR Fuel
2	4591 657AA					EER			INJECTOR, Fuel Includes O-Rings
	4591 657AA	6				EES			<u> </u>
	4591 658AA	6				EGW			Includes O-Rings Includes O-Rings
	4591 658AA	6							-
		6				EGC,			Includes O-Rings
•						EGG			O DING KIT. Final Inicator
3	1007 10511					EED			O RING KIT, Fuel Injector
	4897 125AA	6				EER			
		6				EES			
		6				EGW			
4		6				EGG			OUD Free leise stee
4	1110 057					EED			CLIP, Fuel Injector
	4418 257	6				EER			
		6				EGW			
		6				EGG			
_		6				EES			0005W 4ND W40U5D 11
5									SCREW AND WASHER, Hex Hea
	0404 745	0				E0147			M8x1.25x55
	6101 745	2				EGW			
		6				EGC,			
						EGG			O DINO O : L C
-6	4 7 00 67 1	,				- 6			O RING, Quick Connect
	4792 354	1				EGW			
		1				EGC,			
						EGG			

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Fuel Pump and Level Unit Figure 014-510




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	les Codes								
	Middle East Eq		t						FILTED First December Decembers
1	5278 631AA	1							FILTER, Fuel Pressure Regulator
2 3	4695 226 4581 239	1 1							NUT, Fuel Pump Level Unit O RING, Fuel Pump and Level Un
4	4501 259	ļ							MODULE KIT, Fuel Pump/Level U
-	5016 221AA	1							WODOLL KIT, I del I dilip/Level o
	5134 210AA	1							[ABD], Export
5	5003 959AC	1							LEVEL UNIT KIT, Fuel
-6	5003 960AA-	1							FILTER KIT, Fuel
-7									FILTER, Air
	4581 348AA-	1							Without Leak Detection Pump
	4581 349AA-	1							With Leak Detection Pump
-8	4581 230	1							HOSE, Vent Valve to Filter
	-INTREPID-LHS-3	00M (LH)-		ODV		-NOINT			TDANICMICCION
DNCORDE ERIES = High Lir	LINE		В	ODY I = 4 Door Sec		ENGINE EER = 2.7L V	6 DOHC		TRANSMISSION DGX = 4 Speed Automatic

P = Premium S = Special M = LXI X = R/T

C = LHS, Concorde Y = 300M

EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Throttle Body 3.5L Engine EGG, EGC Figure 014-610




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
o									
	Sales Codes	ngina							
	.5L Magnum E								
_EGG]=3 1	.5L Hi-Output E 4591 168AD					EGC,			THROTTLE BODY
ı	4091 100AD	1				EGC, EGG			THROTTLE BODT
2	4606 083	1				EGC,			SENSOR, Throttle Position
						EGG			
3	4861 035AC	1				EGC,			MOTOR, A.I.S.
						EGG			
4	4792 265	1				EGC,			GASKET, Throttle Body
						EGG			
-5	5011 646AA-	3				EGG			SCREW, Throttle Body Mounting
-6	4778 462	2				EGG			SCREW, Throttle Position Sensor
-7	5003 467AA-	2				EGG			SCREW, A.I.S. Motor

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Throttle Body 3.2L Engine EGW Figure



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTE: S	ales Code								
GW]=3	.2L Engine.								
1	4591 168AB	1				EGW			THROTTLE BODY
2	4606 083	1				EGW			SENSOR, Throttle Position
3	4861 035AC	1				EGW			MOTOR, A.I.S.
4	4792 265	1				EGW			GASKET, Throttle Body
-5	5011 646AA-	3				EGW			SCREW, Throttle Body Mounting
-6 - 7	4778 462	2				EGW			SCREW, Throttle Position Sensor
-7	5003 467AA-	2				EGW			SCREW, A.I.S. Motor

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Throttle Body 2.7L Engine EER, EES Figure 014-630

4
<u>2</u>

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTE: S	Sales Codes								
ER]=2	.7L Engine.								
EES]=2	.7L Engine w/M	TV							
1									THROTTLE BODY
	4591 169AC	1				EER			
		1				EES			
2									SENSOR KIT, Throttle Position
	4897 247AA	1				EER			
		1				EES			
3									MOTOR KIT, A.I.S.
	4897 246AB	1				EER			
		1				EES			
4	4591 081	1				EER			GASKET, Throttle Body
-5									BOLT, Hex Head, M6x1.00x35
	6101 683	3				EER			
		3				EES			

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Throttle Controls and Pedal Figure 014-710



NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ales Codes								
7L Engine								
-	-							
	ngine							
ZE Eligilie.								CABLE, Throttle Control
4591 244	1				EER.			CABLE, THOMS COMES
					EES			
4591 233	1				EGC,			
					EGG,			
					EGW			
								BRACKET, Throttle Control Cable
4591 171	1							
4504.545.5	٠							
4591 647AB	1							
					EGW			SCREW AND WASHER, Hex Head,
								M6x1x16
6501 755	2				EGG.			WOXTXTO
	2				EGC,			
					EGG,			
					EGW			
								NUT, M6x1, (NOT SERVICED) (Not
								Serviced)
4592 020	1							CLIP, Cable
4504.044								BRACKET, Throttle Body Support
4591 314	1							
<i>1</i> 501 2 <i>1</i> 1	1							
4591 241	1							
					EGW			
6505 311AA	1							SCREW, Hex Head, M8x1.25x20
	1							NUT AND WASHER, Hex Nut-Cone
6101 445								Washer, M8 x 1.25
6101 445								VVa01101, 1VIO X 1.20
4591 740AA	1							BRACKET, Accelerator Shaft and
	1 2							
	'L Engine w/M 5L Magnum Er 5L Hi-Output E 2L Engine. 4591 244	L Engine w/MTV L Engine w/MTV L Magnum Engine L Hi-Output Engine L Engine. L Engine. L Engine. L Engine L Engin	PL Engine w/MTV 5L Magnum Engine 5L Hi-Output Engine 2L Engine. 4591 244	PL Engine w/MTV SL Magnum Engine SL Hi-Output Engine 2L Engine. 4591 244	PL Engine w/MTV SL Magnum Engine SL Hi-Output Engine PL Engine. 4591 244	L Engine w/MTV SL Magnum Engine SL Hi-Output Engine 2L Engine. 4591 244	TL Engine w/MTV SL Magnum Engine SL Hi-Output Engine 2L Engine. 4591 244	TL Engine w/MTV SL Magnum Engine SL Hi-Output Engine 2L Engine. 4591 244

Air Cleaner and Intake System Figure 014-810

PART

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes								
[EER]=2	.7L Engine								
[EES]=2	.7L Engine w/M	TV							
[EGC]=3	3.5L Magnum Ei	ngine							
[EGG]=3	3.5L Hi-Output E	Engine							
[EGW]=	3.2L Engine.								
1	4591 099AB	1							AIR CLEANER
-2	4591 100AC-	1							ELEMENT, Air Cleaner
-3	4897 633AA-	1							GASKET, Air Inlet
4	4897 630AA	1							GROMMET, Air Cleaner Bracket
5	4591 128	1							RESONATOR, Air Cleaner
6									RESONATOR, Air Cleaner
	4591 109AD	1				EER,			
						EES			
	4591 129AD	1				EGC,			
						EGG,			
						EGW			
7	4591 105AB	1				EER,			BRACKET, Resonator
						EES			
8									SCREW, Hex Flanged Head, M8x1.
									25, (NOT SERVICED) (Not
									Serviced)
9	4759 333AB	1							BRACKET, Battery Wiring
-10									STUD
-	6505 788AA-	1				EER			Heater Tube Bracket
		1				EES			Heater Tube Bracket
-11									SCREW AND WASHER, Hex Head,
									M6x1x14
	6500 136	2				EGW			Heater Tube Attaching
		2				EGG			Heater Tube Attaching
-12	6504 809	AR							NUT/RIVET, M8X1.25X21.60, Air
									Duct

P = Premium
S = Special
M = LXI


CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

X = R/T

Speed Control Figure 014-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sa	ales Codes								
[EER]=2.7	'L Engine								
	L Engine w/M								
	L Magnum Er	-							
[EGG]=3.6	5L Hi-Output E	ngine.							
[⊑Gvv]=3 1	zt Engine								CABLE, Speed Control
	4591 138AB	1				EER,			CABLE, opoca control
						EES			
	4591 148AB	1				EGC,			
						EGG,			
_						EGW			
2	4000 077					FED			SERVO, Speed Control
	4669 977	1				EER, EES			
		1				EGC,			
		•				EGG,			
						EGW			
3									HARNESS, Speed Control Vacuum
	4591 140AD	1				EER,			
						EES			
	4591 150AD	1				EGC,			
						EGG, EGW			
4						LGW			BRACKET, Speed Control Servo
	4591 146AB	1				EER,			Dividitali, opena centre cerve
						EES			
		1				EGC,			
						EGG,			
_		_				EGW			
	6500 274	2							LOCK NUT, M6x1.0x6
6	6025 867	1				EER			CLIP, Cable
	3020 001	1				EGG,			
		•				EGW			
7	4641 780	1							STRAP, Tie
8	4591 160	1							RESERVOIR, Speed Control
									Vacuum
	4591 161	1							HARNESS, Vacuum Speed Control
10									NUT AND WASHER, M6x1, (NOT SERVICED) (Not Serviced)
									SERVICED) (Not Serviced)
CONCORDE-	INTREPID-LHS-3	00M (LH)							
SERIES	LINE		BC	DY = 4 Door Se		NGINE ER = 2.7L V	e DOHC		FRANSMISSION
H = High Line P = Premium S = Special M = LXI		, Concor		= 4 DOOF 50	E E	ES = 2.7L V EGG = 3.5L V EGW = 3.2L V	6 DOHC 24\ '6 MPI 24V /6 MPI 24V		DGX = 4 Speed Automatic
X = R/T					Е	GC = 3.5L V	6 SOHC		

Speed Control Figure 014-1010

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		6100 274 4591 487AA	1							BOLT AND CONED WASHER, Hex Head, M6x14x14 HARNESS, Vacuum Speed Control
(12)										
3										
7 5										
9										
8	CONCORDE SERIES H = High Lir P = Premiur S = Special M = LXI X = R/T	G-INTREPID-LHS- LINE ne D = Int n C = LH Y = 300	300M (LH) repid S, Concord DM	B0 41	DDY = 4 Door Se	dan E E F	:NGINE :ER = 2.7L V :ES = 2.7L V :GG = 3.5L V :GW = 3.2L V :GC = 3.5L V	6 DOHC 24\ /6 MPI 24\/	V	TRANSMISSION DGX = 4 Speed Automatic


Group – 017 Rear Suspension





Illustration Title Group-Fig. No.

Rear Suspension


Suspension, Rear Fig. 017-110








Suspension, Rear **Figure 017-110**



Group – 019 Steering



019–100 Steering Wheel	019–200 Steering Column	019–300 Steering Gear	019–500 Power Steering Pump
		ê de la companya de l	
019–700 Power Steering Hoses			

GROUP 19 - Steering

Illustration Title	Group-Fig. No
Steering Wheel Wheel, Steering	Fig. 019-110
Steering Column Column, Steering	Fig. 019-210
Steering Gear Gear, Rack And Pinion, Power And Attaching Parts	Fig. 019-310
Power Steering Pump Pump, Assys. And Attaching Parts 2.7, 3.2, 3.5L Engines	Fig. 019-510
Power Steering Hoses Hoses, Power Steering 2.7, 3.2, 3.5L Engines	Fig. 019-710

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE


		NOTE:	
		DRIVER AIRBAG TRIM COVERS/HORN SWITCHES ARE SERVICEABLE AND AS SU	JCH, WHEN APPLICABLE, MUST BE
		USED INSTEAD OF REPLACING THE AIR BAG MODULE ASSEMBLY.	,
		Sales Codes:	
		[MUD]=DODGE Identification Tags	
	(1)	[MUF]=CHRYSLER Identification Tags	
	T	1	WHEEL, Steering
		LJ72 1X8 1 D	
			[00]
		·	[AZ]
		LJ72 VK9 1 C, Y	[K9]
	$(2) \qquad (3)$	LJ72 LAZ 1 C, Y	[D5]
		LK70 1X9 1 D	Leather, [00]
		LK70 1FK 1 C, Y	Leather, [FK]
		LK70 LAZ 1 C, Y	Leather, [AZ]
9		LK70 1FK 1 D	Leather, [K9]
پ		LK70 LAZ 1 D	Leather, [D5]
1		2	AIR BAG, Driver
1		MF50 DX9AF 1 D	[MUF], Canada Only
(773)		MF52 DX9AF 1 D	[MUD]
用		MF50 LAZAF 1 C, Y	[AZ, D5]
		MF50 VK9AF 1 C, Y	[FK, K9]
		3	COVER, Air Bag Module, With
			Switches
		5083 295AA 1 D	[MUF], Canada Only
		5083 307AA 1 D	[MUD]
		5083 296AA 1 C, Y	[AZ, D5]
	V_1 V_2 V_3 V_4 V_5 V_7	5083 297AA 1 C, Y	[FK, K9]
	5	4 6505 248AA 1	NUT, Hex Flange Lock, Wheel
			Mounting
	(8)	5 6505 300AA 2	SCREW
	(10)	6 4698 304AB 1	CLOCKSPRING, Assy. w/Speed
		0 T030 30TAD 1	Control 5 Circuit
	(11)	7 0154 817 2	SCREW, .164-32x.750
	$\stackrel{\cdot \cdot \cdot \cdot}{\hookrightarrow}$	8 4760 352AD 1	SWITCH, Speed Control, Resume/
		6 4700 332AD 1	•
		0 4700 050 4 4	Accel
		9 4760 353AD 1	SWITCH, Speed Control, On/Off
	AIRBAG GASGENERATOR UTTO	10	SCREW, Tap Hex Flg Hd M4.
	WEISE CHOUNTER CHRYSLER MAN BALL KERPEN DEUTSCHLIER MAN BALL		2x141x14.3, (NOT SERVICED)
	ENTUMER CHRYSUEF MODOS SAMOS OGEN UTAN UTATOR OF SAMOS OGEN UTAN UTATOR OF SAMOS OF		(Not Serviced)
	Att Continue of the first of the state of th	11 4595 746AA 1	LABEL, Air Bag Warning
		CONCODDE INTREDID I US 200M /I U\	
		CONCORDE-INTREPID-LHS-300M (LH) SERIES LINE BODY ENGINE	TRANSMISSION
		H = High Line D = Intrepid 41 = 4 Door Sedan EER = 2.7L V6 DOHC	DGX = 4 Speed Automatic
		P = Premium C = LHS, Concorde EES = 2.7L V6 DOHC 24V S = Special Y = 300M EGG = 3.5L V6 MPI 24V	
		M = LXI EGW = 3.2L V6 MPI 24V	
		X = R/T EGC = 3.5L V6 SOHC	


TRIM

TRANS

DESCRIPTION

PART





	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	6504 448	1							SCREW, Special Hd Lock Upper
									Coupling M8x1.25x46.50
18	6503 375	2							SCREW AND WASHER, Round
									Head, M4x.7x10, Lg Rd Wa Hd
									Strg Clo Cvr to Col
19	5015 626AA	1							PIN, Hair, .250 Dia x.766x.059
20	4758 006	1							LEVER, Tilt Column Release
21	4602 226AD	1							MODULE, Security Alarm, Smart Ke
									Immobilizer
22	0154 817	2							SCREW, Tap/Lg Rd Wa He Smart
									Key Immobilizer
23	4698 651	1							BRACKET, Steering Column
24									COVER, Steering Column
	PD51 LAZAD-	1	С	Р					Agate
		1	Υ						Agate
	PD51 MF1AD-	· 1	С	Р					Light Neutral
		1	Υ						Light Neutral
	PD51 RK5AD-	· 1	С	Р					Camel Tan/Agate
		1	Υ						Camel Tan/Agate
25	5069 006AA	1							LEVER, Steering Column
-26	4740 204	1							BRACKET, Steering Column
27	4649 101AA-	1							INTERLOCK, steering column
-28	4761 170	1							CABLE, Park Interlock
29	4760 594AB	1							SWITCH, Multifunction

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC


Gear, Rack And Pinion, Power And Attaching Parts **Figure 019-310**




Pump, Assys. And Attaching Parts 2.7, 3.2, 3.5L Engines Figure 019-510

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		s Code EER								
		s Code EES				e Intake				
		s Code EGG								
	Note: Sale	s Code EGC	= 3.5L H	High Outpu	ıt V6 Magn	um				
Land 150 18 Account of the land of the lan		s Code EGV		V6 SOHC	24 Valve					
	1	4782 207AD	1				EER,			PUMP, Power Steering
							EES			
	2	4792 118	1							PULLEY, Power Steering Pump
	3									BRACKET, Power Steering Pump
		4663 778	1				EER			
			1				EES			
	4									STRUT, Pump Bracket
		4663 782AB	1				EER			
	_		1				EES			
	5									SCREW AND WASHER, Hex Head,
										M8x1.25x30
		6101 462	4				EER			
	•		4				EES			CODEW AND WACHED II. II.
	6									SCREW AND WASHER, Hex Head,
		C4.04 C4.4	0				FED			M8x1.25x25
$\begin{array}{c} \\ \\ \\ \\ \end{array}$		6101 611	3				EER			
(10)	7	6404 506	3				EES EGW			DOLT AND CONED WASHED
	,	6101 506	4				EGW			BOLT AND CONED WASHER, M8x1.25x18, and EER,EES
	8	6102 097AA	1				EER			BOLT, and Washer M8x1.25x95.00
$(2) \qquad (9) \qquad \qquad $	9	0102 03177	<u>'</u>				LLIX			BRACKET, Power Steering Pump
	Ü	4792 309	1				EER			BRACKET, I ower oleening I ump
		02 000	1				EES			
	10									SCREW AND WASHER, Hex Head,
										M8x1.25x30
		6101 462	4				EER			
			4				EES			
	11									BOLT, Hex Flange Head, M10x1.
W /0 7 5 5 10 10 15										50x55
W/2.7L ENGINE (12)		6503 209	1				EER			
			1				EES			
$ \begin{array}{c} $	12									SCREW AND WASHER, Hex Head,
										M10x1.5x105
		6101 623	1				EGW			
			1				EGG			
	13									SCREW AND WASHER, Hex Head,
9 VA (2017)										M8x1.25x30
(14)	CONCORDE-I	NTREPID-LHS-	300M (I H)							
W/32I FNGINF	SERIES	LINE		BC	DDY	E	NGINE		-	TRANSMISSION
	H = High Line P = Premium	D = Intr C = I H	epid S, Concor	41 de	= 4 Door Se	dan E	ER = 2.7L V	/6 DOHC /6 DOHC 24\	√	DGX = 4 Speed Automatic
W/3.5L ENGINE	S = Special	Y = 300)M			E	$GG = 3.5L \$	/6 MPI 24V	-	
	M = LXI X = R/T					E	GW = 3.2L \ GC = 3.5L \	V6 MPI 24V		
	A = 1V/1						-00 - 0.0L V	, 5 551 16		

Pump, Assys. And Attaching Parts 2.7, 3.2, 3.5L Engines Figure 019-510




Hoses, Power Steering 2.7, 3.2, 3.5L Engines Figure 019-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
	les Codes:								
EER= 2.7	'L V6 DOHC 2	4 Valve	!						
EES= 2.7	'L V6 24V w/A	ctive Int	ake						
EGG= 3.5	5L High Output	t V6							
EGW= 3.	2L V6 SOHC 2	24 Valve	Э						
1									RESERVOIR, Power Steering Pump
	4772 456AC	1				EGG,			w/Cap and O-Ring
						EGW			· · · · · ·
	5011 239AA	1				EER,			w/Cap and O-Ring
						EES			3
2						220			CAP, Power Steering Reservoir
2	5011 231AB	1				EER,			OAI , I owel Steeling Reservoir
	3011 231AB	'							
						EES			
		1				EGC,			
						EGG,			
						EGW			
-3	6035 102	1				EGG,			SCREW, Hex Flange Head Tapping
						EGW			.25-14x.75, Power Steering
									Reservoir to Bracket Attaching,
									Reservoir & Pump Attaching
-4	6102 097AA-	1				EER			BOLT, Power Steering to Bracket
5	4782 219AB	1				EGG,			BRACKET, Power Steering, P/S
						EGW			Reservoir Mount
6	6035 102	1				EGG,			SCREW, Hex Flange Head Tapping
O	0000 102	•				EGW			.25-14x.75, P/S Reservoir to Brkt
7	6101 786	1				LGW			
,	0101 700	'							SCREW, Self Tapping, M6x1x15,
•	4770 000 A D					500			P/S Reservoir Mount
8	4772 682AB	1				EGG,			HOSE, Power Steering, P/S
						EGW			Reservoir to Pump
9	6504 217	2							CLAMP, Hose, M18.5, Line Module
									P/S Press and Return Line
10	4772 536AE	1							HOSE, Power Steering Return,
									Cooler to Reservoir
11									CLAMP, P/S Hose Pump End [Not
									Service] Open Dia= M28.9 Thk= 1
									60, (NOT SERVICED) (Not
									Serviced)
12	4782 203AG	1							LINE, Power Steering, Line Module
	1702 200710	•							P/S Pressure and Return
13	6035 851	2							SCREW, Hex Flange Head, .25-
13	0033 631	2							•
									14x1.00, Line Module Attaching to
									Rail
	-INTREPID-LHS-3	00M (LH)		NDV		- NOINE			TDANOMICOLON
EERIES I = High Lin I = Premiun I = Special I = LXI I = R/T		, Concor	41	DDY = 4 Door Se	dan E E E E	ENGINE ER = 2.7L V ES = 2.7L V EGG = 3.5L V EGW = 3.2L V EGC = 3.5L V	6 DOHC 24\ /6 MPI 24V /6 MPI 24V	1	TRANSMISSION DGX = 4 Speed Automatic


Hoses, Power Steering 2.7, 3.2, 3.5L Engines Figure 019-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14									TUBE, Power Steering Pump
	4782 283AA	1				EER,			Pressure
						EES			_
	4782 209AB	1				EGC,			Pressure
						EGG, EGW			
15	4782 260AC	1				LOW			COOLER, Power Steering
16	6500 274	2							LOCK NUT, M6x1.0x6, Hex Flang
17	4782 229AC	1							Locking Coller Tube Attach CLIP, Cooler, Cooler Line Retention
	TOE ZZONO	·							OLII , Goodor, Goodor Line Rotoria.
DNCORDI ERIES	E-INTREPID-LHS-3 LINE	00M (LH)-		ODY		ENGINE			TRANSMISSION

Group – 42LE

Automatic Transaxle 4 Speed



42LE-100	42LE-200	42LE-300	42LE-400
Transaxle Assembly	Case and Extension	Oil Pump	Gear Train
42LE-700	42LE-800	42LE-1200	
Valve Body	Differential	Gearshift Controls	

GROUP 42LE - Automatic Transaxle 4 Speed

Illustration Title	Group-Fig. No.
Transaxle Assembly	
Transaxle Assembly, And Seal && Gasket Package Automatic Transaxle, (DGX)	Fig. 42LE-110
Case and Extension	
Transaxle Mounting And Misc. Parts Automatic Transaxle, (DGX)	Fig. 42LE-205
Case And Related Parts Automatic Transaxle, (DGX)	Fig. 42LE-210
Oil Pump	
Pump, Oil With Reaction Shaft Automatic Transaxle, (DGX)	Fig. 42LE-310
Gear Train	
Clutch, Input Shaft Automatic Transaxle, (DGX)	Fig. 42LE-410
Shaft, Transfer Automatic Transaxle, (DGX)	Fig. 42LE-420
Gear Train Automatic Transaxle, (DGX)	Fig. 42LE-430
Valve Body	
Valve Body Automatic Transaxle, (DGX)	Fig. 42LE-710
Accumulator Piston And Springs Automatic Transaxle, (DGX)	Fig. 42LE-720
Parking Sprag Automatic Transaxle, (DGX)	Fig. 42LE-730
Differential	
Differential Case And Gears Automatic Transaxle, (DGX)	Fig. 42LE-810
Gearshift Controls	
Controls, Gearshift, Floor And Column Shift Automatic Transaxle, (DGX)	Fig. 42LE-1210

Transaxle Assembly, And Seal && Gasket Package Automatic Transaxle, (DGX) Figure 42LE-110

1

	PART				Don't	- Now-			DECODINE
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ALES CODES;		= 4 Spd Au	uto Trans 4	,2LE				
	7L V6 - DOHC								
GG = 3.									
	.2L V6 -SOHC								TRANSAYIE BACKAGE WITH
1									TRANSAXLE PACKAGE, WITH TORQUE CONVERTER
	5013 067AA	1				EGG,	DGX		Production No. 4799940AA
	5015 007703	1				EGG, EGW	DOX		FIUUUGIIOII INO. 77 330 767 17 1
	5014 931AA	1				EER,	DGX		Production No. 4799941AA
	3017 3377					EES			1 Toddottori 140. 17 CCC
-2	5003 816AC-	1							CONVERTER PACKAGE, Torque
-3	0000 0	•							SEAL AND GASKET PACKAGE,
_									Transmission
	4897 992AB-	1				EGG,	DGX		
						EGW			
		1				EER,	DGX		
						EES			
-4									OVERHAUL PACKAGE, Transaxle
	4897 863AD-	1				EGG,	DGX		
						EGW			
		1				EER,	DGX		
						EES			

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Transaxle Mounting And Misc. Parts Automatic Transaxle, (DGX) Figure 42LE-205

10	9	3

	SALES CODES; 2.7L V6 - DOHC		- гора ж	110 114110 11			
	3.5L V6						
	3.2L V6 - SOHO						
1		-					TRANSAXLE, (Reference), (NOT
							SERVICED) (Not Serviced)
2							CABLE, Gear Selector
	4593 215AJ	1					Floor Console Shift
	4593 216AJ	1					Column Shift
3	6501 742	2					SCREW, Hex Head, M12x1.75x50
4							NUT, Hex Flange, M8x1.25
	6101 467	1			EER		M8x1.25
		1			EGG,		M8x1.25
					EGW		
5	4670 322	1					LEVER, Manual Control
-6	6101 978	6					SCREW AND WASHER, Hex Head
							M8-1.25x40
-7	6101 694	2					NUT, M6x1.00
8							WIRING, Transmission
	4759 990AA	1			EGG,	DGX	
					EGW		
		1			EER,	DGX	
					EES		
9	4593 199AB	1					TUBE, Transmission Oil Filler, Trans
							Oil Filler
10	4765 014AC	1					INDICATOR, Transmission Fluid
							Level
11							SCREW AND WASHER, Hex Head
							M8x1.25x45
	6101 614	3			 EGW		
		3			EGG		
12	6030 608	1					SEAL, Oil Filler Tube

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T


D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan


ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC


PART














	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3723 569	1				EGG,	DGX		
						EGW			
		1				EER,	DGX		
						EES			
41	4531 202	2				EGG,	DGX		CONNECTOR, Oil Cooler Hose
						EGW			
42		_							VENT, Cap
	4213 328	2				EGG,	DGX		
		2				EGW	DGX		
		2				EER, EES	DGX		
43						LLS			BOLT, Hex Head, M8x1.25x28.50
40	6503 236	10				EGG,	DGX		BOET, Flox Fload, Wox 1.23x20.30
						EGW			
		10				EER,	DGX		
						EES			
44									CLAMP, Vent Tube
	4593 517	2				EGG,	DGX		
						EGW			
		2				EER,	DGX		
						EES			
45									PLUG, Transaxle Case, 2.00
	4507.040	4				F00	DCV		Diameter
	4567 310	1				EGG, EGW	DGX		
		1				EER,	DGX		
		ı				EES	DGV		
						LLO			

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE ERGINE
EER = 2.7L V6 DOHC
EES = 2.7L V6 DOHC 24V
EGG = 3.5L V6 MPI 24V
EGW = 3.2L V6 MPI 24V
EGC = 3.5L V6 SOHC


Pump, Oil With Reaction Shaft Automatic Transaxle, (DGX) Figure 42LE-310

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOTE: SA	LES CODES	· DGX -	- 4 Snd Aı	ito Trans 4	21 F				
		L V6 - DOHC		- + Ора / (ato Tiuno 4	<u> </u>				
	EGG = 3.5		_							
	EGW = 3	2L V6 - SOH	C							SEAL AND GASKET PACKAGE,
										Transmission Oil Pump
		4883 272	1				EGG,	DGX		·
\bigcirc (10)			4				EGW	DOV		
(8) (9)			1				EER, EES	DGX		
	2									PUMP, Transmission Oil
		4741 659	1				EGG,	DGX		
			1				EGW EER,	DGX		
			'				EES	DGX		
	3									SEAL, Ring Reaction Support, 2 1/16 O.D.
		4471 874	4				EGG,	DGX		
			4				EGW EER,	DGX		
			7				EES	ВОХ		
	4									BOLT, Hex Head, M8x1.25x19
		6500 211	6				EGG, EGW	DGX		
			6				EER,	DGX		
							EES			
7	5	4440.040	0				F00	DOV		BALL, Check
		4446 616	2				EGG, EGW	DGX		
			2				EER,	DGX		
							EES			
	6	4659 126	1				EGG,	DGX		GASKET, Transmission Oil Pump
5		-1000 120	<u>'</u>				EGW	ВОХ		
			1				EER,	DGX		
	7						EES			SCREW AND WASHER, Hex Flange
2										Head, M8x1.25x25
		6501 106	5				EGG,	DGX		,
(3)							EGW			
	CONCORDE-I	NTREPID-LHS-3	00M (LH)							
	SERIES H = High Line P = Premium S = Special M = LXI	LINE D = Intre	epid S, Concor	B0 41	ODY = 4 Door Se	edan I I I	ENGINE EER = 2.7L \ EES = 2.7L \ EGG = 3.5L \ EGW = 3.2L \ EGC = 3.5L \	/6 DOHC 24\ /6 MPI 24V	V	TRANSMISSION DGX = 4 Speed Automatic
	X = R/T						_GC = 3.5L \	70 3UNC		


Pump, Oil With Reaction Shaft Automatic Transaxle, (DGX) Figure 42LE-310


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			5	,			EER,	DGX		
	0		5				EES,	DGX		CEAL Oil Duran
	8	4659 945	1				EGG,	DGX		SEAL, Oil Pump
-			1				EGW EER,	DGX		-
\bigcirc (10)	9						EES			BUSHING, Front Pump
(8) (10)		2466 796	1				EGG, EGW	DGX		
	10		1				EER	DGX		SEAL, Impeller Hub, 57.25mm OD
		4412 475	1				EGG, EGW	DGX		
			1				EER	DGX		
6										
5										
4										
├	H = High Line	NTREPID-LHS-30 LINE D = Intre C = LHS	ром (LH) - pid	BC 41	DDY = 4 Door Se	E dan E	NGINE ER = 2.7L V	6 DOHC		FRANSMISSION DGX = 4 Speed Automatic
F	P = Premium S = Special M = LXI K = R/T	C = LHS Y = 300M	, Concord M	le		E E	ES = 2.7L V GG = 3.5L V GW = 3.2L \	6 DOHC 24V '6 MPI 24V /6 MPI 24V	/	
)	K = R/T					E	GC = 3.5L V	6 SOHC		


Clutch, Input Shaft Automatic Transaxle, (DGX) Figure 42LE-410




Clutch, Input Shaft Automatic Transaxle, (DGX) Figure 42LE-410





























ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1102.11	1 2		0220		1 2.102			DEGGINI HON
NOTE; SA	ALES CODES	S; DGX =	4 Spd Au	ıto Trans 42	2LE				
EER = 2.7	7L V6 - DOH	С							
EGG =3.5	SL V6								
EGW = 3.	2L V6 - SOH	IC .							
1									SHIM, Transfer Shaft, 3.53 - 3.55
	4567 151	AR				EGG,	DGX		
		4.5				EGW	501/		
		AR				EER,	DGX		
-2						EES			SHIM, Transfer Shaft, 3.56 - 3.58
	4567 152	AR				EGG,	DGX		Si ilivi, Transier Shart, 3.30 - 3.30
	4307 132	AIX				EGW	БОХ		
		AR				EER,	DGX		
						EES			
-3									SHIM, Transfer Shaft, 3.59 - 3.61
	4567 153	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-4									SHIM, Transfer Shaft, 3.62 - 3.64
	4567 154	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
_	4507.455	۸۵				EES	DOV		CLUM Transfer Chaff 2.05 2.07
-5	4567 155	AR				EER, EES	DGX		SHIM, Transfer Shaft, 3.65 - 3.67
-6						LLS			SHIM, Transfer Shaft, 3.68 - 3.70
	4567 156	AR				EGG,	DGX		Crimi, Transfer Chart, 6.66 6.76
	.0000					EGW	2011		
		AR				EER,	DGX		
						EES			
-7									SHIM, Transfer Shaft, 3.71 - 3.73
	4567 157	AR				EGG,	DGX		
				· · · · · ·		EGW	· · · · · ·	<u> </u>	
		AR				EER,	DGX		
						EES			
-8	4507.455						B0)/		SHIM, Transfer Shaft, 3.77 - 3.79
	4567 159	AR				EGG,	DGX		
		۸۵				EGW	DCV		
		AR				EER, EES	DGX		
-9						LLO			SHIM, Transfer Shaft, 3.80 - 3.82
J									5, Tandor Chart, 5.00 5.021
	INTREPID-LHS-	-300M (LH)-							
SERIES I = High Line	LINE		BC	DDY = 4 Door Se		ENGINE EER = 2.7L V	6 DOHC		TRANSMISSION DGX = 4 Speed Automatic
e Premium	C = LH	IS, Concord		DOOL OC		EES = 2.7L V	6 DOHC 24V		2011 - 4 Opolia Automatio
s = Special 1 = LXI	Y = 30	OM				EGG = 3.5L \ EGW = 3.2L \			
C = LXI C = R/T						EGW = 3.2L \ EGC = 3.5L \			



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 160	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-10									SHIM, Transfer Shaft, 3.83 - 3.85mr
	4567 161	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
4.4						EES			OLUM Transfer Obeth 0.00
-11									SHIM, Transfer Shaft, 3.86 - 3.88
	4567 162	AR				EGG,	DGX		mm
	4507 102	AN				EGW,	DGX		
		AR				EER,	DGX		
						EES	20/1		
-12									SHIM, Transfer Shaft, 3.89 - 3.91mi
	4567 163	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-13									SHIM, Transfer Shaft, 3.92 - 3.94mi
	4567 164	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			0.00
-14	4507.405	۸۵				F00	DCV		SHIM, Transfer Shaft, 3.95 - 3.97mi
	4567 165	AR				EGG,	DGX		
		AR				EGW EER,	DGX		
		AN				EES	DGA		
-15						LLO			SHIM, Transfer Shaft, 3.98 - 4.00mi
.0	4567 166	AR				EGG,	DGX		or min, transfer orian, electrical
	1007 100	,				EGW	20%		
		AR				EER,	DGX		
						EES			
-16									SHIM, Transfer Shaft, 4.01 - 4.03mi
	4567 167	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-17									SHIM, Transfer Shaft, 4.04 - 4.06mi

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 168	AR				EGG,	DGX		
						EGW			_
		AR				EER,	DGX		
4.0						EES			
-18	4567 169	AR				EGG,	DGX		SHIM, Transfer Shaft, 4.07 - 4.09mm
	4567 169	AK				EGG, EGW	DGX		
		AR				EER,	DGX		
		,				EES	20%		
-19									SHIM, Transfer Shaft, 4.10 - 4.12mm
	4567 170	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-20	4507.474	4.5				F00	DOV		SHIM, Transfer Shaft, 4.13 - 4.15mm
	4567 171	AR				EGG,	DGX		
		AR				EGW EER,	DGX		
		AN				EES	DGX		
-21						LLO			SHIM, Transfer Shaft, 4.16 - 4.18mm
	4567 172	AR				EGG,	DGX		,,,
						EGW			
		AR				EER,	DGX		
						EES			
-22									SHIM, Transfer Shaft, 4.19 - 4.21mm
	4567 173	AR				EGG,	DGX		
		4 D				EGW	DOV		
		AR				EER, EES	DGX		
-23						LLS			SHIM, Transfer Shaft, 4.22 - 4.24mm
20	4567 174	AR				EGG,	DGX		Crimi, Francici Chart, 1.22 1.2 min
						EGW	20/1		
		AR				EER,	DGX		
						EES			
-24									SHIM, Transfer Shaft, 4.25 - 4.27mm
	4567 175	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			SHIM, Transfer Shaft, 4.28 - 4.30mm
-25									Sprint Fransier Spatt 4.78 - 4.30mm

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4505 450	4.5				500	DOV		
	4567 176	AR				EGG,	DGX		
						EGW	501/		
		AR				EER,	DGX		
						EES			0.00.7
-26	1505 155						D01/		SHIM, Transfer Shaft, 4.31 - 4.33mn
	4567 177	AR				EGG,	DGX		
						EGW	501/		
		AR				EER,	DGX		
						EES			0.00
-27							201		SHIM, Transfer Shaft, 4.34 - 4.36mr
	4567 178	AR				EGG,	DGX		
		. –				EGW	D.C.Y		
		AR				EER,	DGX		
						EES			0.00
-28	.=== .=-						5 6 1 1		SHIM, Transfer Shaft, 4.37 - 4.39mr
	4567 179	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-29									SHIM, Transfer Shaft, 4.40 - 4.42
									mm
	4567 180	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-30									SHIM, Transfer Shaft, 0.681 - 0.
									707mm
	4539 677	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-31									SHIM, Transfer Shaft, 4.46 - 4.48mr
	4567 182	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-32									SHIM, Transfer Shaft, 4.49 - 4.51mm
	4567 183	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-33									SHIM, Transfer Shaft, 4.52 - 4.54mr
RIES	E-INTREPID-LHS LINE		В	ODY		ENGINE			TRANSMISSION
High Li Premiu	ine $D = Int$ m $C = LF$	repid IS, Concor		I = 4 Door Se	dan E	ER = 2.7L V ES = 2.7L V			DGX = 4 Speed Automatic

P = Premium S = Special M = LXI X = R/T

C = LHS, C Y = 300M

EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								<u> </u>	
	4567 184	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-34									SHIM, Transfer Shaft, 4.55 - 4.57mm
	4567 185	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
0.5						EES			OURA T. (OL (4.50 4.00
-35	4507.400	4.0				F00	DOV		SHIM, Transfer Shaft, 4.58 - 4.60mm
	4567 186	AR				EGG, EGW	DGX		
		AR				EER,	DGX		
		AN				EES	DGX		
-36						LLO			SHIM, Transfer Shaft, 4.61 - 4.63mm
00	4567 187	AR				EGG,	DGX		Crimi, Transfer Grant, 1.01 1.00mm
	.007 107	7				EGW	20%		
		AR				EER,	DGX		
						EES			
-37									SHIM, Transfer Shaft, 4.64 - 4.66mm
	4567 188	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-38									SHIM, Transfer Shaft, 4.67 - 4.69mm
	4567 189	AR				EGG,	DGX		
		. –				EGW			
		AR				EER,	DGX		
39						EES			BEARING CUP, Transfer Gear
39	4520 962	1				EGG	DGX		BEARING COP, Transfer Gear
	4539 863	1				EGG, EGW	DGX		
		1				EER,	DGX		
						EES	DOX		
40									BEARING CONE, Transfer Gear
	4539 862	1				EGG,	DGX		
						EGW			
		1				EER,	DGX		
						EES			
41									NUT, Transfer Shaft, M33 x 1.50

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•	•		•		•			
	6502 447	1				EGG,	DGX		
						EGW			
		1				EER,	DGX		
						EES			
42									SPROCKET, Transfer Shaft
	4659 834	1				EER,	DGX		
						EES			
	4659 233	1				EGG,	DGX		Transfer Shaft (33T) ***
						EGW			
43									WASHER, Sprocket
	4539 901	2				EGG,	DGX		
						EGW			
		2				EER,	DGX		
						EES			
44									SNAP RING
	6502 448	2				EGG,	DGX		
						EGW			
		2				EER,	DGX		
						EES			
45									CHAIN, Transmission Drive
	4659 190	2				EGG,	DGX		
						EGW			
		2				EER,	DGX		
						EES			
46									SEAL PACKAGE, Transfer Shafe
	4728 303	1				EGG,	DGX		T/Shaft, Small, And Also Large
						EGW			Seal ***
		1				EER,	DGX		
						EES			
47									SEAL PACKAGE, Transfer Shaft
	4728 303	1				EGG,	DGX		
						EGW			
		1				EER,	DGX		
						EES			
48									BEARING CUP, Transfer Shaft
	4567 293	1				EGG,	DGX		
						EGW			
		1				EER,	DGX		
						EES			
49									BEARING CONE, Transfer Shaft

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line
P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic





	PART			055:50	Des./				
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 292	1				EGG,	DGX		
						EGW			
		1				EER,	DGX		
						EES			
50									SHIM, Transfer Shaft, 0.681 -
									707mm
	4539 677	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-51									SHIM, Transfer Shaft, 0.708 -
									734mm
	4539 678	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES	20/1		
-52									SHIM, Transfer Shaft, 0.735 -
									761mm
	4539 679	AR				EGG,	DGX		70111111
	1000 070	7.11.				EGW	DOX		
		AR				EER,	DGX		
		AIX				EES	DGX		
-53						LLS			SHIM, Transfer Shaft, 0.762 -
-55									788mm
	4539 680	۸Β				FCC	DCV		70011111
	4539 660	AR				EGG,	DGX		
		۸۵				EGW	DCV		
		AR				EER,	DGX		
- 4						EES			0
-54									SHIM, Transfer Shaft, 0.789 -
									815mm
	4539 681	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-55									SHIM, Transfer Shaft, 0.816 -
									842mm
	4539 682	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-56									SHIM, Transfer Shaft, 0.843 -
									869mm

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1							
	4539 683	AR				EGG,	DGX		
	1000 000	7414				EGW	BOX		
		AR				EER,	DGX		
						EES			
-57									SHIM, Transfer Shaft, 0.870 - 0
									896mm
	4539 684	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
50						EES			CLUM Transfer Chaff 0 007 0
-58									SHIM, Transfer Shaft, 0.897 - 0
	4539 685	AR				EGG,	DGX		92311111
	+000 000	7111				EGW	DOX		
		AR				EER,	DGX		
						EES			
-59									SHIM, Transfer Shaft, 0.924 - 0
									950mm
	4539 686	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
00						EES			OUNA T
-60									SHIM, Transfer Shaft, 0.951 - 0 977mm
	4539 687	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
C4						EES			CLUM Transfer Chaff 0.070
-61									SHIM, Transfer Shaft, 0.978 - 1 004mm
	4539 688	AR				EGG,	DGX		004111111
	.000 000	,				EGW	DOX		
		AR				EER,	DGX		
						EES			
-62									SHIM, Transfer Shaft, 1.005 - 1 031mm
	4539 689	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-63									SHIM, Transfer Shaft, 1.032 - 1
									058mm

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line
P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4539 690	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-64									SHIM, Transfer Shaft, 1.059 - 1.
									085mm
	4539 691	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
-65	4500.000	4.5				F00	DOV		SHIM, Transfer Shaft, 1.086 - 1.11
	4539 692	AR				EGG,	DGX		
						EGW	DCV		
		AR				EER, EES	DGX		
-66						LLS			SHIM, Transfer Shaft, 1.113 - 1.
-00									139mm
	4539 693	AR				EGG,	DGX		
						EGW			
		AR				EER,	DGX		
						EES			
67									GEAR, Differential Ring
	4567 617	1				EGG,	DGX		
						EGW			
		1				EER,	DGX		
						EES			

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T


D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC


TRANSMISSION DGX = 4 Speed Automatic


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1120	NOMBER	Q(II	LIIVE	OLIVILO	B0D1	LITOINE	IIIAIIO	111111	DEGGNII NON
	NOTE: SA	LES CODES	DGX =	4 Spd Au	to Trans 4	2LE				
$\overbrace{53} \overbrace{82} \overbrace{83})$		L V6 - DOHC		. 000.710						_
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	EGG = 3.5	5L V6								
$(10) \qquad (43) \qquad (45) \qquad $	EGW = 3.3	2L V6 - SOH0								
	1									CARRIER AND BEARING, Planet
		E014 201 A A	4				EGG,	DCV		Pinion
		5014 201AA	ı				EGG, EGW	DGX		
			1				EER,	DGX		
							EES			
(55) (54)	2									BEARING CONE, Output Shaft
$\begin{array}{c c} \hline 1 & \hline 2 & \hline &$		4412 235	1				EGG,	DGX		Rear Carrier Bearing, 68mm O.D.
							EGW			_
(57)			1				EER, EES	DGX		
	3						EES			SNAP RING
		6501 853	1				EGG,	DGX		Low & Rev. Clutch Piston
			•				EGW			
			1				EER,	DGX		Low & Rev. Clutch Piston
							EES			
	4									SPRING, Low/Reverse Clutch Piston
58		4412 261	1				EGG, EGW	DGX		
			1				EGW EER,	DGX		
59			'				EES	ВОХ		
(59)	5									SEAL PACKAGE, Transmission
60)										Clutch
(66)		4882 917	1				EGG,	DGX		Low & Rev. Cl. Piston, Inner 3-3/
			4				EGW	DOY		8" O.D., Outer 6" O.D.
			1				EER, EES	DGX		Low & Rev. Cl. Piston, Inner 3-3/8" O.D., Outer 6" O.D.
71 69	6						LLS			PISTON, Low and Reverse Clutch
		4431 672	1				EGG,	DGX		
							EGW			
(80)			1				EER,	DGX		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	_						EES			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7									SEAL PACKAGE, Transmission Clutch
		4882 917	1				EGG,	DGX		Low & Rev. Cl. Piston, Outer 6"
		1002 011	•				EGW	20,1		O.D., Inner 3-3/8" O.D.
										·
75 76										_
74										
$\sqrt{2}$ $\sqrt{73}$	CONCORDE-I SERIES	NTREPID-LHS-3	00M (LH)-	DC	DDY		ENGINE			TRANSMISSION
	H = High Line	D = Intre	pid	41	= 4 Door Se	dan I	EER = 2.7LV	6 DOHC	[DGX = 4 Speed Automatic
(72)	P = Premium S = Special	C = LHS Y = 300	i, Concord M	de			EES = 2.7L V EGG = 3.5L V	/6 MPI 24V	V	
	M = LXI X = R/T						EGW = 3.2L \ EGC = 3.5L \	V6 MPI 24V		
	7 - 17 1						0.0L V	0 00/10		















































Accumulator Piston And Springs Automatic Transaxle, (DGX) Figure 42LE-720

		ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			ALES CODES		4 Spd Au	ito Trans 42	2LE				
9			L V6 - DOH								
1)——		EGG = 3.5		0							
		EGVV = 3	2L V6 - SOH	C							SPRING, Accumulator
	(8)	<u> </u>	4567 575	1				EGG,	DGX		Trans. Accumulator, Low and
								EGW			Reverse, Inner
<u></u>				1				EER	DGX		Trans. Accumulator, Low and Reverse, Inner
(2)—	_ /	2									SPRING, Accumulator
			4471 880	1				EGG,	DGX		Trans. Accumulator
	() \							EGW			
		3		1				EER	DGX		Trans. Accumulator SEAL, Accumulator
			4446 544	2				EGG,	DGX		Trans. Accumulator
			1110 011	_				EGW	ВОХ		Trans. Accumulator
(3)—()				2				EER	DGX		Trans Accumulator
		4									PISTON, 2nd and 4th Accumulator
			4446 620	1				EGG,	DGX		Trans Accumulator
								EGW	501/		
		5		1				EER	DGX		Trans Accumulator COVER, Accumulator
			4431 617	1				EGG,	DGX		Trans Accumulator
(4)——			1101 017	•				EGW	Вол		Tano Accamalator
				1				EER,	DGX		Trans Accumulator
								EES			
(3)——	9	6									O RING, Accumulator, Transmission
			6501 549	1				EGG,	DGX		Trans Accumulator
				1				EGW EER,	DGX		Trans Accumulator
				'				EES,	DGX		Trans Accumulator
(5)—		7						220			SNAP RING
	(8)		6501 695	1				EGG,	DGX		Trans Accumulator
								EGW			
				1				EER,	DGX		Trans Accumulator
								EES			0541.4
6		8	4446 544	2				EGG,	DGX		SEAL, Accumulator
			4440 544	2				EGW,	DGX		
				2				EER	DGX		
		9									PISTON, 2nd and 4th Accumulator
(7)— (())											
		CONCORDE-I	INTREPID-LHS-	300M (LH)—							
		SERIES H = High Line	LINE D = Intr	epid	41	DY = 4 Door Se	dan	ENGINE EER = 2.7L V	6 DOHC		TRANSMISSION DGX = 4 Speed Automatic
	(10)	P = Premium	C = LH3 Y = 300	S, Concord	le			EES = 2.7LV	6 DOHC 24\	V	,
		S = Special M = LXI	Y = 300	VIVI				EGG = 3.5L \ EGW = 3.2L \	V6 MPI 24V		
		X = R/T						EGC = 3.5L \	/6 SOHC		

Accumulator Piston And Springs Automatic Transaxle, (DGX) Figure 42LE-720



Parking Sprag Automatic Transaxle, (DGX) Figure 42LE-730




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	LES CODES		4 Spd Au	ito Trans 4	2LE				
	'L V6 - DOHC	;							
EGG = 3.5		_							
	2L V6 - SOH	3							CLUDE DACKAGE Dorking Sprog
1									GUIDE PACKAGE, Parking Sprag Pawl
	4883 505AA	1				EGG,	DGX		rawi
	1000 000747	•				EGW	Βολ		
		1				EER,	DGX		
						EES			
2									SPRING, Parking Sprag Return
	4431 653	1				EGG,	DGX		
						EGW			
		1				EER,	DGX		
•						EES			DOD D III O
3	4404 004	4				F00	DOY		ROD, Parking Sprag
	4431 634	1				EGG, EGW	DGX		
		1				EGW EER,	DGX		
		•				EES	ВОХ		
4									SNAP RING, Rod
	6035 256	1				EGG,	DGX		Parking Sprag Rod Retainer
						EGW			
		1				EER	DGX		Parking Sprag Rod Retainer
DNCORDE-I ERIES = High Line = Premium	NTREPID-LHS-3 LINE D = Intre C = LHS Y = 300	epid S, Concor	BC 41	DDY = 4 Door Se	dan I	ENGINE EER = 2.7L V EES = 2.7L V			TRANSMISSION DGX = 4 Speed Automatic

Differential Case And Gears Automatic Transaxle, (DGX) Figure 42LE-810

2 24	
	12 13 13 23 23 19 18 17 16

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: SA	ALES CODES	: DGX =	= 4 Spd Au	ito Trans 4	2l F	•			
	L V6 - DOHC		- 1 Opa 7 to	ito rrano i					
EGG = 3.5	5L V6								
EGW = 3.	2L V6 - SOH								
1									DIFFERENTIAL, Transaxle
	4539 661	1				EGG,	DGX		(Consists Of Items 3 thru 18)
		1				EGW EER,	DGX		
		'				EES	ВОХ		
2									CIRCLIP, Half Shaft
	4593 012	2				EGG,	DGX		
						EGW			
		2				EER,	DGX		
2						EES			OUTPUT SHAFT, Transaxle
3	4539 748	1				EGG,	DGX		Diff. Stub. Short
	4000 740	•				EGW	ВОХ		Bill. Glab. Gliori
		1				EER,	DGX		
						EES			
4									LOCK, Drive Shaft
	2852 883	1				EGG,	DGX		
		4				EGW	DCV		
		1				EER, EES	DGX		
5						LLO			SCREW, Special Shouldered,
									M10x1x29
	6502 034	12				EGG,	DGX		Diff. Case
						EGW			
		12				EER,	DGX		
6						EES			CASE Transfer Front
6	4567 505	1				EGG,	DGX		CASE, Transfer Front Diff. Bearing (Serviced in 4567505
	4007 000	•				EGW	ВОХ		Assy. Consists of Items 6,14,15)
		1				EER,	DGX		, , ,
						EES			
7									BUSHING, Support Case
	4567 225	2				EGG,	DGX		
		2				EGW	DCV		
		2				EER, EES	DGX		
8						LLO			THRUST WASHER PACKAGE, Axle
									Differentail
	INTREPID-LHS-3	00M (LH)		DDY		ENCINE			TDANICMICCION
ERIES LINE = High Line D = Intrepid = Premium C = LHS, Concorde = Special Y = 300M I = LXI = R/T			41	= 4 Door Se	dan E E E E	ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC			TRANSMISSION DGX = 4 Speed Automatic

Differential Case And Gears Automatic Transaxle, (DGX) Figure 42LE-810



	PART								
ГЕМ	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4131 293	AR				EGG,	DGX		
	4131 293	AIX				EGW	DGA		
		AR				EER,	DGX		
						EES			
9									GEAR PACKAGE, Differential
	5016 367AA	1				EGG,	DGX		
						EGW			
		1				EER,	DGX		
10						EES			PIN, Shift Fork
10	0154 567	1				EGG,	DGX		Pinion Shaft, 1/4x1-3/4"
	0104 307	'				EGW	DOX		Timori Shart, 174x1-3/4
		1				EER,	DGX		
						EES			
11									WASHER, Pinion Thrust
	2852 912	2				EGG,	DGX		Pinion Gear, Coned Thrust
						EGW			
		2				EER,	DGX		
40	CEO4 744	4				EES			CODEW AND WACHED Have Have
12	6501 714	1							SCREW AND WASHER, Hex Head M6x1x18, Differntial
13									CASE, Transfer Front
	4567 505	1				EGG,	DGX		Differential (Serviced in 4567505
						EGW			Assy. Consists of Items 5,14,15
		1				EER,	DGX		
						EES			
14		_							BUSHING, Support Case
	4567 225	2				EGG,	DGX		
		2				EGW EER,	DGX		
		2				EES	DGX		
15						LLO			GEAR, Differential Ring
	4567 617	1				EGG,	DGX		Matched, Ring Gear & Transfer
						EGW			Shaft
		1				EER,	DGX		
						EES			
16									CIRCLIP, Half Shaft
	4593 012	2				EGG,	DGX		
		2				EGW	DCV		
		2				EER, EES	DGX		
17						LLO			O RING, CV Joint
• •									

P = Premium
S = Special
M = LXI

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)


SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic



Differential Case And Gears Automatic Transaxle, (DGX) Figure 42LE-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6502 363	2				EGG,	DGX		
						EGW			
		2				EER,	DGX		
						EES			
18									SNAP RING
	6502 482	1				EGG,	DGX		Stub Shaft Ball Bearing, 2.634"
						EGW			O.D., .078" Thk.
		1				EER,	DGX		Stub Shaft Ball Bearing, 2.634"
						EES			O.D., .078" Thk.
19									BEARING, Differential
	4539 879	1				EGG,	DGX		Sealed Ball, 2-3/8" O.D., 5/8"
						EGW			Width
		1				EER,	DGX		Sealed Ball, 2-3/8" O.D., 5/8"
						EES			Width
20									OUTPUT SHAFT, Transaxle
	4567 216	1				EGG,	DGX		Stub W/Ball Bering
						EGW			
		1				EER,	DGX		Stub W/Ball Bering
						EES			
-21									SNAP RING
	6502 482	1				EGG,	DGX		Ball Bearing Stub Shaft, 32.80 I.D
						EGW			1.32 Thk.
		1				EER,	DGX		Ball Bearing Stub Shaft, 32.80 I.D
						EES			1.32 Thk.
22									BEARING, Differential
	1790 541	2				EGG,	DGX		Side Cone
						EGW			
		2				EER,	DGX		Side Cone
						EES			
23									BEARING, Differential
	1790 541	2				EGG,	DGX		Case Cone
						EGW			
		2				EER,	DGX		Case Cone
						EES			
24									O RING, CV Joint
	6502 363	2				EGG,	DGX		
						EGW			
		2				EER,	DGX		
						EES			

H = High Line P = Premium
S = Special
M = LXI

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Controls, Gearshift, Floor And Column Shift Automatic Transaxle, (DGX) **Figure 42LE-1210**

ITEM

PART

NUMBER


QTY

LINE

SERIES

BODY

ENGINE



1			LEVER, Gearshift
	4593 201AE	1	w/o Autostick
	4593 203AD	1	w/Autostick
2			KNOB, Gearshift
	4593 490AA	1	Vinyl (Complete)
	4593 491AA	1	Leather (Complete)
3	6504 104	1	SCREW, Set, G/Shift Knob, M5xt 8x10
4	6502 756	5	NUT, Hex Lock, M8x1.25
5	4295 369	1	CLIP, Clutch Cable, G/Shift Cont Cable, M27x31.75Lg.
6	4593 422AC	1	BRACKET, Throttle Control Cabl
7	4593 215AJ	1	CABLE, Gear Selector, G/Shift Control, Console Shift
8	4593 216AJ	1	CABLE, Gear Selector, G/Shift Control, Column
9	4593 461AC	1	CABLE, Ignition Interlock
10	6503 078	1	CLIP, Moulding, G/Shift Cable, Column Shift, M25.20x16.50Lg

TRIM

DESCRIPTION

TRANS

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium S = Special M = LXI


X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE ER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Group – 022 Wheels, Covers and Jacks





GROUP 22 - Wheels, Covers and Jacks

Illustration Title	Group-Fig. No
Wheels and Hardware	
Wheels And Hardware	Fig. 022-110
Wheel Covers and Center Caps	
Covers, Wheel	Fig. 022-210
Jack Stowage	
Jack and Spare Tire Stowage	Fig. 022-310

Wheels And Hardware Figure 022-110

	2	3 4	
(5) (6)	7		
	8 9		TIRE PRESSURE PAR ON LEVEL SHFACE NO SET PARANG SHAVE LECAN DIAGNALLY OFASSIEN HELL SHFOTE JOKING. PALSE WHILL SHOT INF. LIST CLEARS SJEFACE.

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•				!	
NOTE 6									
	Sales Codes:	· · · · · ·	N. A O.K						
-	WHEELS - 15								
_	WHEELS - 16								
_	WHEELS - 17X			RR, CHROI	ME				
	WHEELS - 17 A								
_	WHEELS - 17								
-	WHEELS - 16								
-	WHEELS - 16								
	WHEELS - 16			<u>/</u>					
[WNS] =	WHEELS - 16	ALUMI	NUM						
1									WHEEL, Aluminum
	RK76 PAKAB	4							16 x 7 [WNS] Sparkle Silver, 15
									Spoke Medallion
	4782 288AA	4							16 x 7 [WNE] Chrome
2	LG20 PAK	4							WHEEL, Aluminum, 16 x 7 [WNR
									Sparkle Silver
3									WHEEL, Aluminum
	LG30 PAK	4							17 x 7 [WFJ] Sparkle Silver
	TQ59 PAKAA	4							17 x 7 [WGL] Crusader
	QU48 PAKAA	4							17 X 6.5 [WFX]
4	LG40 RAV	4							WHEEL, Steel, 17 x 7 Aluminum
									[WFH] Chrome
5									CAP, Wheel Center
	4782 258AA	4							[WNS,WNE]
	4782 556	4							[WNR]
	RG98 PAKAA	4							[WNK,WFJ]
	RG80 PAKAA	4							[WFX]
		4							[WGL]
6	4755 049	4							CAP, Wheel Center, Bright
									Aluminum, [WFH]
7									WHEEL, Steel
	4782 175	1							16 x 4, Compact Spare
	4782 226AA	5							15 x 6 [WCF]
	4782 244AB	4							16 x 7 [WCS]
8	6502 738	20							NUT, Wheel Chrome, M12x1.5,
									Capped [WNK,WNR,WFJ,WFH
9	6504 672	20							NUT, Wheel, Bolt-on Covers [WC
	-								WCS]
10	2073 355	5							STEM, Wheel Valve
11	-	-							LABEL, Tire Pressure
	4774 382	1							P205/70 R15 BSW A/S ENGLIS
	4774 385	<u>_</u>							P205/70 R15 BSW A/S FRENC
		٠							
	E-INTREPID-LHS-30	0M (LH)							
ERIES = High Li = Premiu = Special = LXI	C = LHS	Concor	41	DDY = 4 Door Se	dan E E E	ENGINE EER = 2.7L V EES = 2.7L V EGG = 3.5L \ EGW = 3.2L \	6 DOHC 24\ /6 MPI 24V	!	TRANSMISSION DGX = 4 Speed Automatic

Wheels And Hardware Figure 022-110

	2	3 4	
(5)(6)	7		
	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	E E	TRE PRESSURE PIAK ON LIFEL SUFFICE AND SET PIAKING SAVE BOX ON LONDWILLY OPTOSITE HELL SETTLE JOSTES RAISE VEHICLE SO THE J.ST CLEVES SUFFICE.

TEM	NUMBER								
	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4774 386	1							P255/60 V-R16 BSW
	7114 300	ı							PERFORMANCE
	4782 248AA	1							P225/55 R17 BSW A/S TOURING
	4782 251AA	1							P225/60 R16 BSW A/S TOURING
	4782 253AA	1							P225/60 R16 32 PSI FRENCH
	4782 256AA	1							P225/55 R17 FRENCH
	4782 279AA	1							Y Models - Performance Pkg, 30
	4102 213AA	ı							PSI

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

PART ITEM NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM DESCRIPTION
CONCORDE-INTREPID-LHS-300M (LH) SERIES LINE BODY ENGINE TRANSMISSION H = High Line D = Intrepid 41 = 4 Door Sedan EER = 2.7L V6 DOHC DGX = 4 Speed Automatic P = Premium C = LHS, Concorde EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V S = Special Y = 300M EGW = 3.2L V6 MPI 24V EGW = 3.2L V6 MPI 24V M = LXI EGC = 3.5L V6 SOHC SOHC

Jack and Spare Tire Stowage Figure 022-310



	PART								
ITEN	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4580 807AI	3 1							SUPPORT, Spare Tire Cover
2									COVER, Spare Tire
	4580 451A	1	С						
	4580 458A	1	D, Y						
3	6504 600	1							NUT, M8x1.25, Wing, Spare Tire
									Hold Down
4	4755 138A	1							PLATE, Spare Tire
5	6504 599	1							NUT, M10x1.50, Wing, Jack Hold
									Down
6	4772 481AI	3 1							JACK, Scissors
-7	4772 483AI	3- 1							WRENCH, Wheel Lug Nut
-8	4772 482	1							LABEL, Tire Pressure
9									FASTENER, (NOT SERVICED) (Not
									Serviced)
10									SPACER, Spare Tire
	4580 811A	1							15 inch Steel Wheels
	4580 812A	1							Orange - 16 inch Steel Wheel
	4580 814A	1							Yellow, Compact Spare and 16 &
									17 inch Aluminum Wheels
	4782 177	1							16 x 4 Convenience Spare
11	6505 614A	1							BOLT, Square Neck, M8 x 1.25 x
									226.50

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Group – 23D

Wiper/Lock Cylinder and Keys






GROUP 23D - Wiper/Lock Cylinder and Keys


Illustration Title	Group-Fig. No
Lock Cylinders and Keys	
Lock Cylinders and Double Bitted Lock Cylinder Repair Components	Fig. 23D-110
Windshield Wiper and Washer Systems	
Windshield Wiper and Washer System	Fig. 23D-210


Lock Cylinders and Double Bitted Lock Cylinder Repair Components Figure 23D-110





	PART	.		050150	DODY	FNONE	TD 4110	TD.114	DECODINE
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ALL LOCK CYLI	INDERS	S ARE UN	CODED					KEV Blank 94 Cranya
1	4778 115	2	С						KEY, Blank, 84 Groove
	4776 115	2	D, Y						
2		_	В, 1						KEY, Master
	5010 366AA	2	D, Y						w/Sentry Key Theft Deterrent
									System
		2	С						w/Sentry Key Theft Deterrent
									System
3			_						KEY, Valet
	5010 365AA	1	С						w/Sentry Key Theft Deterrent
		4	D V						System w/Sentry Key Theft Deterrent
		1	D, Y						System
4									CYLINDER, Ignition Lock
	5003 843AA	1	С						0 ·
		1	D, Y						
5									TUMBLER, Ignition Number 1,
									Sidebar
	5010 879AA	1	С						
		1	D, Y						TIMPLED I W N I O
-6									TUMBLER, Ignition Number 2,
	5010 880AA-	1	С						Sidebar
	3010 880AA-	1	D, Y						
-7		<u>'</u>							TUMBLER, Ignition Number 3,
									Sidebar
	5010 881AA-	1	С						
		1	D, Y						
-8									TUMBLER, Ignition Number 4,
									Sidebar
	5010 882AA-	1	С						
9		1	D, Y						SPRING, Ignition Tumbler, Sidebar
Э	5010 883AA	1	С						or mixo, ignition rumbler, oldebal
	0010 000/14	1	D, Y						
10			,						CYLINDER, Deck Lid Lock
	4778 145AB	1	С						
		1	D, Y						
11									CYLINDER, Door Lock
	5011 040AA	1	С						
CONCOR SERIES	DE-INTREPID-LHS-30 LINE	00M (LH)	———— ВС	DDY	E	NGINE			TRANSMISSION
H = High P = Prem S = Spec M = LXI X = R/T	$\begin{array}{ll} \text{Line} & D = Intre \\ iium & C = LHS \end{array}$, Concor	41	= 4 Door Se	edan E E E E	ER = 2.7L V ES = 2.7L V GG = 3.5L V GW = 3.2L \ GC = 3.5L V	6 DOHC 24\ /6 MPI 24V /6 MPI 24V	[DGX = 4 Speed Automatic


Lock Cylinders and Double Bitted Lock Cylinder Repair Components Figure 23D-110











ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-						I		
		1	D, Y						
12			,						TUMBLER, Door and Deck Number
									1, Wide
	4778 117	1	С						
		1	D, Y						
-13									TUMBLER, Door and Deck Numbe
	4770 440	4	0						2, Wide
	4778 118	1 1	C D, Y						
-14		<u>!</u>	D, 1						TUMBLER, Door and Deck Number
1-7									3, Wide
	4778 119	1	С						o, mac
		1	D, Y						
-15									TUMBLER, Door and Deck Numbe
									4, Wide
	4778 120	1	С						
		1	D, Y						
16	4770 404	_	0						SPRING, Door and Deck Tumbler
	4778 121	1	C						
17		1	D, Y						CYLINDER, Glove Box Lock
- ' '	4778 448	1	С						OTEMBER, CIOVO BOX EOOR
		1	D, Y						
18			,						TUMBLER, Ignition Number 1
	5257 132	1	С						Glove Box, Gas Cap Tumbler, No
									Ignition
		1	D, Y						Glove Box, Gas Cap Tumbler, No
									Ignition
-19	5057.400								TUMBLER, Ignition Number 2
	5257 133	1	С						Glove Box, Gas Cap Tumbler, No
		1	D, Y						Ignition Glove Box, Gas Cap Tumbler, No
		'	D, 1						Ignition
-20									TUMBLER, Ignition Number 3
	5257 134	1	С						Glove Box, Gas Cap Tumbler, No
									Ignition
		1	D, Y						Glove Box, Gas Cap Tumbler, No
						<u> </u>			Ignition
-21									TUMBLER, Ignition Number 4
	5257 135	1	С						Glove Box, Gas Cap Tumbler, No
									Ignition

CONCORDE-INTREPID-LHS-300M (LH)-

SERIES H = High Line P = Premium S = Special M = LXI

X = R/T


LINE D = Intrepid C = LHS, Concorde Y = 300M BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic






Lock Cylinders and Double Bitted Lock Cylinder Repair Components Figure 23D-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				L					
		1	D, Y						Glove Box, Gas Cap Tumbler, N
			•						Ignition
22									SPRING, Lock Cylinder Tumbler
	4746 873	1	С						Glove Box, Gas Cap
		1	D, Y						Glove Box, Gas Cap
23									CAP, Door Lock Cylinder, Bright
	4778 149	1	С						
		1	D, Y						
24									SHUTTER, Door, Deck and Liftgat
									Bright
	4778 150	1	C						
05		1	D, Y						ODDING Coding days Datases
25	4270 702		С						SPRING, Cylinder Return
	4378 793	1 1	D, Y						
26		ı	ט, ז						SPRING, Lock Cylinder Return
20	4378 798AB	1	С						Decklid
	+370 730AD	1	D, Y						Decklid
27		•	۵, ۱						CAP, Serviced with Cylinder, Decl
									Lid P/N 4778145, (NOT
									REQUIRED)
28									CLIP, Latch
	4658 444	1	С						Purple
		1	D, Y						Purple
	4658 445	1	С						Orange
		1	D, Y						Orange
29									LEVER, Front Door Cylinder
	4717 288	1	С						
		1	D, Y						
30			_						LEVER, Deck Lid Cylinder
	4780 387AB	1	С						
	4780 457AA	1	D, Y						
31	4480 116	1							RETAINER, Lock Cylinder
-32	4878 786AA-	1							RETAINER, Door Lock Cylinder,
33									Cylinder to Decklid Attaching CLIP, Retainer, (NOT REQUIRED
33 34									TRANSMITTER, Keyless Entry
J 4	4602 268AA	2							USA/Canada
	4759 011AB	2							(EUROPEAN)
35	1.00 01170	_							MODULE, Keyless Entry Receiver
50	4759 016AC	1							(European)
	4602 269AA	1							(=2.5620.1)
NCORDE RIES	-INTREPID-LHS-30 LINE	00M (LH)-		ODY		NGINE			TRANSMISSION
: High Lir	ne D = Intre		41	ום א I = 4 Door Sec	lan E	ER = 2.7L V			DGX = 4 Speed Automatic
Premiun Special			de		E	ES = 2.7L V EGG = 3.5L V	6 DOHC 24\	V	
	1 = 3001	VI				:GG = 3.5L v :GW = 3.2L \	U IVIT I 24 V		

Lock Cylinders and Double Bitted Lock Cylinder Repair Components **Figure**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1105			022			110000	1111	DEGGIN.
36	4602 226AE	1							MODULE, Security Alarm, w/Ser
	1002 223								Deterrent System [GXX]
-37									LABEL, Transmitter
	4602 263AD-								·- · · · · · · · · · · · · · · · · · ·
	4602 270AA-	1							w/Sentry Key Theft Deterrent
-38	8350 4802	2							System BATTERY, Transmitter
-39	5278 679AA-								CAP, Fuel Filler, Locking Gas Ca
		· 							


P = Premium
S = Special
M = LXI

X = R/T

C = LHS, Concorde Y = 300M

EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Windshield Wiper and Washer System Figure 23D-210




175.4	PART	0.77	LINE	eeriee	BODY	ENGINE	TDANG	TD::4	DECORIDE
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CH=Cor									
CP=LHS									1 INII/A O.E. 14/2
1	5011 198AA	1							LINKAGE, Wiper Arm
-2	5011 199AA-	1							MOTOR, Wiper
-3	5011 200AA-	1							LINK, Drive Wiper
-4	5011 201AA-	1							LINK, Slave
5	5011 202AA	1							GROMMET, WIPER FRAME
6	6504 559	2							SCREW AND WASHER, Hex He M6x1.00x45.00
7	6505 683AA	1							SCREW AND WASHER, HEX
									HEAD, M8 X 1.25 X 75.00
8	6504 954AA	2							NUT & WASHER, Hex, M10 X 1
9	4630 783	2							CAP, Wiper Arm Nut
10									ARM, Wiper
	5011 204AB	1							Right
	5011 205AB	1							Left
11									BLADE, Wiper
	5011 206AA	1							Right
	5011 207AA	1							Left
12									REFILL, Wiper Blade
	5011 208AA	1							Right
	5011 209AA	1							Left
13									NOZZLE, Washer, Windshield
	4805 192AE	1	С						Right
	4805 193AD	1	C						Left
	4805 194AD	1	D						Right
	4805 195AC	1	D, Y						Left
	4805 466AB	1	Ý						Right
	4805 467AB	1	Y						Left
14	4805 166	<u>·</u> 1	· ·						CONNECTOR, Washer Hose, Y
15	4805 409AA	2							CLIP, Washer Hose
16	5014 964AA	1							HOSE, Windshield Washer, 50F
.0	0011001101	•							ROLL
17	5011 825AA	1							COUPLING, Flexible, Washer
	55 520/01	•							Reservoir
18	6503 759	1							BOLT, Hex Head, M6x1.00x25.0
19	3000 700	•							RESERVOIR, Washer
	5011 819AA	1	Y						w/Headlamp Washer
	5011 823AB	1	•						w/o Headlamp Washer
-20	5011 809AA-	1	Υ						GROMMET, Windshield Washer
20	3011 003AA-	'	'						Pump, Plus Headlamp Washer
-21									GROMMET, Washer Reservoir
- <u>-</u> 1									CITOINIVIL I, WASHEI ITESEIVOII
NCORD	E-INTREPID-LHS-3	00M (LH)							
RIFS	LINE	()		אחכ	_	NGINE			TRANSMISSION

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Windshield Wiper and Washer System Figure 23D-210



		PART								
ITE	ΞM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4863 704	1	Υ						Plus Headlamp Washer
		5013 755AA-	1	Υ						Fluid Sensor
2	2	6101 712	1							NUT, U, M6x1, Wiper Module,
										Mounting
2	23	5011 807AB	1							PUMP, Washer, Windshield
2	:4	5011 821AA	1	Υ						PUMP, Washer, Headlamp
-2	25	5011 809AA-	1	Υ						GROMMET, Windshield Washer
										Pump
2	26	4882 797	1							SENSOR, Washer Fluid Level
2	7	4797 694	1							CAP, Washer Reservoir
2	28	5011 827AA	1							FILLER, Mouth
2	9	5011 810AA	1	Υ						INLET, Connector, Reservoir
3	0									NOZZLE, Washer, Headlamp
		4805 072AC	1							w/Headlamp Washer, Right
		4805 073AC	1							w/Headlamp Washer, Left
-3	1	4805 071AB-	1	Υ						HOSE, Washer, Headlamp
-3	2	5011 822AA-	1	Υ						GROMMET, Headlamp Washer
										Pump

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI

X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Group – 024

Air Conditioning & Heater




024–100 Air Conditioner and Heater Units Air Conditioner and Heater Plumbing 024–300 Air Conditioner and Heater Controls 024–500 Air Conditioning Compressor Mounting 024–600 Air Ducts and Outlets

GROUP 24 - Air Conditioning & Heater

Illustration Title	Group-Fig. N
Air Conditioner and Heater Units	
Air Conditioning Unit	
ATC Unit	Fig. 024-120
Air Conditioner and Heater Plumbing	
Plumbing Air Conditioning	Fig. 024-210
Plumbing, Heater	Fig. 024-220
Air Conditioner and Heater Controls	
Controls, Air Conditioning and Heater	Fig. 024-310
Air Conditioning Compressor	
Compressor and Related Parts	Fig. 024-415
Air Conditioning Compressor Mounting	
Compressor Mounting	Fig. 024-515
Air Ducts and Outlets	3
Air Distribution Ducts	Fig. 024-610
Air Distribution Outlets	

Air Conditioning Unit Figure 024-110



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	5010 979AA	1							HOUSING, A/C And Heater
-	-2	4596 099AB-	1							TUBE, Drain
	3	4734 227	49							SCREW, Hex Head, M4.8-1.59x19
	4	4644 225	3							STUD, A/C Heater Housing
	5	6031 087	3							WASHER, A/C Unit Mounting Stud
_	6	4734 770AB	1							ACTUATOR, Blend Door
	7	4734 772AB	1							ACTUATOR, Mode Door
	8	4734 984AB	1							ACTUATOR, Recirculation Door
	9	5010 981AA	1							HOUSING, Air Inlet
	10	6101 308	1							NUT, U, M6x1
	11	4644 833AB	1							RESISTOR, Blower Motor
	12	4760 757	1							WIRING, A/C and HEATER
	13	4885 148AA	1							MOTOR, Blower with Wheel
	14	4885 057AB	1							COVER, Blower Motor
	15	4734 733AB	1							DUCT, Floor Distribution
	16	5011 078AA	1							CORE, Heater
	17	5011 079AC	1							EVAPORATOR KIT, Air Conditioning
	-18	4885 585AA-	1							FLOW STRAIGHTENER, Evaporator
										Inlet
	-19	4734 726	1							PROBE, Air Conditioning
	20	4734 227	49							SCREW, Hex Head, M4.8-1.59x19
_	21	4734 728	1							VALVE, Expansion
	22	6032 572	2							SCREW, Cap, .25-20x2.00
	23	5010 977AA	1							SEAL KIT, A/C And Heater Unit
	-24	4596 179AB-	1							DECAL, A/C System Specification
_	-25	6505 224AA-	1							NUT, M6x1.00, Unit to Plenum

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

ATC Unit Figure 024-120



		PART								
IT	EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	5010 979AA	1							HOUSING, A/C And Heater
		4596 099AB-	1							TUBE. Drain
		4734 227	49							SCREW, Hex Head, M4.8-1.59x19
	-	4644 225	3							STUD, A/C Heater Housing
		6031 087	3							WASHER, A/C Unit Mounting Stud
		4734 770AB	1							ACTUATOR, Blend Door
	7	4734 772AB	1							ACTUATOR, Mode Door
	8	4734 984AB	1							ACTUATOR, Recirculation Door
	_	5010 981AA	1							HOUSING, Air Inlet
		6101 308	1							NUT, U, M6x1
1	11	4760 757	1							WIRING, A/C and HEATER
1	12	4885 148AA	1							MOTOR, Blower with Wheel
1	13	4885 057AB	1							COVER, Blower Motor
	14	4734 733AB	1							DUCT, Floor Distribution
1	15	5011 078AA	1							CORE, Heater
1	16	5011 079AC	1							EVAPORATOR KIT, Air Conditioning
-1	17	4885 585AA-	1							FLOW STRAIGHTENER, Evaporator
										Inlet
-1	18	4734 913AD-	1							MODULE, ATC Blower Control
1	19	4734 726	1							PROBE, Air Conditioning
2	20	4734 728	1							VALVE, Expansion
	21	6032 572	2							SCREW, Cap, .25-20x2.00
2	22	5010 977AA	1							SEAL KIT, A/C And Heater Unit
2	23	4734 227	49							SCREW, Hex Head, M4.8-1.59x19
-2	24	4596 179AB-	1							DECAL, A/C System Specification
-2	25	6505 224AA-	1							NUT, M6x1.00, Unit to Plenum

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Plumbing Air Conditioning Figure 024-210

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: F	or Heater Plum	nbing se	ee Illustration	on 7-310 C	oolant Red	covery Sys	tem.		
Sales Co									
	2.7L V6 DOHC								
	2.7L V6 24V W								
	'MAGNUM' 3.5 3.5L HIGH OU) I					
	3.5L HIGH 00 3.5L V6 SOHC			1					
	3.5L V0 30110 3.5L HIGH OU			1					
1	0.02 0 00	•							LINE, A/C Liquid
	5003 979AA	1				EER,			•
						EES			
	5003 981AA	1				EGC,			
						EGG,			
_						EGW			
2		•							O RING, A/C Line
	5011 590AA	3				EER,			
		3				EES EGC,			
		3				EGG,			
						EGW			
3	5010 962AA	1				EER,			VALVE, Charging
						EES			
4	5011 637AA	1				EER,			CAP, A/C Charge Valve
						EES			
5									SCREW, [M6.3X1.81X25.00], (NOT
0									SERVICED) (Not Serviced)
6									DRIER, Air Conditioning Filter, With Bracket and Tube
	5003 980AA	1				EER,			Diacket and Tube
		<u> </u>				EES			
		1				EGC,			
						EGG,			
						EGW			
7									O RING, A/C Line
	4882 137	1				EER,			
						EES			
		1				EGC, EGG,			
						EGG, EGW			
8	4734 728	1				L 3 V V			VALVE, Expansion, With Gasket
-9	4677 045	1							GASKET, Valve To Evaporator
		•							,

ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC


D = Intrepid C = LHS, Concorde Y = 300M

X = R/T

BODY

41 = 4 Door Sedan

Plumbing Air Conditioning Figure 024-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4698 751	1				EER,			LINE, A/C Suction, Compressor
						EES			
11	4796 564	2				EER,			O RING, A/C Line
						EES			
12	4698 752	1				EER,			LINE, A/C Suction, Evaporator
						EES			0.500.000.000
13	4882 136	1				EER,			O RING, A/C Line
14	5264 638	1				EES EER,			VALVE, Charging
14	5204 036	- 1				EES			VALVE, Charging
-15	5264 642	1				EER,			CAP, A/C Check Valve
	320 i 072	1				EES			c , , v c chicon valve
16	4758 337AD	1				EGC,			LINE, A/C Suction
		•				EGG,			,
						EGW			
17	4882 136	1				EGG,			O RING, A/C Line
						EGW			
18	4796 564	1				EGG,			O RING, A/C Line
						EGW			
19	6101 445	2							NUT AND WASHER, Hex Nut-Con
									Washer, M8 x 1.25, Line to Valve
20									LINE, A/C Discharge
	4758 335AD	1				EER,			
	4750 000 A D	4				EES			
	4758 330AD	1				EGC,			
						EGG, EGW			
21	4796 565	2				EGG,			O RING, A/C Line, Discharge
21	47 90 303	۷				EGW			O Kino, Ao Line, Discharge
22									TRANSDUCER PACKAGE, A/C
									Pressure
	4883 903AA	1				EER,			
						EES			
		1				EGC,			
						EGG,			
						EGW			
23									SCREW AND WASHER, Hex Head
									M8x1.25x95
	6502 425	3				EER,			
						EES			

X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC


TRANSMISSION DGX = 4 Speed Automatic



Plumbing Air Conditioning Figure 024-210









ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:	Sales Codes:								
[EER] =	2.7L V6 DOHC	24 VAI	LVE MPI						
[EGC] =	= 'MAGNUM' 3.5	L V6 S	OHC 24V						
	= 3.5L HIGH OU			1					
[EGW]	= 3.2L V6 SOHC	24 VA	LVE MPI						
1	4758 269AB	1							BOTTLE, Pressurized Coolant
2	4596 198	1							CAP, Radiator
3	6034 716	2							SCREW AND WASHER, Hex Flange
	0500.040					F00			Head, .25-14x.875, Bottle Mounting
4	6502 018	1				EGC, EGG,			CLAMP, Hose, M28.9 x 1.60
						EGG, EGW			
5	4592 126	2				LGVV			CLAMP, Hose, Supply Hose
6	6100 574	1				EER,			BOLT AND CONED WASHER, Hex
O	0100 374	'				EES			Head, M8x20x17
7						LLO			TUBE, Heater Return, w/Hose
•	4767 152AC	1				EER,			1002, Hodiel Rolam, William
						EES			
	4767 150AC	1				EGC,			
						EGG,			
						EGW			
-8	4792 308	1				EER			CLIP, Heater Hose
9									HOSE, Heater, Return (Roll Stock)
	3744 931	1				EER			
		1				EES			0.000
-10	4700 0074B					EED			O RING
	4792 307AB-	1				EER			
11		1				EES			PRACKET Hostor Tubo To Plank
11	4596 266AC	1				EES			BRACKET, Heater Tube To Block
	4000 Z00AO	1				EER			
12		•				LLIX			HOSE, Heater Supply, With
									Connector
	4767 172AF	1				EER,			
						EES			
	4767 170AB	1				EGC,			w/Tube
						EGG,			
						EGW			
13	4596 300AA	1				EGC,			HOSE, Bottle Supply
						EGG,			
						EGW			
14									NUT, Hex Flange, M8x1.25
	E-INTREPID-LHS-3	00M (LH)							
SERIES H = High l	LINE Line D = Intre	epid		DDY = 4 Door Se		NGINE ER = 2.7L V	6 DOHC		TRANSMISSION DGX = 4 Speed Automatic
P = Premi	um $C = LHS$, Concor			E	ES = 2.7L V	6 DOHC 24\		
S = Specia M = LXI	al Y = 300l	VI				EGG = 3.5L V EGW = 3.2L \			
X = R/T						GC = 3.5L V			

Plumbing, Heater Figure 024-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6101 467	1				EER			Tube Attaching
		1				EES			
		1				EGC,			
						EGG,			
						EGW			



CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line
P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Controls, Air Conditioning and Heater Figure 024-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, A/C And Heater
	4698 198AB	1	D						
		1	C, Y						10105 4/0 4 111 4 0 4 1
2									KNOB, A/C And Heater Control -
	F044 070 A A		D						Rotary
	5011 272AA	1	Υ						
		1 1	C						
-3		ı	C						BULB AND SOCKET, Heater and
-5									A/C Control
	5013 815AA-	3	C, Y						A/O CONTION
	3013 013/01	3	D, 1						
4		Ü							CONTROL, A/C And Heater
•	4698 199AB	1	D						ATC
		1	Υ						ATC
		1	С						ATC
5									KNOB, A/C And Heater Control -
									Rotary
	5011 272AA	1	D						
		1	Υ						
		1	С						
-6									BULB AND SOCKET, Heater and
									A/C Control
	5011 273AA-	4	D						
		4	Y						
		4	С						

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium S = Special

M = LXIX = R/T D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC


Compressor and Related Parts Figure 024-415



Compressor and Related Parts Figure 024-415



Compressor Mounting Figure 024-515




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTE: S	ales Codes:								
ER] = :	2.7L V6 DOHC	24 VAI	_VE MPI						
EES] = 2	2.7L V6 24V W	/ACTIV	E INTAKE						
EGC] =	'MAGNUM' 3.5	L V6 S	OHC 24V						
EGG] =	3.5L HIGH OU	TPUT \	/6 24V MF	1					
EGW] =	3.2L V6 SOHC	24 VA	LVE MPI						
1									SCREW AND WASHER, Hex Head, M8x1.25x95
	6502 425	3				EER,			Compressor Mounting
						EES			
		3				EGC,			Compressor Mounting
						EGG,			
						EGW			
2									BRACKET, A/C Compressor
	4792 291AB	1				EGW			
		1				EGC,			
						EGG			27.15
-3	0505 05044					5014			STUD
	6505 653AA-	1				EGW			Compressor Bracket and Belt
						F00			Guide Mounting
		1				EGC,			Compressor Bracket and Belt
4						EGG			Guide Mounting
-4									BOLT AND WASHER, Hex Head, M10x1.5x30
	6506 019AA-	2				EGW			
	0500 019AA-					EGW			A/C Compressor Brkt Mounting to Cyl. Head and Timing Cover,
									Lower
		2				EGC,			A/C Compressor Brkt Mounting to
		2				EGG			Cyl. Head and Timing Cover,
									Lower
-5									NUT, Hex Flange, M8x1.25
Ū	6101 467	1				EGC,			Belt Guide Mounting
		-				EGG,			
						EGW			
		1				EER			Belt Guide Mounting
									. J

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Air Distribution Ducts Figure 024-610




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4698 533AB	1							DUCT, Defroster
2	6101 946	1							SCREW, Tapping, Duct Attachi
3	4758 350AB	1							DUCT, Heat Distribution
4	6501 925	1							PIN, Splash Shield, Duct Moun
5	4758 351AD	1							DUCT, Heat Distribution
6	4758 352	1							DUCT, Floor Console, Front
7	4758 353	1							DUCT, Floor Console, Carpet
									Module, Front
8	4758 349AB	1							DUCT, Floor Console, Center
9	4698 690	1							DUCT, Instrument Panel, Unde
									Column
10	4734 733AB	1							DUCT, Floor Distribution
11									DUCT, Air Distribution, Center
	4698 687	1	С						С-Н
	4698 685	1	С						C-P
	4698 518	1	D						
	4698 685	1	Υ						
12									DUCT, Air Distribution, Left
	4698 520	1	D						
	4698 675	1	С						
		1	Υ						
13									DUCT, Air Distribution, Right
	4698 519	1	D						
		1	С						С-Н
	4698 684	1	С						C-P
		1	Υ						
14									DUCT, Demister
	4698 534AB	1	С						Right
		1	D						Right
		1	Υ						Right
15									DUCT, Demister
	4698 683AB	1	С						Left
		1	D						Left
		1	Υ						Left
-16									DUCT, Air Distribution
	4698 684	1	С						Right
	4698 675	1	С						Left
	4698 684	1	Υ						Right
	4698 675	1	Υ						Left

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Air Distribution Outlets Figure 024-625



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GRILLE, Demister, Right
	PD56 LAZ	1	С						[AZ,D5]
	DDEC VIVO	1	D						[AZ,D5]
2	PD56 VK9	1	D						[K9]
	QH88 LAZ	1	С						GRILLE, Demister, Right
	QHOO LAZ	1	Y						[AZ,D5] [AZ,D5]
	QH88 VK9	1	C						[K9]
	QIIOO VIVS	1	Y						[K9]
3		<u> </u>	•						GRILLE, Demister, Left
Ü	PD57 LAZ	1	D						[AZ,D5]
	PD57 VK9	1	D						[K9]
4									GRILLE, Demister, Left
	PD61 LAZ	1	Υ						[AZ]
		1	С						[AZ,D5]
	PD61 VK9	1	Υ						[FK,K9]
		1	С						[FK,K9]
5									OUTLET, Air Conditioning & Heat
									Center
	QT04 LAZAA	3	Υ						[AZ]
		3	С						[AZ]
	QT04 VK9AA	3	Υ						[FK,K9]
		3	С						[FK,K9]
6									OUTLET, Air Conditioning & Heat
	QU67 LAZAB	1	С						[AZ,D5]
_	QU67 VK9AB	1	С						[K9]
7		_	_						OUTLET, Air Conditioning & Heat
	QU69 LAZAA	2	D						[AZ,D5], Center
	QU69 VK9AA	2	D						[K9], Center
8									OUTLET, Air Conditioning & Heat
	OT02 4744	0	0						Woodgrain
	QT02 LAZAA	2 2	C Y						[AZ]
	QT02 VK9AA	2	C						[AZ] [FK,K9]
	Q102 VN9AA	2	Y						[FK,K9]
9		2	'						OUTLET, Air Conditioning & Heat
3									Left
	QU68 LAZAB	1	С						[AZ,D5]
	QU68 VK9AB		C						[K9]
10		•	-						OUTLET, Air Conditioning & Heat
									Left

CONCORDE-INTREPID-LHS-300M (LH)-

SERIES H = High Line P = Premium S = Special

M = LXIX = R/T

LINE D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan

ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V

EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Air Distribution Outlets Figure (



24-6	25								
ITE	PART M NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•		•	•	•			
	QU71 LAZAA		D						[AZ,D5]
	QU71 VK9AA	1	D						[K9]
1	1								OUTLET, Air Conditioning & Heater,
	QU66 LAZAE	3 2	D						Right [AZ,D5]
		2	С						[AZ,D5]
	QU66 VK9AE		D						[K9]
		2	С						[K9]

CONCORDE-INTREPID-LHS-300M (LH)-

LINE SERIES H = High Line P = Premium

M = LXIX = R/T

D = Intrepid C = LHS, Concorde Y = 300M S = Special


BODY 41 = 4 Door Sedan


ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V

EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Group – 025 Emission Systems






GROUP 25 - Emission Systems

Illustration Title	Group-Fig. No
Emission Labels	
Emission Labels	Fig. 025-110
EGR System	
EGR Valve System	Fig. 025-210
Vacuum Canister	
Emission Harness	Fig. 025-310
Vapor Canister and Leak Detection Pump	Fig. 025-320





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sa	les Codes								
[EER]=2.7									
	L Engine w/M	TV							
[EGW]=3.2									
[EGG]=3.5	•								
	deral Emission	าร							
[NAB]=Lea									
	ropean II Emi	ssions							
	Iifornia Emissi								
	rtheastern Sta								
1									LABEL, Emission
	4591 588AA	1				EER,			Domestic/International [NAA]
						EES			Federal
	4591 590AA	1				EGW			Domestic/International [NAA]
									Federal
	4591 592AA	1				EGG			Domestic/International [NAA]
									Federal
	4591 690AA	1				EER,			All [NAE] [NBN] California,
						EES			Northeastern States
	4591 694AA	1				EGW			All [NAE] [NBN] California,
									Northeastern States
	4591 696AA	1				EGG			All [NAE] [NBN] California,
									Northeastern States
	4591 589AA	1				EER			Canada
	4591 591AA	1				EGW			Canada
	4591 593AA	1				EGG			Canada
	4591 692AA	1				EER,			All [NAB] Leaded Fuel
						EES			
	4591 698AA	1				EGG			All [NAB] Leaded Fuel
	4591 594AA	1				EGG			All [NAC] Europe
	4591 693AA	1				EER,			All [NAC] Europe
						EES			

CONCORDE-INTREPID-LHS-300M (LH)-

SERIES H = High Line P = Premium S = Special


M = LXIX = R/T

LINE D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

EGR Valve System Figure 025-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	Q I I	LINE	DERIES	БОВТ	LIVOINE	TRANG	11111111	DESCRIPTION
NOTE: C	Sales Codes								
	.7L Engine								
	.7L Engine .7L Engine w/M	TV							
	.5L Magnum E								
	.5L Hi-Output E	-							
[EGW]=3	3.2L Engine.								
1	4612 184	1				EER,			GASKET, EGR Tube Flange
						EES			
2	4591 251AB	2				EGC,			CLIP, Emission
						EGG,			
0	4504.04444					EGW			VALVE FOR
3	4591 814AA	1				EER,			VALVE, EGR
4	4591 815AA	1				EES EGC,			VALVE, EGR
4	4591 615AA	!				EGC, EGG,			VALVE, EGR
						EGW			
5	4591 096AC	1				EER,			TUBE, EGR
		•				EES			
6	4591 094	1				EGC,			TUBE, EGR
						EGG,			
						EGW			
-7	4667 431	2				EER			SEAL, EGR Tube
8	4591 250	2				EGG,			SEAL, EGR Tube
_						EGW			
9	5077.000					FED			GASKET, EGR Tube Flange
	5277 928	1				EER, EES			
		1				EGC,			
		'				EGG,			
						EGW,			
10	4591 617AC	1				EER,			TUBE, EGR
						EES			- , -
11	6504 829AA	2				EGC,			SCREW, Hex Flange Head
						EGG,			
						EGW			
12									SCREW, Hex Flange Head, M8x1.
									25x18, (NOT SERVICED) (Not
		-							Serviced)
13	6102 024	3				EER,			SCREW, Hex Flange Head, M6x1.
						EES			00x20.00

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

EGR Valve System Figure 025-210

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									·	_
	14	6504 622	1				EER,			STUD, 2 End Same, M6x1.00x45.00
	15	4663 247	1				EES EGC,			GASKET, EGR Valve
							EGG,			
							EGW			
$\begin{array}{c} (14) \\ \end{array} $										
										_
9 (12)										
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$										
	CONCORDE	E-INTREPID-LHS-	-300M (LH)-	BC	DDY		NGINE			TRANSMISSION
9) (5)	H = High Li	E-INTREPID-LHS- LINE ne D = Int m C = LH Y = 300	trepid IS, Concord	41 de	= 4 Door Sec	dan EE	NGINE ER = 2.7L V6 ES = 2.7L V6	DOHC DOHC 24V	, ,	FRANSMISSION DGX = 4 Speed Automatic
	S = Special M = LXI X = R/T	Y = 30	OM			EC EC	GG = 3.5L V6 GW = 3.2L V GC = 3.5L V6	6 MPI 24V 6 MPI 24V		
	X = R/T					EC	GC = 3.5L V6	6 SOHC		

Emission Harness Figure 025-310




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Codes								
[EER]=2.	7L Engine								
[EES]=2.	7L Engine w/M	I TV							
[EGC[=3	.5L Magnum E	ngine							
[EGG]=3	.5L Hi-Output E	Engine							
[EGW]=3	3.2L Engine								
1									HARNESS, Vapor
	4591 182	1				EER			
		1				EES			
	4591 183AB	1				EGW			
	4591 183AD	1				EGC,			
						EGG			
2	4591 184	1							HARNESS, Vapor
3									HARNESS, Vapor
	4591 965	1				EER,			
						EES			
	4591 963AB	1				EGC,			
						EGG,			
						EGW			
4	4669 569	1							SOLENOID, Proportional Purge
-5	4760 739AB-	1							BRACKET, Battery Wiring, Solenoid
									Bracket
6									TUBE, Vacuum, To LDP in Tank,
									(NOT SERVICED) (Not Serviced)

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Vapor Canister and Leak Detection Pump Figure 025-320



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4669 682	1							CANISTER, Vapor
2	4891 418AA	1							PUMP, Leak Detection
-3	4581 306AA-	1							BUMPER, Rubber
4									SCREW, Tapping, .19-16x.375,
									(NOT SERVICED) (Not Serviced)
5	4581 230	1							HOSE, Vent Valve to Filter
6									FILTER, Air
	4581 348AA	1							Without Leak Detection Pump
	4581 349AA	1							With Leak Detection Pump
7	4581 240AA	1							BRACKET, Leak Detection Pump
8	4581 226	1							HOSE, Canister to Vent Valve
-9	6504 179	4							SCREW AND WASHER, Hex Head
									M8-1.25x40
10	4669 865	1							VALVE, Vent
-11	4581 315AA-	1							VALVE, Onboard Vapor Recovery
									Control, Flow Valve
-12	4581 332AA-	1							HOSE, Flow Valve to Recirc Line
-13	4581 329AA-	1	_		_	_			HOSE, Flow Valve to Canister
-14	4581 327AA-	1							HOSE, Flow Valve to Control Valve
-15	4885 572AA-	1							BRACKET & GROMMET, Canister
									Mounting

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Group – DLH

Doors and Related Parts






GROUP DLH - Doors and Related Parts

Illustration Title	Group-Fig. No.
Front Door	
Door, Front Shell and Hinges	Fig. DLH-108
Door, Front Exterior Handle and Links	Fig. DLH-110
Door, Front Glass And Regulators	Fig. DLH-120
Door, Front Bezels and Speakers	Fig. DLH-130
Rear Door	
Door, Rear Shell and Hinges	Fig. DLH-205
Door, Rear Exterior Handle and Links	Fig. DLH-210
Door, Rear Glass And Regulators	Fig. DLH-220
Door, Rear Bezels	Fig. DLH-230
Exterior Mirror	
Mirror, Exterior	Fig. DLH-510
Weatherstrips and Seals	
Weatherstrips Front and Rear Door	Fig. DLH-610

Door, Front Shell and Hinges Figure DLH-108



	PART	1 '	1						
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	5003 224AA	1	D						Right
	5003 225AA	1	D						Left
	5003 226AD	1	C, Y						Right
	5003 227AD	1	C, Y						Left
2									PANEL, Door Outer
	4574 230AB	1	D						Right
	4574 231AB	1	D						Left
	4574 272AB	1	C, Y						Right
	4574 273AB	1	C, Y						Left
3									WATERSHIELD, Front Door
	4780 148AC	1							Right
	4780 149AC	1							Left
4	6505 762AA	4							STUD, M8-1.25x52, Hinge Attaching
5	6505 567AA	8							NUT, Flange
6									HINGE, Front Door Upper
	4574 274AB	1							Right
	4574 275AB	1							Left
7									HINGE, Front Door Lower
	4574 300AB	1							Right
	4574 301AB	1							Left
8	6505 546AA	4							SCREW AND WASHER, Hex Head,
									M8x1.25x30
-9	6505 530AA-	8							SCREW, Hex Flange Head, Hinge to
									Body
10									CHECK STRAP, Front Door
	4574 332AC	1							Right
	4574 333AC	1							Left
-11	4780 506AB-	2							SEAL, A-Pillar, Check Strap
12	6101 736	2							NUT AND WASHER, Hex, M6x1,
									Check Attaching
13	6504 055	4							SCREW, Hex Head, M6x1x16,
									Check Attaching to Door
14									PROTECTOR KIT, Door Edge, Front
									(NOT SERVICED) (Not Serviced)
15									WEATHERSTRIP, Front Door
									Opening
	4574 336	1							Right
	4574 337	1							Left
-16	4780 529AA-	2							TAPE, Acess Hole

98Q093 105


CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

D = Intrepid C = LHS, Concorde Y = 300M X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Door, Front Exterior Handle and Links Figure DLH-110



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-		•								
	1									HANDLE, Front Door Exterior,
-										Includes pink Clip
		LF02 SW1AD	1							 [W1], Right
		LF03 SW1AD								[W1], Left
		LF02 VAWAD								[AW], Right
_		LF03 VAWAD								[AW], Left
		LF02 VLBAD	1							[LB], Right
		LF03 VLBAD	1							[LB], Left
		LF02 VTEAD	1							[TE], Right
_		LF03 VTEAD	1							[TE], Left
		LF02 WELAD	1							[EL], Right
		LF03 WELAD	1							[EL], Left
		LF02 WG2AD	1							[G2], Right
		LF03 WG2AD	1							[G2], Left
		LF02 WS2AD	1							[S2], Right
		LF03 WS2AD	1							[S2], Left
_		LF02 XBQAD	1							[BQ], Right
		LF03 XBQAD	1							[BQ], Left
		LF02 XGRAD	1							[GR], Right
		LF03 XGRAD	1							[GR], Left
_		LF02 XRVAD	1							[RV], Right
		LF03 XRVAD	1							[RV], Left
		LF02 DX8AD	1							[X8], Right
		LF03 DX8AD	1							[X8], Left
_		LF02 YBWAD								[BW], Right
		LF03 YBWAD	1							[BW], Left
	2									LINK, Outside Handle To Latch,
										Front Door
_		4574 152	11							Right
		4574 153	1							Left
	3									LINK, Key Cylinder To Latch
		4574 154	1							Right
_		4574 155	1							Left
	4	6505 533AA	4							SCREW, Hex Flange Head Tapping,
										M4.8 x 1.59 x 14.00, Handle
	_									Attaching
_	5	. =								KNOB AND LINK, Door Latch
		LE98 HD5AC		D						[D5], Right
		LE99 HD5AC	1	D						[D5], Left
		LE98 LAZAC	1	D						[AZ], Right
_		LE99 LAZAC	1	D						[AZ], Left

P = Premium
S = Special
M = LXI

X = R/T


CONCORDE-INTREPID-LHS-300M (LH)


SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Door, Front Exterior Handle and Links Figure DLH-110





		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		LE98 VK9AC	1	D						[K9], Right
		LE99 VK9AC	1	D						[K9], Left
		LE98 LAZAC	1	C, Y						[AZ,D5], Right
		LE99 LAZAC	1	C, Y						[AZ,D5], Left
		LE98 VK9AC	1	C, Y						[FK,K9], Right
		LE99 VK9AC	1	C, Y						[FK,K9], Left
	-6	4658 674	AR							CLIP, Latch Link
	7									BEZEL, Lock Knob
		PP03 LAZ	1	D						[AZ]
		PP03 HD5	1	D						[D5]
		PP03 VK9	1	D						[K9]
		PP03 LAZ	1	С	Н					[AZ]
		PP03 VK9	1	С	Н					[K9]
		PP03 LAZ	1	С	М					[AZ]
		PP03 VK9	1	С	M					[K9]
		PP03 LAZ	1	С	Р					[AZ]
		PP03 VK9	1	С	Р					[K9]
		PP03 LAZ	1	Υ						[AZ]
		PP03 VK9	1	Υ						[K9]
	8									LATCH, Front Door
		4574 150AB	1							Right
		4574 151AB	1							Left
	9									LINK, Inside Handle To Latch, Front
										Door
		4574 140	1	D						Right
		4574 141	1	D						Left
		4574 140	1	С	H, M					Right
		4574 141	1	С	H, M					Left
_		4574 136	1	С	Р					Right
		4574 137	1	С	Р					Left
		4574 136	1	Υ						Right
		4574 137	1	Υ						Left
_	10	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1,
										Latch Attaching

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Door, Front Glass And Regulators Figure DLH-120




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS AND LIFTPLATE, Front
									Tinted
	4574 926AD	1							Right
	4574 927AD	1							Left
2									GLASS AND LIFTPLATE, Front I
									Solar
	4780 230AD	1							Right
	4780 231AD	1							Left
3	4658 435AC	2							LIFT PLATE, Door Glass, Also
									serviced in Glass Assembly
4									MOLDING, Front Door
	4780 118AE	1	D						Satin, Right
	4780 119AE	1	D						Satin, Left
	4780 118AE	1	С	Н					Satin, Right
	4780 119AE	1	С	Н					Satin, Left
	4780 118AK	1	С	M					Satin, Right
	4780 119AK	1	С	M					Satin, Left
	4780 502AC	1	С	Р					Satin, Right
	4780 503AC	1	С	Р					Satin, Left
	4780 118AF	1	Υ						Satin, Right
	4780 119AF	1	Υ						Satin, Left
	4805 524AB	1	С	Р					Black with Chrome, Right
	4805 525AB	1	С	Р					Black with Chrome, Left
	4805 524AB	1	С	Н					Black with Chrome, Right
	4805 525AB	1	С	Н					Black with Chrome, Left
	4805 524AB	1	Υ						Black with Chrome, Right
	4805 525AB	1	Υ						Black with Chrome, Left
5									SCREW, Moulding Attaching (.16
									18X.562), (NOT SERVICED) (N
									Serviced)
6	0154 863AA	AR							SCREW, .164-18x.375
7	6036 042AA	14							NUT/SPRING, Snap In, .164-18
8									WEATHERSTRIP, Front Door GI
	4574 032AB	1							Right
	4574 033AB	1							Left
9									CHANNEL, Door Glass
	4780 080AB	1							Right Front
	4780 081AC	1							Left,Front
10									CHANNEL, Front Door Glass
-	4780 510AD	1							Right Rear
	4780 511AD	1							Left Rear

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Door, Front Glass And Regulators Figure DLH-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11									SCREW, Tapping (M6X1.00X16.00),
									(NOT SERVICED) (Not Serviced)
12	6101 443	4							NUT AND WASHER, Hex, M5x.80,
									Front Glass Run
13									REGULATOR, Front Door Window
	4574 092AK	1							Right
	4574 093AK	1							Left
14									MOTOR, Window Regulator
	5012 544AB	1							Right
	5012 545AB	1							Left

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic



	PART								
ITEM	NUMBER	QTY	LINE	SERIES B	ODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: B	ezels not listed	are se	rviced with	n Trim Panel.					
Sales Co	des:								
RCE = SI	PEAKERS - 9 I	NFINIT	Y IN 7 LC	CATIONS					
RCG = S	PEAKERS - SI	Χ							
RCP = SI	PEAKERS -11	INFINI	TY IN 9 LO	OCATIONS					
1									SPEAKER, Front Door
	4760 374	1	D						Infinity Sound System
		1	С	Н					Infinity Sound System
		1	С	Р					Infinity Sound System
		1	С	M					Infinity Sound System
		1	Υ						Infinity Sound System
	4787 140	1	D						6 Speaker System
		1	С	Н					6 Speaker System
		1	С	M					6 Speaker System
	5026 465AA	2							2 1/2 -ISI SYS
2									PLATE, Speaker
	QH10 DX9AF	1	С	Р					Right
		1	Υ						Right
	QL96 DX9AF	1	D						Right
		1	С	H, M					Right
	QL95 DX9AF	1							Left
3	6035 934AA	3							SCREW, Tapping
-4	6504 904AA-	3							NUT, Speaker Attaching
5									BRACKET, Speaker, Enclosure,
									Outer
	4628 882AA	1	С	H, M					Right
	4628 883AA	1	С	H, M					Left
	4628 882AA	1	D						Right
	4628 883AA	1	D						Left
6									BEZEL, Power Window Switch
	PT68 HD5	1	С	Н					Medium Quartz, Right
		1	С	M					Medium Quartz, Right
	PT68 LAZ	1	D						Agate, Right
		1	С	Н					Agate, Right
		1	С	M					Agate, Right
	PT68 RK5	1	С	Н					Camel Tan, Right
		1	С	M					Camel Tan, Right
	PT68 VK9	1	D						Dark Suede, Right
		1	С	M					Dark Suede, Right
	QB08 LAZ	1	С	Р					Agate - Chrome Switches, Right
	QB09 LAZCA	1	С	Р					Agate - Chrome Switches, Left
	PT68 VK9 QB08 LAZ	1 1 1 1	C C D C	H M M P					Camel Tan, Camel Tan, Dark Suede Dark Suede Agate - Chr

>>>



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QB08 LAZ	1	Υ						Agate - Chrome Switches, Righ
	QB09 LAZCA	1	Υ						Agate - Chrome Switches, Left
	QB08 VK9	1	С	Р					Dark Suede - Chrome Switches
									Right
	QB09 VK9CA	1	С	Р					Dark Suede - Chrome Switches
									Left
	QB08 VK9	1	Υ						Dark Suede - Chrome Switches
									Right
	QB09 VK9CA	1	Υ						Dark Suede - Chrome Switches
									Left
-7									BEZEL, Power Mirror Switch
	PP01 LAZAB-	1	С	Н					[AZ]
		1	С	M					[AZ]
	PP01 VK9AB-	1	С	Н					[K9]
		1	С	M					[K9]
-8									PLUG, Bezel Trim
	QU33 LAZAA-	1	С	Р					Agate - w/Chrome Switches [A
		1	Υ						Agate - w/Chrome Switches [A
	QU33 VK9AA-	1	С	Р					Dark Suede - w/Chrome Switcl
		1	Υ						Dark Suede - w/Chrome Switch
	TG71 HD5CA-	1	D						Medium Quartz
		1	С	Н					Medium Quartz
		1	С	M					Medium Quartz
	TG71 LAZCA-	1	D						Agate
		1	С	Н					Agate
		1	С	М					Agate
	TG71 RK5CA-	1	D						Camel Tan
		1	С	Н					Camel Tan
		1	С	М					Camel Tan
	TG71 VK9CA-	1	С	Р					Dark Suede [FK,K9]
		1	Υ						Dark Suede [FK,K9]
9	6032 723	20							SCREW, Self Tapping, M4.2x1.
									69x19.05, Panel Attaching
10									GRILLE, Speaker
	PQ28 HD5	1	D						Dark Quartz, Right
	PQ29 HD5	1	D						Dark Quartz, Left
	PQ28 LAZ	1	D						Agate, Right
	PQ29 LAZ	1	D					-	Agate, Left
	PQ28 RK5	1	D						Camel Tan, Right
	PQ29 RK5	1	D						Camel Tan, Left
	PY44 HD5	1	С	Н					Dark Quartz, Right


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic





PY45 HD5		PART								
PY44 HD5 1 C M Dark Quartz, Right PY45 HD5 1 C M Dark Quartz, Left PY44 LAZ 1 C H Agate, Right PY45 LAZ 1 C H Agate, Right PY45 LAZ 1 C M Agate, Right PY45 LAZ 1 C M Agate, Right PY45 LAZAB 1 C P Agate, Right PT99 LAZAB 1 C P Agate, Right PT99 LAZAB 1 Y Agate, Left PT99 LAZAB 1 Y Agate, Right PT99 LAZAB 1 Y Agate, Right PT99 LAZAB 1 Y Agate, Right PT99 LAZAB 1 Y Camel Tan, Left PY44 RK5 1 <th>ITEM</th> <th>NUMBER</th> <th>QTY</th> <th>LINE</th> <th>SERIES</th> <th>BODY</th> <th>ENGINE</th> <th>TRANS</th> <th>TRIM</th> <th>DESCRIPTION</th>	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
PY44 HDS		•			•					
PY44 HDS		PY45 HD5	1	С	Н					Dark Quartz, Left
PY45 HD5 1 C M Dark Quartz, Left PY44 LAZ 1 C H Agate, Right PY45 LAZ 1 C H Agate, Left PY44 LAZ 1 C M Agate, Right PY45 LAZ 1 C M Agate, Left PT98 LAZAB 1 C P Agate, Right PT99 LAZAB 1 C P Agate, Left PT99 LAZAB 1 Y Agate, Right PT99 LAZAB 1 Y Agate, Right PT99 LAZAB 1 Y Camel Tan, Right PY44 RK5 1 C H Camel Tan, Left PY44 RK5 1										
PY44 LAZ 1 C H Agate, Right PY45 LAZ 1 C H Agate, Left PY44 LAZ 1 C M Agate, Right PY45 LAZ 1 C M Agate, Left PT98 LAZAB 1 C P Agate, Left PT98 LAZAB 1 Y Agate, Left PT99 LAZAB 1 Y Agate, Left PT94 RAZAB 1 Y Agate, Left PY44 RK5 1 C H Camel Tan, Right PY44 RK5 1 C M Camel Tan, Left PY45 RK5 1 C M Camel Tan, Right PT98 RK5AB 1 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-</td></t<>										-
PY45 LAZ			1							
PY44 LAZ 1 C M Agate, Right PY45 LAZ 1 C M Agate, Left PT98 LAZAB 1 C P Agate, Right PT99 LAZAB 1 C P Agate, Left PT99 LAZAB 1 Y Agate, Left PT99 LAZAB 1 Y Agate, Left PY44 RK5 1 C H Camel Tan, Right PY44 RK5 1 C H Camel Tan, Left PY44 RK5 1 C M Camel Tan, Left PY45 RK5 1 C M Camel Tan, Right PY45 RK5 1 C M Camel Tan, Right PY45 RK5 1 C P Camel Tan, Right PY45 RK5 1 C P Camel Tan, Right PY98 RK5AB 1 C P Camel Tan, Right PT99 RK5AB 1 Y Camel Tan, Right PT98 RK5AB 1 Y										
PY45 LAZ 1 C M Agate, Left PT98 LAZAB 1 C P Agate, Right PT99 LAZAB 1 C P Agate, Left PT98 LAZAB 1 Y Agate, Right PT99 LAZAB 1 Y Agate, Left PY44 RK5 1 C H Camel Tan, Right PY45 RK5 1 C H Camel Tan, Left PY45 RK5 1 C M Camel Tan, Left PY45 RK5 1 C M Camel Tan, Left PT98 RK5AB 1 C P Camel Tan, Left PT99 RK5AB 1 Y Camel Tan, Left PT98 RK5AB 1 Y Camel Tan, Left PT98 RK5AB 1 Y Camel Tan, Left PT98 RK5AB 1 Y P Beige, Right PT99 MF1AB 1 Y P Beige, Right PT99 MF1AB 1 Y P Beige, Righ			1							
PT98 LAZAB 1 C P Agate, Right PT99 LAZAB 1 C P Agate, Left PT98 LAZAB 1 Y Agate, Right PT99 LAZAB 1 Y Agate, Left PY44 RK5 1 C H Camel Tan, Right PY45 RK5 1 C H Camel Tan, Left PY45 RK5 1 C M Camel Tan, Right PY45 RK5 1 C M Camel Tan, Right PY45 RK5 1 C M Camel Tan, Right PY45 RK5 1 C P Camel Tan, Left PT98 RK5AB 1 C P Camel Tan, Left PT98 RK5AB 1 Y Camel Tan, Left PT98 RK5AB 1 Y Camel Tan, Left PT98 MF1AB 1 Y Beige, Right PT99 MF1AB 1 Y Beige, Right PT99 MF1AB 1 Y Beige, Left		PY45 LAZ	1							-
PT99 LAZAB 1 C P Agate, Left PT98 LAZAB 1 Y Agate, Right PT99 LAZAB 1 Y Agate, Left PY44 RK5 1 C H Camel Tan, Right PY45 RK5 1 C H Camel Tan, Left PY45 RK5 1 C M Camel Tan, Right PY45 RK5 1 C M Camel Tan, Left PT98 RK5AB 1 C P Camel Tan, Right PT99 RK5AB 1 C P Camel Tan, Left PT98 RK5AB 1 Y Camel Tan, Right PT99 RK5AB 1 Y Camel Tan, Left PT99 RK5AB 1 Y Camel Tan, Left PT99 RF1AB 1 Y Beige, Right PT99 MF1AB 1 Y Beige, Right PT99 MF1AB 1 Y P NAMEPLATE, Infinity, Serviced in Grille, (NOT SERVICED) (Not Serviced) Serviced) 47			1							
PT98 LAZAB 1 Y Agate, Right PT99 LAZAB 1 Y Agate, Left PY44 RK5 1 C H Camel Tan, Right PY45 RK5 1 C H Camel Tan, Left PY45 RK5 1 C M Camel Tan, Right PY45 RK5 1 C M Camel Tan, Left PY98 RK5AB 1 C P Camel Tan, Right PT99 RK5AB 1 Y Camel Tan, Right PT99 RK5AB 1 Y Camel Tan, Left PT99 RF1AB 1 C P Beige, Right PT99 MF1AB 1 Y Beige, Left PT99 MF1AB 1 Y Beige, Right PT99 MF1AB 1 Y Beige, Left NAMEPLATE, Infinity, Serviced in Grille, (NOT SERVICED) (Not Serviced) REFLECTOR, Door Trim Panel 4760 356 1 D Right			1							
PT99 LAZAB 1 Y Agate, Left PY44 RK5 1 C H Camel Tan, Right PY45 RK5 1 C H Camel Tan, Left PY44 RK5 1 C M Camel Tan, Right PY45 RK5 1 C M Camel Tan, Right PY45 RK5AB 1 C P Camel Tan, Left PT99 RK5AB 1 C P Camel Tan, Right PT99 RK5AB 1 Y Camel Tan, Left PT98 MF1AB 1 C P Beige, Right PT99 MF1AB 1 C P Beige, Left PT99 MF1AB 1 Y Beige, Left NAMEPLATE, Infinity, Serviced in Grille, (NOT SERVICED) (Not Serviced) Serviced) REFLECTOR, Door Trim Panel Right			1							
PY44 RK5 1 C H Camel Tan, Right PY45 RK5 1 C H Camel Tan, Left PY44 RK5 1 C M Camel Tan, Right PY45 RK5 1 C M Camel Tan, Left PT98 RK5AB 1 C P Camel Tan, Right PT99 RK5AB 1 Y Camel Tan, Left PT99 RK5AB 1 Y Camel Tan, Left PT98 MF1AB 1 Y Camel Tan, Right Camel Tan, Left Camel Tan, Left Camel Tan, Right PT99 RK5AB 1 Y Camel Tan, Right Camel Tan, Left Camel Tan, Right Camel Tan, Left PT99 RK5AB 1 Y Beige, Right PT99 MF1AB 1 Y Beige, Right PT99 MF1AB 1 Y Beige, Right PT99 MF1AB 1 Y Reige, Right NAMEPLATE, Infinity, Serviced in Grille, (NOT SERVICED) (Not Serviced) REFLECTOR, Door Trim Panel 4760 356		PT99 LAZAB	1	Υ						
PY45 RK5 1 C H Camel Tan, Left PY44 RK5 1 C M Camel Tan, Right PY45 RK5 1 C M Camel Tan, Left PT98 RK5AB 1 C P Camel Tan, Right PT99 RK5AB 1 Y Camel Tan, Left PT99 RK5AB 1 Y Beige, Right PT99 MF1AB 1 Y Beige, Left PT99 MF1AB 1 Y Beige, Left NAMEPLATE, Infinity, Serviced in Grille, (NOT SERVICED) (Not Serviced) REFLECTOR, Door Trim Panel 4760 356 1 D REFLECTOR, Door Trim Panel		PY44 RK5	1	С	Н					_
PY45 RK5 1 C M Camel Tan, Left PT98 RK5AB 1 C P Camel Tan, Right PT99 RK5AB 1 Y Camel Tan, Left PT99 RK5AB 1 Y Camel Tan, Left PT99 RK5AB 1 Y Camel Tan, Left PT99 RK5AB 1 Y Beige, Right PT99 MF1AB 1 C P Beige, Left PT99 MF1AB 1 Y P Beige, Right PT99 MF1AB 1 Y P Beige, Left NAMEPLATE, Infinity, Serviced in Grille, (NOT SERVICED) (Not Serviced) REFLECTOR, Door Trim Panel Right		PY45 RK5	1	С	Н					_
PY45 RK5 1 C M Camel Tan, Left PT98 RK5AB 1 C P Camel Tan, Right PT99 RK5AB 1 Y Camel Tan, Left PT99 RK5AB 1 Y Camel Tan, Left PT99 RK5AB 1 Y Camel Tan, Left PT98 MF1AB 1 C P Beige, Right PT99 MF1AB 1 Y Beige, Left PT99 MF1AB 1 Y Beige, Right PT99 MF1AB 1 Y Beige, Left NAMEPLATE, Infinity, Serviced in Grille, (NOT SERVICED) (Not Serviced) REFLECTOR, Door Trim Panel Right	-	PY44 RK5	1	С	М					Camel Tan, Right
PT99 RK5AB 1 C P Camel Tan, Left PT98 RK5AB 1 Y Camel Tan, Right PT99 RK5AB 1 Y Camel Tan, Left PT98 MF1AB 1 C P Beige, Right PT99 MF1AB 1 Y Beige, Left PT99 MF1AB 1 Y Beige, Left NAMEPLATE, Infinity, Serviced in Grille, (NOT SERVICED) (Not Serviced) Serviced) REFLECTOR, Door Trim Panel 4760 356 1 D		PY45 RK5	1	С	М					_
PT98 RK5AB 1 Y Camel Tan, Right PT99 RK5AB 1 Y Camel Tan, Left PT98 MF1AB 1 C P Beige, Right PT99 MF1AB 1 Y Beige, Right PT99 MF1AB 1 Y Beige, Left PT99 MF1AB 1 Y Beige, Left 11 Serviced in Grille, (NOT SERVICED) (Not Serviced) REFLECTOR, Door Trim Panel Right		PT98 RK5AB	1	С	Р					Camel Tan, Right
PT99 RK5AB 1 Y Camel Tan, Left PT98 MF1AB 1 C P PT99 MF1AB 1 C P Beige, Right PT99 MF1AB 1 Y Beige, Right PT99 MF1AB 1 Y Beige, Left NAMEPLATE, Infinity, Serviced in Grille, (NOT SERVICED) (Not Serviced) REFLECTOR, Door Trim Panel 4760 356 1 D		PT99 RK5AB	1	С	Р					Camel Tan, Left
PT98 MF1AB 1 C P PT99 MF1AB 1 C P Beige, Right Beige, Left PT98 MF1AB 1 Y Beige, Right		PT98 RK5AB	1	Υ						Camel Tan, Right
PT99 MF1AB 1 C P Beige, Left PT98 MF1AB 1 Y Beige, Right Beige, Left NAMEPLATE, Infinity, Serviced in Grille, (NOT SERVICED) (Not Serviced) REFLECTOR, Door Trim Panel 4760 356 1 D		PT99 RK5AB	1	Υ						Camel Tan, Left
PT98 MF1AB 1 Y PT99 MF1AB 1 Y Beige, Right Beige, Left NAMEPLATE, Infinity, Serviced in Grille, (NOT SERVICED) (Not Serviced) REFLECTOR, Door Trim Panel 4760 356 1 D		PT98 MF1AB	1	С	Р					Beige, Right
PT99 MF1AB 1 Y Beige, Left NAMEPLATE, Infinity, Serviced in Grille, (NOT SERVICED) (Not Serviced) REFLECTOR, Door Trim Panel 4760 356 1 D		PT99 MF1AB	1	С	Р					Beige, Left
11 NAMEPLATE, Infinity, Serviced in Grille, (NOT SERVICED) (Not Serviced) -12 REFLECTOR, Door Trim Panel Right		PT98 MF1AB	1	Y						Beige, Right
Grille, (NOT SERVICED) (Not Serviced) -12 4760 356 1 D Grille, (NOT SERVICED) (Not REFLECTOR, Door Trim Panel Right		PT99 MF1AB	1	Υ						Beige, Left
Serviced) -12 REFLECTOR, Door Trim Panel 4760 356 1 D Right	11									NAMEPLATE, Infinity, Serviced in
-12 REFLECTOR, Door Trim Panel 4760 356 1 D Right										Grille, (NOT SERVICED) (Not
4760 356										Serviced)
	-12									REFLECTOR, Door Trim Panel
4760.357 1 D		4760 356	1	D						Right
		4760 357	1	D						Left
4760 356 1 C H Right			1							
4760 357 1 C H Left		4760 357	1		Н					Left
4760 356			1							
4760 357 1 C M Left		4760 357	1	С	М					
13 HOUSING, Speaker										
TC46 LAZAA 1 D Agate - Infinity, Right		TC46 LAZAA	1							
1 C H Agate - Infinity, Right			1							
1 C M Agate - Infinity, Right										
TC44 LAZAA 1 C P Agate - Infinity, Right		TC44 LAZAA	1		Р					
1 Y Agate - Infinity, Right			1	Y						
TC45 LAZAA 1 Agate - Infinity, Left										-
TC46 VK9AA 1 D Dark Suede - Infinity, Right		TC46 VK9AA	1	D						Dark Suede - Infinity, Right


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
		1	С	Н					Dark Suede - Infinity, Right
		1	С	М					Dark Suede - Infinity, Right
	TC44 VK9AA	1	С	Р					Dark Suede - Infinity, Right
		1	Υ						Dark Suede - Infinity, Right
	TC45 VK9AA	1							Dark Suede - Infinity, Left
	TC48 LAZAA	1	D						Agate, Right
		1	С	Н					Agate, Right
		1	C	М					Agate, Right
	TC58 LAZAA	1	Y						Agate, Right
	TC47 LAZAA	1							Agate, Left
	TC48 VK9AA	1	D						Dark Suede, Right
		1	C	Н					Dark Suede, Right
		1	C	М					Dark Suede, Right
	TC58 VK9AA	1	Y						Dark Suede, Right
	TC47 VK9AA	1	•						Dark Suede, Left
-14	0153 816	4							SCREW, Tapping, .164-18x.75,
		-							Housing
15									COVER, Speaker Opening
	TC56 DX9AB	1	С	H, M					Right
	TC57 DX9AB	1	C	Н, М					Left
	TC56 DX9AB	1	D	,					Right
	TC57 DX9AB	1	D						Left
-16	0153 816	4							SCREW, Tapping, .164-18x.75,
									Cover
17									KIT, Door Handle
	5102 833AA	1							Agate, Right
	5102 832AA	1							Agate, Left
	5102 834AA	1							Dark Camel, Right
	5102 835AA	1							Dark Camel, Left
	5102 858AA	1							Dark Camel/Chrome, Right
	5102 859AA	1							Dark Camel/Chrome, Left
	5102 860AA	1							Agate/Chrome
	5102 861AA	1							Agate/Chrome, Left

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

September 16, 2005

Door, Rear Shell and Hinges Figure DLH-205

11 11 11 10 10 10 10 3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•					•	•		•
1									DOOR, Rear
<u>·</u>	5003 258AB	1	D						Right
	5003 259AA	1	D						Left
	5003 236AD	1	C, Y						Right
	5003 237AD	1	C, Y						Left
2			- ,						PANEL, Door Outer
	4574 362AC	1	D						Right
	4574 363AC	1	D						Left
	4574 364AC	1	C, Y						Right
	4574 365AC	1	C, Y						Left
3									WATERSHIELD, Rear Door
	4780 248AB	1	C, Y						Right
	4780 249AB	1	C, Y						Left
4									HINGE, Rear Door Upper
	4574 428	1							Right
	4574 429	1							Left
5	6505 546AA	4							SCREW AND WASHER, Hex Head,
									M8x1.25x30
-6	6505 530AA-	8							SCREW, Hex Flange Head, Hinge
									To Body
7	6101 736	2							NUT AND WASHER, Hex, M6x1,
									Check Assembly Attaching
8	6504 055	4							SCREW, Hex Head, M6x1x16,
									Check Assembly Attaching to Door
9									HINGE, Rear Door Lower
	4574 436	1							Right
	4574 437	1							Left
10									WEATHERSTRIP, Rear Door
									Opening
	4780 158	1	D						Right
	4780 159	1	D						Left
	4574 450AB	1	C, Y						Right
	4574 451AB	1	C, Y						Left
11	4574 44040	4							CHECK STRAP, Rear Door
	4574 412AC 4574 413AC	1							Right Left
10		1							
12	6503 909	4							SCREW, Dryer, M6-1.0x20, Check
-13									Attaching SEAL, B-Pillar, Check Strap
-10	4780 508AB-	2							Right
	4780 508AC-	2							Left
	+100 300AC-								LGIL

X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Door, Rear Shell and Hinges Figure DLH-205

14						LABEL, Child Protection Lock
						English
	4780 544AA	1				Right
	4780 545AA	1				Left
	4396 978	2				Window
15						LABEL, Child Protection Lock
						French
	4780 546AB	1				Right
	4780 547AB	1				Left




X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Door, Rear Exterior Handle and Links Figure DLH-210





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HANDLE, Rear Door Exterior
	LF04 SW1AC	1							White, Right
	LF05 SW1AC	1							White, Left
	LF04 VAWAC	1							Deep Slate, Right
	LF05 VAWAC	1							Deep Slate, Left
	LF04 VLBAC	1							Cinnamon Glaze, Right
	LF05 VLBAC	1							Cinnamon Glaze, Left
	LF04 VTEAC	1							Champagne, Right
	LF05 VTEAC	1							Champagne, Left
	LF04 WELAC	1							Inferno Red, Right
	LF05 WELAC	1							Inferno Red, Left
	LF04 WG2AC	1							Cypress Green, Right
	LF05 WG2AC	1							Cypress Green, Left
	LF04 WS2AC	1							Bright Silver Met., Right
	LF05 WS2AC	1							Bright Silver Met., Left
	LF04 XBQAC	1							Steel Blue, Right
	LF05 XBQAC	1							Steel Blue, Left
	LF04 XGRAC	1							Shale Green, Right
	LF05 XGRAC	1							Shale Green, Left
	LF04 XRVAC	1							Dark Garnet Red, Right
	LF05 XRVAC	1							Dark Garnet Red, Left
2									LINK, Outside Handle To Latch, Rear
									Door
	4574 024AB	1	D						Right
	4574 025AB	1	D						Left
	4780 378AB	1	C, Y						Right
	4780 379AB	1	C, Y						Left
3	6505 533AA	4							SCREW, Hex Flange Head Tapping,
									M4.8 x 1.59 x 14.00
4									KNOB AND LINK, Door Latch
	LE92 HD5AF	1	D						[D5], Right
	LE93 HD5AF	1	D						[D5], Left
	LE92 LAZAF	1	D						[AZ], Right
	LE93 LAZAF	1	D						[AZ], Left
	LE92 VK9AF	1	D						[FK,K9], Right
	LE93 VK9AF	1	D						[FK,K9], Left
	LE92 LAZAF	1	C, Y						[AZ,D5], Right
	SG75 LAZAB	1	C, Y						[AZ,D5], Left
	LE92 VK9AF	1	C, Y						[FK,K9], Right
	SG75 VK9AB	1	C, Y						[FK,K9], Left
5									BEZEL, Lock Knob

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Door, Rear Exterior Handle and Links Figure DLH-210





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	<u> </u>		0220					
	PP03 HD5	4	D						Madium Quartz
	PP03 HD5	<u>1</u> 1	D C	M					Medium Quartz Medium Quartz
	DD00 I 47			IVI					
	PP03 LAZ	1	D						Agate
		1	С	H					Agate
		1	С	M					Agate
		1	С	Р					Agate
		1	Y -						Agate
	PP03 RK5	1	D						Camel Tan
		1	С	M					Camel Tan
	PP03 VK9	1	D						Dark Suede
		1	С	Н					Dark Suede
		1	С	M					Dark Suede
		1	С	Р					Dark Suede
		1	Υ						Dark Suede
6									LINK, Door Lock Control
	4574 984AB	1	D						Right
	4574 985AB	1	D						Left
	4780 370AC	1	C, Y						Right
	4780 371AC	1	C, Y						Left
7	4658 448AC	2							CLIP, Latch
8									LINK, Inside handle To Latch, Rear
									Door
	4574 012AB	1	D						Right
	4574 013AB	1	D						Left
	4574 008AB	1	С	Н					Right
	4574 009AB	1	С	Н					Left
	4574 010AB	1	С	Р					Right
	4574 011AB	1	С	Р					Left
	4574 010AB	1	X, Y						Right
	4574 011AB	1	X, Y						Left
9									LATCH, Rear Door
	4574 022AD	1							Right
	4574 023AD	1							Left
10	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1,
									Latch Attaching
11									BELLCRANK, Outside Door Handle
	5525 6722	1							Right
-	5525 6723	<u>'</u> 1							Left
-12	3020 0120	1							LABEL, Child Protection Lock,
- 1 🗸									English
	4780 544AA-	1							
		<u>1</u> 1							Right
	4780 545AA-	ı							Left

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line
P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Door, Rear Glass And Regulators Figure DLH-220



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									GLASS AND LIFTPLATE, Rear Door
_										Tinted
		4574 512AC	1	D						Right
		4574 513AC	1	D						Left
		4780 232AC	1	C, X, Y						Right
_		4780 233AC	1	C, X, Y						Left
	2									GLASS AND LIFTPLATE, Rear Door
										Solar
		4574 512AE	1	D						Right
		4574 513AE	1	D						Left
		4574 514AC	1	C, Y						Right
		4574 515AC	1	C, Y						Left
_	3									MOLDING, Rear Door
		4780 124AD	1	D						Satin with 'B' Pillar Weatherstrip,
										Right
		4780 125AD	1	D						Satin with 'B' Pillar Weatherstrip,
_										Left
		4780 120AE	1	С	Н					Satin, Right
		4780 121AE	1	С	Н					Satin, Left
		4780 120AG	1	Υ						Satin, Right
		4780 121AG	1	Υ						Satin, Left
		4780 504AC	1	С	Р					Black, High Gloss, Right
		4780 505AC	1	С	Р					Black, High Gloss, Left
		4780 504AK	1	С	Н					Black, High Gloss EXPORT, Right
_		4780 505AK	1	С	Н					Black, High Gloss EXPORT, Left
		4780 504AE	1	Υ						Black, High Gloss EXPORT, Right
		4780 505AE	1	Υ						Black, High Gloss EXPORT, Left
		4805 528AC	1	С	Н					Chrome, Right
_		4805 529AA	1	С	Н					Chrome, Left
		4805 528AC	1	С	Р					Chrome, Right
		4805 529AA	1	С	Р					Chrome, Left
		4805 528AC	1	Υ						Chrome, Right
_		4805 529AB	1	Υ						Chrome, Left
	4	6036 042AA	12							NUT/SPRING, Snap In, .164-18
	5									SCREW, Moulding Attaching (.164-
										18X.562), (NOT SERVICED) (Not
_										Serviced)
	6	0154 863AA	AR							SCREW, .164-18x.375
	7									WEATHERSTRIP, Rear Door Flush
										Glass
_		4780 162AB	1	C, Y						Right


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

September 16, 2005

Door, Rear Glass And Regulators Figure DLH-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I E IVI	NOMBER	QII	LINE	SERIES	ВОВТ	ENGINE	IRANS	I I KIIVI	DESCRIPTION
	4780 163AB	1	C, Y						Left
	4780 164AB	1	D						Right
	4780 165AB	1	D						Left
8		·	_						CHANNEL, Rear Door Glass, wi
									Foam Strip
	4780 130AC	1	D						Right
	4780 131AC	1	D						Left
	4780 132AC	1	C, Y						Right
	4780 133AC	1	C, Y						Left
9									SCREW, (M6X1.00X12.00), (NO
									SERVICED) (Not Serviced)
10									CHANNEL, Rear Door Glass
	4780 514AB	1							Right
	4780 515AB	1							Left
11									SCREW, (M6X1.00X16.00), (NC
									SERVICED) (Not Serviced)
12	6101 443	2							NUT AND WASHER, Hex, M5x.
13									SCREW, (8-18X.375), (NOT
									SERVICED) (Not Serviced)
14									REGULATOR, Rear Door Windo
	5012 546AB	1							Right
	5012 547AB	1							Left
15									MOTOR, Window Regulator
	5012 544AA	1							Right
	5012 545AA	1							Left
16									LABEL, Child Protection Lock,
									English
	4396 978	2							Window
	4490 361	2							Window - French
	4780 544AA	1							Door, Right
	4780 545AA	1							Door, Left

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

PART

3
1


TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
TE. P	lozolo not lista d	ore or	nuised in F	Door Trim D	lanal				
	ezels not listed	are se	rvicea in L	Joor Trim P	anei.				BEZEL, Power Window Switch
1	PQ42 HD5	4	D						
		1	D						Medium Quartz, Right
	PQ43 HD5	1	D	ш					Medium Quartz, Left
	PQ42 HD5	1	С	<u>H</u>					Medium Quartz, Right
	PQ43 HD5	1	С	H					Medium Quartz, Left
	PQ42 HD5	1	С	M					Medium Quartz, Right
	PQ43 HD5	1	С	M					Medium Quartz, Left
	PQ42 LAZ	1	D						Agate, Right
	PQ43 LAZ	1	D						Agate, Left
	PQ42 LAZ	1	С	H					Agate, Right
	PQ43 LAZ	1	С	Н					Agate, Left
	PQ42 LAZ	1	С	M					Agate, Right
	PQ43 LAZ	1	С	M					Agate, Left
	PQ42 LAZ	1	С	Р					Agate, Right
	PQ43 LAZ	1	С	Р					Agate, Left
	PQ42 LAZ	1	Υ						Agate, Right
	PQ43 LAZ	1	Υ						Agate, Left
	PQ42 RK5	1	D						Camel Tan, Right
	PQ43 RK5	1	D						Camel Tan, Left
	PQ42 RK5	1	С	Н					Camel Tan, Right
	PQ43 RK5	1	С	Н					Camel Tan, Left
	PQ42 RK5	1	С	M					Camel Tan, Right
	PQ43 RK5	1	С	M					Camel Tan, Left
	PQ42 VK9	1	С	M					Dark Suede, Right
	PQ43 VK9	1	С	М					Dark Suede, Left
	PQ42 VK9	1	С	Р					Dark Suede, Right
	PQ43 VK9	1	С	Р					Dark Suede, Left
	PQ42 VK9	1	Υ						Dark Suede, Right
	PQ43 VK9	1	Υ						Dark Suede, Left
-2									REFLECTOR, Door Trim Panel
	4760 356	1	D						Right
		1	С	Н					Right
	4760 357	1	D						Left
		1	С	Н					Left
3									PANEL, C Pillar
Ū	PB90 DX9AD	1	C, Y						Right
	PB91 DX9AD	<u>·</u> 1	C, Y						Left
	PB92 DX9AD	1	D, I						Right
	PB93 DX9AD	1	D						Left
-4	6035 906	2	C, Y						CLIP, Door Trim, Sail Attaching
-4 -5	3000 300		O, 1						GRILLE, Speaker

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic



ЕМ	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QB14 LAZ	1	С	Р					Agate, Right
	QB15 LAZ	1	C	P					Agate, Left
	QB14 LAZ	1	Υ						Agate, Right
	QB15 LAZ	1	Υ						Agate, Left
	QB14 VK9	1	С	Р					Dark Suede, Right
	QB15 VK9	1	С	Р					Dark Suede, Left
	QB14 VK9	1	Υ						Dark Suede, Right
	QB15 VK9	1	Υ						Dark Suede, Left
									_

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE

TRIM

DESCRIPTION

TRANS

	NOTE: Sales Codes: [GTK] = MIRRORS - POWER [GTQ] = MIRRORS - PWR HEATED MEMORY FOLD-AWAY [GTS] = MIRRORS - POWER HEATED, FOLD-AWAY [GT6] = MIRRORS - POWER HEATED MEMORY [GT8] = MIRRORS - POWER [GUC] = MIRRORS - POWER, FOLD-AWAY, AUTO [GUD] = MIRRORS - PWR, HEAT, MEMORY, FOLDING, AUTO [GUE] = MIRRORS - PWR, HEAT, MEMORY, FOLDING, AUTO [GUG] = MIRRORS - PWR, HEAT, MEMORY, FOLDING, AUTO [GUK] = MIRRORS - PWR, HEATED, FOLD-AWAY [GUP] = MIRRORS - PWR HEATED MEMORY FOLD-AWAY [GUT] = MIRRORS - PWR HEATED MEMORY FOLD-AWAY	
6	1 4574 590AE 1 4574 591AE 1 4805 424AA 1	MIRROR, Outside, Rearview, Electric, Heated [GUK,GUP], Right [GUK,GUP], Left Memory, Black EUROPE JAPAN, Right
	4805 425AA 1 2 4805 738AA 1	Memory, Black EUROPE JAPAN, Left MIRROR, Outside Rearview, Folding, Arabic [GTQ], Right
	4805 739AA 1 3 4574 606AD 1 4574 607AD 1	[GTQ], Left MIRROR, Outside Rearview Electric-Remote-Fixed, Black (GT8), Right Electric-Remote-Fixed, Black (GT8), Left
	4805 116AD 1 4805 117AB 1	Electric-Remote-Fixed-Heated- Memory, Black (GT6), Right Electric-Remote-Fixed-Heated- Memory, Black (GT6), Left
	4 5018 464AA 1 5018 465AA 1 5018 462AA 1 5018 463AA 1 -5 4780 529AA- 2	GLASS, Mirror Replacement [GT8], Right [GT8], Left [GT6], Right [GT6], Left TAPE, Acess Hole, Mirror Flag PLP
		Holes
	CONCORDE-INTREPID-LHS-300M (LH) SERIES LINE BODY ENGINE H = High Line D = Intrepid 41 = 4 Door Sedan EER = 2.7L V6 DOHC P = Premium C = LHS, Concorde EES = 2.7L V6 DOHC 24V S = Special Y = 300M EGG = 3.5L V6 MPI 24V M = LXI EGW = 3.2L V6 MPI 24V X = R/T EGC = 3.5L V6 SOHC	TRANSMISSION DGX = 4 Speed Automatic

>>

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

ENGINE

TRANS

TRIM

DESCRIPTION

	7 610	1 952 2 1 443 2 7 801AA- 1			SCREW, Hex Flange Head Tapping, M4.8 x 1.59 x 25.00 NUT AND WASHER, Hex, M5x.80 SPRING
4					
	CONCORDE-INTRI SERIES H = High Line P = Premium S = Special M = LXI X = R/T	EPID-LHS-300M (LH) LINE D = Intrepid C = LHS, Concorde Y = 300M	BODY 41 = 4 Door Sedan	ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC	TRANSMISSION DGX = 4 Speed Automatic

Weatherstrips Front and Rear Door Figure DLH-610

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-					•					
	1									WEATHERSTRIP, Drip Rail
_	•									Secondary
		4780 146AD	1	D						Right
		4780 147AD	1	D						Left
		4780 594AD	1	C, Y						Flat Mount on both ends, Right
_		4780 595AD	1	C, Y						Flat Mount on both ends, Left
	-2			,						SUPPORT, Roof, Drip Rail Seal
		4575 466	1	D						Right
		4575 467	1	D						Left
_		4575 594	1	С						Right
		4575 595	1	С						Left
		4575 594	1	Υ						Right
		4575 595	1	Υ						Left
_	3									WEATHERSTRIP, Front Door
										Opening, Door Mounted
		4574 336	1							Right
		4574 337	1							Left
	4									WEATHERSTRIP, Rear Door
										Opening, Door Mounted
		4780 158	1	D						Right
_		4780 159	1	D						Left
		4574 450AB	1	C, Y						Right
		4574 451AB	1	C, Y						Left
	5									WEATHERSTRIP, Front Door
_										Opening, Body Mounted
		TE72 LAZAD	1							[AZ], Right
		TE73 LAZAD	1							[AZ], Left
		TE72 HD5AA	1							[D5], Right
_		TE73 HD5AA	1							[D5], Left
		TE72 MF1AA								[FK], Right
		TE73 MF1AA	1							[FK], Left
		TE72 RK5AA	1							[K9], Right
_		TE73 RK5AA	1							[K9], Left
	6									WEATHERSTRIP, Rear Door, Body
				_						Mounted
		TE68 HD5AA		D						[D5], Right
_		TE69 HD5AA		D						[D5], Left
		TE68 LAZAA	1	D						[AZ], Right
		TE69 LAZAA	1	D						[AZ], Left
		TE68 RK5AA	1	D						[K9], Right
_		TE69 RK5AA	1	D						[K9], Left

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Weatherstrips Front and Rear Door Figure DLH-610

(7)

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TE70 HD5AA	1	C, Y						[D5], Right
	TE71 HD5AA	1	C, Y						[D5], Left
	TE70 LAZAA	1	C, Y						[AZ], Right
	TE71 LAZAA	1	C, Y						[AZ], Left
	TE70 MF1AA	1	C, Y						[FK], Right
	TE71 MF1AA	1	C, Y						[FK], Left
	TE70 RK5AA	1	C, Y						[K9], Right
	TE71 RK5AA	1	C, Y						[K9], Left
7									WEATHERSTRIP, Door Bottom
									Cladding
	4780 096AB	1							Right
	4780 097AB	1							Left

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC TRANSMISSION DGX = 4 Speed Automatic

Group – ELH Exterior Ornamentation






GROUP ELH - Exterior Ornamentation

Illustration Title	Group-Fig. No
Nameplates Nameplates and Medallions	Fig. ELH-110
Moldings and Ornamentation	
Mouldings	Fig. ELH-210
Cladding	Fig. ELH-220

Nameplates and Medallions Figure ELH-110




17514	PART	OTY		OFFICE	DODY	FNOINE	TDANO	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: C)-l Ol								
	Sales Codes: BADGE - 3.5L	MACNI	11.4						
	BADGE - 3.5L BADGE - DOI			DOOR					
	BADGE - INTR				ID				
	BADGE - INTR			ON DECKL	טו				
1	4805 105	1	, DOOK						NAMEPLATE, Deck Lid, Chrysler
2	4805 065AB	1	С	Р					EMBLEM, Decklid, Winged Victory
3	4805 281AB	1	O						NAMEPLATE, Decklid, Concord,
3	4000 Z01AB	'							Chrome
4	4805 308AB	1							NAMEPLATE, concorde LXI, silver
5	4805 064	2	С	Р					NAMEPLATE, LHS
6	KS76 SZ1	1	D	•					NAMEPLATE, Medallion, Ram Head
ŭ	1.070 021	•							Chrome
7	5288 694AB	1	D						NAMEPLATE, Chrysler, Gold
8	4805 182AA	1	_						NAMEPLATE, Decklid, Dodge,
-									'INTREPID' Chrome [MU4]
-9	4805 632AA-	1							NAMEPLATE, 3.5L Magnum,
									Decklid, [MSS]
10									NAMEPLATE, Front Door, Dodge
	4805 292AA	2	D	Р					Chrome
	QM26 CA1	2	D	Н					Light Quartz
-11	4805 630AA-	2							NAMEPLATE, Dodge R/T, Front
									Door, [MSW]
-12	4805 631AA-	2							NAMEPLATE, Chrysler R/T
13	4805 060	2							NAMEPLATE, Chrysler, Chrome
14	4805 183AA	2							NAMEPLATE, Rear Door, ES,
									Chrome
15	4805 287AC	2							MEDALLION, Fender, 300
16	4805 455AB	2	С	Р					MEDALLION, Rear Door, Seal
17	4805 286AB	1							MEDALLION, Deck Lid, 300

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Rear Door
	LG48 XRV	2	D						[K7A]
	LG48 XBQ	2	D						[K7B]
	LG48 VTE	2	D						[K7C]
	LG48 WG2	2	D						[K7D]
	LG48 XGR	2	D						[K7G]
	LG48 VLB	2	D						[K7N]
	LG48 WEL	2	D						[K7R]
	LG48 WS2	2	D						[K7S]
•	LG48 YBW	2	D						[K7U]
	LG48 SW1	2	D						[K7W]
	LG48 DX8	2	D						[K7X]
	LG48 VAW	2	D						[K7Z]
	PT20 XRV	2	С	Р					[K8A]
		2	Υ						[K8A]
	PT20 XBQ	2	С	Р					[K8B]
		2	Y						[K8B]
	PT20 VTE	2	С	Р					[K8C]
		2	Υ						[K8C]
	PT20 WG2	2	С	Р					[K8D]
		2	Y						[K8D]
	PT20 XGR	2	Y	_					[K8G]
		2	С	P					[K8G]
	PT20 VLB	2	С	Р					[K8N]
	DT00 MEI	2	Y						[K8N]
	PT20 WEL	2	С	Р					[K8R]
	DTOO WOO	2	Y						[K8R]
	PT20 WS2	2	Y	Р					[K8S] [K8S]
	PT20 YBW	2	C Y	Р					[K8U]
	FIZO IBW	2	C	Р					[K8U]
	PT20 SW1	2	C	P					[K8W]
	1 120 SW1	2	Y						[K8W]
	PT20 DX8	2	Y						[K8X]
	1 120 0/0	2	Ċ	Р					[K8X]
	PT20 VAW	2	C	P					[K8Z]
	5	2	Y	•					[K8Z]
	PT04 XRV	2	C	Н					[K9A]
	. 101700	2	C	M					[K9A]
	PT04 XBQ	2	C	M					[K9B]
		2	C	H					[K9B]
									r1

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	DTO 4 V/TE	0	0						[[(00]
	PT04 VTE	2	<u>C</u>	<u>H</u>					[K9C]
	DTO 4 M/OO	2	С	M					[K9C]
	PT04 WG2	2	С	M					[K9D]
	PT04 XGR	2	C C	H H					[K9D]
	P104 AGR	2	C	<u> П</u> М					[K9G]
	PT04 VLB	2	C	H					[K9G]
	FIU4 VLD	2	C						[K9N]
	PT04 WEL	2	C	M H					[K9N] [K9R]
	FIU4 WEL	2	C	M					[K9R]
	PT04 WS2	2	C	H					[K9S]
	1 104 7732	2	C	M					[K9S]
	PT04 YBW	2	C	H					[K9U]
	11041000	2	C	M					[K9U]
	PT04 SW1	2	C	H					[K9W]
	1 101 0001	2	C	M					[K9W]
	PT04 DX8	2	C	Н					[K9X]
	1 10 1 2/10		C	M					[K9X]
	PT04 VAW	2	C	Н					[K9Z]
		2	C	М					[K9Z]
2									MOLDING, Rear Door, DLO
	4780 124AL	1	D						Satin, Right
	4780 125AL	1	D						Satin, Left
	4780 120AM	1	С	Н					Satin, Right
	4780 121AM	1	С	Н					Satin, Left
	4780 120AM	1	Υ						Satin, Right
	4780 121AM	1	Υ						Satin, Left
	4780 504AK	1	С	Р					Black, High-Gloss, Right
	4780 505AK	1	С	Р					Black, High-Gloss, Left
	4780 504AK	1	С	Н					Black, High-Gloss EXPORT, Right
	4780 505AK	1	С	Н					Black, High-Gloss EXPORT, Left
	4780 504AK	1	Υ						Black, High-Gloss EXPORT, Right
	4780 505AK	1	Υ						Black, High-Gloss EXPORT, Left
	4805 528AC	1	С	Р					Chrome, Right
	4805 529AC	1	С	Р					Chrome, Left
	4805 528AC	1	С	Н					Chrome, Right
	4805 529AC	1	С	Н					Chrome, Left
	4805 528AC	1	Y						Chrome, Right
_	4805 529AC	1	Υ						Chrome, Left
3	1.004.3/53/	_	_						MOLDING, Front Door
	LG34 XRV	2	D						[K7A]

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	LG34 XBQ	2	D						[K7B]
	LG34 VTE	2							[K7C]
	LG34 WG2	2	D						[K7D]
	LG34 XGR	2	D						[K7G]
	LG34 VLB	2	D						[K7N]
	LG34 WEL	2	D						[K7R]
	LG34 WS2	2	D						[K7S]
	LG34 YBW	2	D						[K7U]
	LG34 SW1	2	D						[K7W]
	LG34 DX8	2	D						[K7X]
	LG34 VAW	2	D						[K7Z]
	PT10 XRV	2	С	Р					[K8A]
		2	Υ						[K8A]
	PT10 XBQ	2	С	Р					[K8B]
		2	Υ						[K8B]
	PT10 VTE	2	С	Р					[K8C]
		2	Y						[K8C]
	PT10 WG2	2	Υ						[K8D]
		2	С	Р					[K8D]
	PT10 XGR	2	С	Р					[K8G]
	DT10.1/1.D	2	Y						[K8G]
	PT10 VLB	2	С	Р					[K8N]
	PT10 WEL	2	Y	Р					[K8N]
	PIIO WEL	2 2	C	Р					[K8R]
-	PT10 WS2	2	Y						[K8R] [K8S]
	F110 W32	2	C	Р					[K8S]
	PT10 SW1	2	C	r P					[K8W]
	1 110 0111	2	Y	•					[K8W]
	PT10 VAW	2	C	P					[K8Z]
		2	Y	-					[K8Z]
	PT10 DX8	2	C	Р					[K8X]
		2	Y						[K8X]
	PT10 YBW	2	С	Р					[K8U]
		2	Υ						[K8U]
	PT02 XRV	2	С	М					[K9A]
		2	С	Н					[K9A]
	PT02 XBQ	2	С	Н					[K9B]
		2	С	М					[K9B]
	PT02 VTE	2	С	M					[K9C]
		2	С	Н					[K9C]


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic







		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•	•							
		PT02 WG2	2	С	М					[K9D]
-		1 102 WOZ	2		H					[K9D]
		PT02 XGR	2	C	М					[K9G]
			2	C	Н					[K9G]
		PT02 VLB	2	C	Н					[K9N]
-			2	С	М					[K9N]
		PT02 WEL	2	С	Н					[K9R]
			2	С	М					[K9R]
		PT02 WS2	2	С	М					[K9S]
-			2	С	Н					[K9S]
		PT02 SW1	2	С	Н					[K9W]
			2	С	M					[K9W]
_		PT02 VAW	2	С	М					[K9Z]
			2	С	Н					[K9Z]
		PT02 DX8	2	С	Н					[K9X]
			2	С	М					[K9X]
_		PT02 YBW	2	С	Н					[K9U]
			2	С	М					[K9U]
	4									MOLDING, Front Door, DLO
		4780 118AK	1	D						Satin, Right
_		4780 119AK	1	D						Satin, Left
		4780 118AK	1	С	Н					Satin, Right
		4780 119AK	1	С	Н					Satin, Left
		4780 118AK	1	С	М					Satin, Right
_		4780 119AK	1	С	М					Satin, Left
		4780 118AJ	1	Y						Satin, Right
		4780 119AK	1	Y	_					Satin, Left
		4780 502AI	1	С	P					Satin, Right
_		4780 503AI	1	С	P					Satin, Left
		4805 524AC	1	С	Р					Black with Chrome, Right
		4805 525AA	1	С	P 					Black with Chrome, Left
		4805 524AC	1	С	H					Black with Chrome, Right
_		4805 525AA	1	С	Н					Black with Chrome, Left
		4805 524AC	1	Y						Black with Chrome, Right
	_	4805 525AA	1	Υ						Black with Chrome, Left
	5	5000 400 4 4	4	0						SEAL, B-Pillar
-		5066 129AA	1	C	H P					
			1	Y	Р					
	0	4700 47440	1	Y						MOLDING A DILLAD Diaha
	6	4780 174AC	1							MOLDING, A-PILLAR, Right
-	7	4574 592AB	1							MOLDING, Windshield Reveal
	8	4780 175AC	1							MOLDING, A-PILLAR, Left

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

September 16, 2005





$ \begin{array}{c c} \hline 1 \\ \hline 2 \\ \hline 4 \\ \hline \end{array} $


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•							•	
1	6501 559	6							RIVET, .25x.50
2	0301 339								CLADDING, Quarter Panel
_	LG66 SW1AE	3 1	D						[K2W], Right
	LG67 SW1AE		D						[K2W], Left
	LG66 VAWAE		D						[K2Z], Right
	LG67 VAWAE		D						[K2Z], Left
	LG66 VLBAB		D						[K2N], Right
	LG67 VLBAB		D						[K2N], Left
	LG66 VTEAB		D						[K2C], Right
	LG67 VTEAB								[K2C], Left
	LG66 WELAE		D						[K2R], Right
	LG67 WELAE		D						[K2R], Left
	LG66 WG2AE		D						[K2D], Right
	LG67 WG2AE		D						[K2D], Left
	LG66 WS2AE	3 1	D						[K2S], Right
	LG67 WS2AE	3 1	D						[K2S], Left
	LG66 XBQAB	3 1	D						[K2B], Right
	LG67 XBQAB	3 1	D						[K2B], Left
	LG66 XGRAE	3 1	D						[K2G], Right
	LG67 XGRAE	3 1	D						[K2G], Left
	LG66 XRVAB	1	D						[K2A], Right
	LG67 XRVAB	3 1	D						[K2A], Left
	LG66 DX8AB	1	D						[K2X], Right
	LG67 DX8AB	1	D						[K2X], Left
	LG66 YBWAE	3 1	D						[K2U], Right
	LG67 YBWAE	3 1	D						[K2U], Left
	LG70 SW1AC	1	С	Н					[K4W], Right
	LG71 SW1AC	1	С	Н					[K4W], Left
	LG70 VAWA	2 1	С	Н					[K4Z], Right
	LG71 VAWA		С	Н					[K4Z], Left
	LG70 VLBAC		С	Н					[K4N], Right
	LG71 VLBAC		С	Н					[K4N], Left
	LG70 VTEAC		С	Н					[K4C], Right
	LG71 VTEAC		С	Н					[K4C], Left
	LG70 WELAC		С	Н					[K4R], Right
	LG71 WELAC		С	Н					[K4R], Left
	LG70 WG2A0		С	Н					[K4D], Right
	LG71 WG2AC		С	Н					[K4D], Left
	LG70 WS2AC		С	Н					[K4S], Right
	LG71 WS2AC		С	Н					[K4S], Left
	LG70 XBQAC	1	С	Н					[K4B], Right

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

>>



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				!					
	LC71 VBOAC		0	ш					[IZAD] Lot
	LG71 XBQAC		C	<u>Н</u> Н					[K4B], Left
	LG70 XGRAC		C	Н					[K4G], Right
	LG71 XGRAC		C						[K4G], Left
	LG70 XRVAC		C	H H					[K4A], Right [K4A], Left
	LG70 SW1AC		C	M					[K4W], Right
	LG70 SW1AC		C	M					[K4W], Kigitt [K4W], Left
	LG70 VAWAC		C	M					
	LG70 VAWAC		C	M					[K4Z], Right
-	LG70 VLBAC		C	M					[K4Z], Left
	LG70 VLBAC		C	M					[K4N], Right
	LG71 VLBAC		C	M					[K4N], Left [K4C], Right
	LG70 VTEAC		C	M					[K4C], Kight [K4C], Left
	LG70 WELAC		C	M					[K4R], Right
	LG70 WELAC		C	M					[K4R], Night [K4R], Left
	LG70 WG2AC		C	M					[K4D], Right
	LG70 WG2AC		C	M					[K4D], Kight [K4D], Left
	LG71 WG2AC			M					[K4S], Right
	LG70 WS2AC		C	M					[K4S], Kigitt [K4S], Left
	LG71 W32AC		C	M					[K4B], Right
	LG70 XBQAC		C	M					[K4B], Left
	LG71 XBQAC		C	M					[K4G], Right
	LG70 XGRAC		C	M					[K4G], Right [K4G], Left
	LG70 XRVAC		C	M					[K4A], Right
	LG70 XRVAC		C	M					[K4A], Left
	LG68 SW1AC		C	P					[K5W], Right
	LG69 SW1AC		C	r P					[K5W], Left
	LG68 VAWAC		C	r P					[K5Z], Right
	LG69 VAWAC		C	r P					[K5Z], Left
	LG68 VLBAC			P					[K5N], Right
	LG69 VLBAC		C	r P					[K5N], Left
	LG68 VTEAC		C	P					[K5C], Right
	LG69 VTEAC		C	P					[K5C], Left
-	LG68 WG2AC		C	<u>'</u> Р					[K5D], Right
	LG69 WG2AC		C	r P					[K5D], Kight [K5D], Left
	LG68 WS2AC		C	P					[K5S], Right
	LG69 WS2AC		C	r P					[K5S], Left
	LG68 XBQAC		C	' P					[K5B], Right
	LG69 XBQAC		C	Р					[K5B], Left
	LG68 XGRAC		C	' P					[K5G], Right
	LG69 XGRAC		C	r P					[K5G], Left
	LOGO AGNAC	' '		· ·					[], Loit

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic



1)	2 4	


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				-					
	LOCO VENACO A CONTRA DISTA				NCCAL D. L.				
	LG68 XRVAC		C	P	[K5A], Right				
	LG69 XRVAC		С	Р		[K5A], Left			
	LG64 SW1AB		Y			[K3W], Right			
	LG65 SW1AB		Y			[K3W], Left			
	LG64 VAWAE		Y			[K3Z], Right			
	LG65 VAWAE		Y			[K3Z], Left			
	LG64 VLBAB	1	Y			[K3N], Right			
	LG65 VLBAB	1	Y						[K3N], Left
	LG64 VTEAB	1	Y						[K3C], Right
	LG65 VTEAB	1	Y						[K3C], Left
	LG64 WELAB		Y						[K3R], Right
	LG65 WELAB		Y						[K3R], Left
	LG64 WG2AB		Y						[K3D], Right
	LG65 WG2AB		Y						[K3D], Left
	LG64 WS2AB		Y						[K3S], Right
	LG65 WS2AB		1,						
	LG64 XBQAB		Y			[K3B], Right [K3B], Left			
	LG65 XBQAB		Y						
	LG64 XGRAB		Υ						
	LG65 XGRAB		Υ		[K3G], Left [K3A], Right				[K3G], Left
	LG64 XRVAB		Υ						
	LG65 XRVAB	1	Υ			[K3A], Left			
3						CLADDING, Fender			
	5018 736AA	1	D						[K20], Right
	5018 737AA	1	D						[K20], Left
	LG56 SW1AC	: 1	С	Н					[K4W], Right
	LG57 SW1AC	: 1	С	Н					[K4W], Left
	LG56 VAWAC	1	С	Н					[K4Z], Right
	LG57 VAWAC	1	С	Н					[K4Z], Left
<u> </u>	LG56 VLBAC	1	С	Н					[K4N], Right
	LG57 VLBAC	1	С	Н					[K4N], Left
	LG56 VTEAC	1	С	Н					[K4C], Right
	LG57 VTEAC	1	С	Н					[K4C], Left
	LG56 WELAC	1	С	Н					[K4R], Right
	LG57 WELAC	: 1	С	Н					[K4R], Left
	LG56 WG2AC	1	С	Н			[K4D], Right		
	LG57 WG2AC	1	С	Н				[K4D], Left	
	LG56 WS2AC	1	С	Н					[K4S], Right
					[K4S], Left				
	LG56 XBQAC	1	С	H [K4B], Right					
	LG57 XBQAC		С						

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-									
	LG56 XGRAC	: 1	С	Н					[K4G], Right
	LG57 XGRAC			Н					[K4G], Right [K4G], Left
	LG56 XRVAC		C	H					[K4A], Right
	LG57 XRVAC		C	H					[K4A], Left
	LG56 SW1AC		C	M					[K4W], Right
-	LG57 SW1AC		C	M					[K4W], Left
	LG56 VAWAC		C	М					[K4Z], Right
	LG57 VAWAC		C	М					[K4Z], Left
	LG56 VLBAC	1	C	M					[K4N], Right
	LG57 VLBAC	1	C	M					[K4N], Left
	LG56 VTEAC	1	С	М					[K4C], Right
	LG57 VTEAC	1	C	М					[K4C], Left
	LG56 WELAC	1	С	М					[K4R], Right
	LG57 WELAC		C	М					[K4R], Left
	LG56 WG2AC		С	М					[K4D], Right
	LG57 WG2AC		С	М					[K4D], Left
	LG56 WS2AC	1	С	М					[K4S], Right
	LG57 WS2AC	1	С	М					[K4S], Left
	LG56 XBQAC	1	С	М					[K4B], Right
	LG57 XBQAC	1	С	М					[K4B], Left
	LG56 XGRAC	1	С	М					[K4G], Right
	LG57 XGRAC	1	С	М					[K4G], Left
	LG56 XRVAC	1	С	М					[K4A], Right
	LG57 XRVAC	1	С	M					[K4A], Left
	LG54 SW1AC	1	С	Р					[K5W], Right
	LG55 SW1AC	1	С	Р					[K5W], Left
	LG54 VAWAC	1	С	Р					[K5Z], Right
	LG55 VAWAC	1	С	Р					[K5Z], Left
	LG54 VLBAC	1	С	Р					[K5N], Right
	LG55 VLBAC	1	С	Р					[K5N], Left
	LG54 VTEAC	1	С	Р					[K5C], Right
	LG55 VTEAC	1	С	Р					[K5C], Left
	LG54 WG2AC		С	Р					[K5D], Right
	LG55 WG2AC		С	Р					[K5D], Left
	LG54 WS2AC		С	P					[K5S], Right
	LG55 WS2AC		С	P -					[K5S], Left
	LG54 XBQAC		С	P					[K5B], Right
	LG55 XBQAC		С	P					[K5B], Left
	LG54 XGRAC		С	P -					[K5G], Right
	LG55 XGRAC		С	P					[K5G], Left
	LG54 XRVAC	11	С	P					[K5A], Right

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic



2 4	3


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	LG55 XRVAC	1	С	Р					[K5A], Left
	LG50 SW1AC	1	Υ						[K3W], Right
	LG51 SW1AC	1	Υ						[K3W], Left
	LG50 VAWAC	1	Υ						[K3Z], Right
	LG51 VAWAC	1	Υ						[K3Z], Left
	LG50 VLBAC	1	Υ						[K3N], Right
	LG51 VLBAC	1	Υ						[K3N], Left
	LG50 VTEAC	1	Υ						[K3C], Right
	LG51 VTEAC	1	Υ						[K3C], Left
	LG50 WELAC	1	Υ						[K3R], Right
	LG51 WELAC	1	Υ						[K3R], Left
	LG50 WG2AC	1	Υ						[K3D], Right
	LG51 WG2AC	1	Υ						[K3D], Left
	LG50 WS2AC	1	Υ						[K3S], Right
	LG51 WS2AC	1	Υ						[K3S], Left
	LG50 XBQAC	1	Υ						[K3B], Right
	LG51 XBQAC	1	Υ						[K3B], Left
	LG50 XGRAC	1	Υ						[K3G], Right
	LG51 XGRAC	1	Υ						[K3G], Left
	LG50 XRVAC	1	Υ						[K3A], Right
	LG51 XRVAC	1	Υ						[K3A], Left
4	6036 070AA	10							SCREW AND WASHER, Round
									Head, .164-18x.625
-5									RETAINER, Side Cladding, M33.5 x
									14.5, Black
 	5011 076AA-	1	D						
		1	С	M					
		1	С	Н					
		1	С	Р					
		1	Υ						
-6									RETAINER, Side Cladding, M35 x
									8.33
 	5011 077AA-	1	D						
 		1	С	Н					
		1	С	M					
		1	С	Р					
		1	Υ						

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Group – ILH Interior Trim



ILH-100 Headliner and Visor	ILH-200 Moldings, Scuff Plates	ILH-300 Carpet	ILH-400 Door Trim Panels
ILH-500 Front Seats and Attaching Parts	ILH-600 Rear Seats- Folding and Quad	ILH-700 Seat Belts-Front and Rear	ILH-800 Adjusters, Covers, Shields, and Risers


GROUP ILH - Interior Trim

Illustration Title	Group-Fig. No
Headliner and Visor	
Headliner, Visors, Assist Straps And Shelf Panel	Fig. ILH-110
Moldings, Scuff Plates	
Cowl Panel, Footrest, Dash Silencer	. Fig. ILH-210
Scuff Plates - Front And Rear	· ·
Molding - A and B Pillar	-
Panel, Quarter Trim - Upper And Lower	-
Carpet	
Carpet And Floor Mats	. Fig. ILH-310
Carpet Luggage Compartment	•
Silencers	-
Door Trim Panels	Ū
Door Panels - Front	. Fig. ILH-410
Door Panels - Rear	3
	1 ig. iLi i 420
Front Seats and Attaching Parts	E: 1111 540
Seat Front - Trim Code BF	9
Seat Front - Trim Code B7	3
Seat Front - Trim Code C7,CL	J
Seat Front - Trim Code NL,SL	-
Seat Front - Trim Code ML	-
Seat Front - Trim Code MP	3
Seat Front - Trim Code TL	9
Seat Front - Trim Code KF	-
	3
Rear Seats- Folding and Quad Seat Rear - Trim Code BF	. Fig. ILH-610
Seat Rear - Trim Code B7	9
Seat Rear - Trim Code C7,CL	9
Seat Rear - Trim Code K7	•
Seat Rear - Trim Code NL,SL	9
Seat Rear - Trim Code ML	
Seat Rear - Trim Code MP	
Seat Rear - Trim Code TL	
Seat Rear - Trim Code KF	-
Seat Belts-Front and Rear	-
Seat Belts - Front	. Fig. ILH-710
One Delta	F: 111710

GROUP ILH - Interior Trim

Illustration Title	Group-Fig. No.
Adjusters, Covers, Shields, and Risers	
Seats Attaching Parts Manual Seat	Fig. ILH-810
Seats Attaching Parts Power Seat	Fig. ILH-815 Fig. ILH-820

Headliner, Visors, Assist Straps And Shelf Panel Figure ILH-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Headliner
	SB98 TL2AA	1	Υ					00	Beige, Premium Model
	TJ04 TL2AA	1	D					00	Beige, w/Trip Computer and
									Garage Door Opener
	TJ08 TL2AA	1	D					O0	Beige, w/Trip Computer, Garage
									Door Opener and Sunroof
	TJ09 TL2AA	1	Υ					00	Beige, w/Trip Computer and
									Garage Door Opener
	TJ10 TL2AA	1	Y					00	Beige, w/Trip Computer, Garage
									Door Opener and Sunroof
	TJ13 TL2AA	1	С	Н				00	Beige, Premium Model
	TJ14 TL2AA	1	С	Н				00	Beige, w/Trip Computer, Garage
									Door Opener and Sunroof
	TJ12 TL2AA	1	С	M				00	Beige, w/Trip Computer and
									Garage Door Opener Without
									Sunroof
		1	С	H				00	Beige, w/Trip Computer and
									Garage Door Opener Without
									Sunroof
	TJ12 TL2AB	1	С	Р				O0	Beige, w/Trip Computer and
									Garage Door Opener Without
_									Sunroof
2	T 100 TI 0 4 4		_					•	HEADLINER
	TJ03 TL2AA	1	D					00	Beige, Base Model
	TJ20 TL2AA	1	D					00	Beige, Base Model and w/Sunroof
	TJ21 TL2AA	1	С	Н				00	Beige, Premium Model and w/
	5044 74744								Sunroof
-3	5014 717AA-	1	X						RETAINER, Headliner
4	THOS THOSA								VISOR
	TH96 TL2AA	1	D					O0	Beige, With or Without Sunroof,
	TUO7 TUO 4 A	4	_					00	Right
	TH97 TL2AA	1	D					O0	Beige, With or Without Sunroof,
	TH98 TL2AA	- 1	Y						Left Beige, Right,Illuminated Visor
	IN90 ILZAA	1		D				00	Beige, Right,Illuminated Visor
	TH99 TL2AA	1 1	C Y	Р				O0 O0	Beige, Left,Illuminated Visor
	III99 ILZAA	1	C	Р				00	Beige, Left,Illuminated Visor
	TJ00 TL2AA	1	D	I ⁻				00	Beige, With Trip Computer and
	1000 ILZAA	'	D					00	Garage Door Opener, Right
		1	С	Н				00	Beige, Right
	TJ01 TL2AA	1	D	1.1				00	Beige, With Trip Computer and
	1001 ILZAA	<u> </u>	<u> </u>						Garage Door Opener, Left
									Sarago Door Opener, Leit


H = High Line
P = Premium
S = Special
M = LXI

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Headliner, Visors, Assist Straps And Shelf Panel Figure ILH-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•					
		1	С	Н				00	Beige, Left
-5				•••					RETAINER, Visor
	5013 812AA-	1	D					00	Mounts To Roof Panel For Visor
									Support (Black Plastic)
		1	Υ					00	Mounts To Roof Panel For Visor
									Support (Black Plastic)
		1	С	Р				00	Mounts To Roof Panel For Visor
									Support (Black Plastic)
6									PANEL, Rear Shelf Trim
	TD95 HS6AB	1	D					O0	Quartz, (Use Up To 3-21-00)
	TD95 LAZAB	1	D					00	Agate, (Use Up To 3-21-00)
	TD95 VK9AB	1	D					00	Suede, (Use Up To 3-21-00)
	TD96 HS6AB	1	С					O0	Quartz, (Use Up To 3-21-00)
	TD96 LAZAB	1	С					00	Agate, (Use Up To 3-21-00)
	TD96 VK9AB	1	С					00	Suede, (Use Up To 3-21-00)
	TD97 LAZAB	1	Υ					00	Agate, (Use Up To 3-21-00)
	TD97 VK9AB	1	Υ					O0	Suede, (Use Up To 3-21-00)
	TJ05 HS6AB	1	D					00	Quartz, (Use After 3-21-00)
	TJ05 LAZAB	1	D					00	Agate, (Use After 3-21-00)
	TJ05 VK9AB	1	D					00	Suede, (Use After 3-21-00)
	TJ06 HS6AC	1	С					00	Quartz, (Use After 3-21-00)
	TJ06 LAZAC	1	С					00	Agate, (Use After 3-21-00)
	TJ06 VK9AC	1	С					00	Suede, (Use After 3-21-00)
	TJ07 LAZAB	1	Y					00	Agate, (Use After 3-21-00)
	TJ07 VK9AB	1	Y					00	Suede, (Use After 3-21-00)
-7	1000 05110		0	Б.					SILENCER, Shelf Extension
	4628 854AC-	1	С	Р					
0	4628 856AC-	1	Y						OH ENGED Dear Obel
-8	4628 855AB-	1	D						SILENCER, Rear Shelf PIN, Splash Shield, Shelf Panel
9	6501 925	ı							HANDLE
-10	QB26 TL2AB-	1	D					00	Beige, w/Reading Lamp, Right
	QBZ0 TLZAB-		Y					00	Beige, w/Reading Lamp, Right
		1 1	C	Н				00	Beige, w/Reading Lamp, Right
	QB27 TL2AB-	-	D					00	Beige, w/Reading Lamp, Right Beige, w/Reading Lamp, Left
	SOLI ILEMD	1	Y					00	Beige, w/Reading Lamp, Left
		1	C	Н				00	Beige, w/Reading Lamp, Left
11		'							CLIP, Visor
	MH08 TL2	1	D					00	, · · · · · ·
		1	C	Н				00	
12	5014 717AA	1	X						RETAINER, Headliner
	33	•							,

H = High Line
P = Premium
S = Special
M = LXI

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)


SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic



Headliner, Visors, Assist Straps And Shelf Panel Figure ILH-110



	PART								
ITEN	I NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									_
13	5014 715AA	2	X						RETAINER, Assist Handle
-14									HANDLE, Roof Grab
	HR71 TL2	1	D					00	Beige
		1	Υ					00	Beige
		1	С	Н				00	Beige
-15									TETHER, Child Seat
	TB25 HS6AE	- 1	D					00	Quartz, (Use Up To 3-21-00) (For
									After, Order Shelf Panel)
	TB25 VK9AE	- 1	D					00	Suede, (Use Up To 3-21-00) (For
									After, Order Shelf Panel)
	TB26 LAZAE-	- AR	С					00	Agate, (Use Up To 3-21-00) (For
									After, Order Shelf Panel)
16	4728 575	1	D					00	CLIP, Roll Top, VIsor Attaching
-17									LABEL, Airbag
	4897 875AA-	1	Υ					00	
		1	С	Р				00	
		1	D					O0	
		1	С	Н				O0	

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Cowl Panel, Footrest, Dash Silencer Figure ILH-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side Trim
	LK74 MF1AC	1						O0	Neutral, Right
	LK74 RK5AC	1						00	Tan, Right
	LK75 MF1AB	1						00	Neutral, Left
	LK74 HD5AC	1						00	Quartz, Right
	LK74 LAZAC	1						O0	Agate, Right
	LK75 HD5AB	1						00	Quartz, Left
	LK75 RK5AB	1						00	Tan, Left
	LK75 LAZAB	1						00	Agate, Left
2									SCREW, SCREW, (.190-16x2.00),
									(NOT SERVICED) (Not Serviced)
3	6033 581	1							SCREW, Hex Flange Head, .25-14x.
									875, Foot Rest Attaching
4	4628 567AB	1							SUPPORT, Footrest
5	4698 441	1							SILENCER, Cowl Side, Cowl and
									Dash
6									STUD, Tapping - Dashliner Attaching
									(M6x1.00/.250-14x51.50), (NOT
									SERVICED) (Not Serviced)



CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Scuff Plates - Front And Rear Figure ILH-215



ITEM	NUMBER		LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		QTY	LINE	SERIES	БОБТ	ENGINE	INANO	I I KIIWI	DESCRIPTION
1									PLATE, Scuff, Front
	LL72 HD5AB	1						00	Quartz, [D5], Right
	LL72 LAZAB	1						00	Agate [AZ], Right
	LL72 MF1AB	1						00	Neutral [FK], Right
	LL72 RK5AB	1						00	Tan [K9], Right
	LL73 HD5AB	1						O0	Quartz, [D5], Left
	LL73 LAZAB	1						00	Agate [AZ], Left
	LL73 MF1AB	1						00	Neutral [FK], Left
	LL73 RK5AB	1						O0	Tan [K9], Left
-2	6505 572AA-	2						O0	PIN, Push
3									PLATE, Scuff, Rear
	LL68 HD5AB	1						00	Quartz [D5], Right
	LL68 LAZAB	1						00	Agate [AZ], Right
	LL68 MF1AB	1						O0	Neutral [FK], Right
	LL68 RK5AB	1						00	Tan [K9], Right
	LL69 HD5AB	1						00	Quartz [D5], Left
	LL69 LAZAB	1						00	Agate [AZ], Left
	LL69 MF1AB	1						O0	Neutral [FK], Left
	LL69 RK5AB	1						00	Tan [K9], Left


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Molding - A and B Pillar Figure ILH-220

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									MOLDING WELLEY
1	LICAO DICEAE								MOLDING, Windshield
	LK48 RK5AE	1						00	Tan, (K9), Right
	LK48 TL2AE	1						00	Neutral, (AZ) (D5) (FK), Right
	LK49 RK5AF	1						00	Tan, (K9), Left
	LK49 TL2AF	1						00	Neutral, (AZ) (D5) (FK), Left
2	LICEO TLOAE	4						00	COVER, B Pillar Trim Panel
	LK52 TL2AE	1						00	Beige, Right
	LK53 MF1AE	1						00	Neutral, Left
	LK52 MF1AE	1						00	Neutral, Right
	LK52 RK5AE	1						00	Tan, Right
	LK53 RK5AE	1						00	Tan, Left
_	LK53 TL2AE	1						O0	Beige, Left
3									COVER, B Pillar Trim Panel
	LK54 HD5AB	1						00	Quartz, Right
	LK54 LAZAB	1						O0	Agate, Right
	LK55 HD5AB	1						O0	Quartz, Left
	LK54 MF1AB	1						O0	Neutral, Right
	LK54 RK5AB	1						O0	Tan, Right
	LK55 LAZAB	1						O0	Agate, Left
	LK55 MF1AB	1						00	Neutral, Left
	LK55 RK5AB	1						O0	Tan, Left
4	6504 563	2						O0	CLIP, Molding, Fastens Item 1,2
									3
5									COVER, B Pillar Trim Panel
	FF08 HD5	1						00	Quartz, Right
	FF08 LAZ	1						00	Agate, Right
	FF09 HD5	1						O0	Quartz, Left
	FF08 MF1	1						00	Neutral, Right
	FF08 SK5	1						O0	Tan, Right
	FF09 MF1	1						O0	Neutral, Left
	FF09 LAZ	1						O0	Agate, Left
	FF09 SK5	1						00	Tan, Left

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Panel, Quarter Trim - Upper And Lower Figure ILH-225




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Quarter Trim, Upper
	LL90 MF1AE	1	С					O0	Neutral, Right
	LL90 RK5AE	1	С					O0	Tan, Right
	LL91 RK5AE	1	С					00	Tan, Left
	LL90 TL2AE	1	С					O0	Beige, Right
	LL91 MF1AE	1	С					00	Neutral, Left
	LL94 MF1AD	1	Υ					O 0	Neutral, Right
	LL91 TL2AE	1	С					O0	Beige, Left
	LL94 TL2AD	1	Υ					O0	Beige, Right
	LL95 MF1AD	1	Υ					O0	Neutral, Left
	LL96 RK5AE	1	D					00	Tan, Right
	LL94 RK5AD	1	Υ					00	Tan, Right
	LL95 RK5AD	1	Υ					00	Tan, Left
	LL95 TL2AD	1	Υ					O0	Beige, Left
	LL97 RK5AE	1	D					00	Tan, Left
	LL96 TL2AE	1	D					00	Beige, Right
	LL97 TL2AE	1	D					00	Beige, Left
2									PANEL, Quarter Trim, Lower
	LL92 HD5AB	1	С	Н				00	Quartz, Right
	LL92 LAZAB	1	Υ					00	Agate, Right
		1	С	Р				00	Agate, Right
	LL92 RK5AB	1	С	Н				O0	Tan, Right
	LL92 MF1AB	1	С	Р				00	Neutral, Right
	LL92 RK5AB	1	Υ					00	Tan, Right
	LL93 HD5AB	1	С	Н				00	Quartz, Left
	LL93 LAZAB	1	Υ					O0	Agate, Left
		1	С	Р				00	Agate, Left
	LL93 MF1AB	1	С	Р				00	Neutral, Left
	LL93 RK5AB	1	С	Н				00	Tan, Left
	LL98 HD5AB	1	D					00	Quartz, Right
	LL93 MF1AB	1	Y					00	Neutral, Left
	LL93 RK5AB	1	Y					00	Tan, Left
	LL98 LAZAB	1	D					00	Agate, Right
	LL99 LAZAB	1	D					00	Agate, Left
	LL99 RK5AB	1	D					00	Tan, Left
	LL98 RK5AB	1	D					00	Tan, Right
	LL99 HD5AB	1	D					00	Quartz, Left

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Carpet And Floor Mats Figure ILH-310




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Floor Console, With FI
									Console
	SC84 HS6AE	1						00	Quartz
	SC84 LAZAE	1						00	Agate
	SC84 VK9AE	1						O0	Suede
2									CARPET, Floor, Without Floor
									Console
	SE86 HS6AF	1	D					00	Quartz, Without Console
		1	С	Н				00	Quartz, Without Console
		1	С	М				00	Quartz, Without Console
	SE86 LAZAF	1	D					00	Agate, Without Console
		1	С	Н				00	Agate, Without Console
		1	С	М				00	Agate, Without Console
	SE86 VK9AF	1	D					00	Suede, Without Console
		1	С	Н				00	Suede, Without Console
		1	С	М				00	Suede, Without Console
3									MAT KIT, Floor - Front
	8220 5013	1						O0	Quartz
	8220 5011	1	C, D, Y	H, M, P,	41				Agate
				S, X					
	8220 5012	1	C, D, Y	H, M, P,	41				Dark Tan
				S, X					
4									MAT KIT, Floor - Rear
	8220 5014	1						00	Agate
	8220 5016	1						O0	Quartz
	8220 5017	1	C, D, Y	H, M, P,	41				Dark Tan
				S, X					
-5	4787 219	AR							RETAINER, Floor Carpet or Mat
									(Hook Portion)

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Carpet Luggage Compartment Figure ILH-315




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Luggage Compartment
	4628 846AC	1	Υ						w/o Amplifier
	4698 338AB	1	С	Н					
	4698 339	1	D						
	4698 340AC	1	Υ						w/Amplifier
2	6101 946	8							SCREW, Tapping, Trunk Trim
									Attaching
3	4759 514AB	2							GROMMET, Trunk Carpet Attachin
-4	4754 324	2	Υ						GROMMET, Floor Carpet, Trunk
									Carpet Attaching (Tail Lamp Area
5	6505 360AA	6							PIN, Push, Wheelhouse Area, Carp
									Attaching
6									COVER, Decklid Interior Trim
	4628 812AC	1	D						Cover Deck Inner
	4628 813AC	1	Υ						Cover Deck Inner
	4698 341AD	1	С						Cover Deck Inner
-7	6505 411AA-	4							PIN, Push, Trunk DeckLid Cover
									Attaching
-8	6505 206AA-	2							GROMMET, Net, Use After 1-25-00
									4628911AB Plastic Nut,
									Convenience Net Attaching (Goes
									In The Floor Pan On Each Side
									Eye Hook) (Use Up To 1-25-00)
-9									NET KIT, Storage
	4628 862AB-	1							(Use Up To 1-25-00)
	4787 493AA-	1							(Use After 1-25-00)
-10	5016 810CA-	1							LATCH PACKAGE, Decklid,
. •	22.00.00	•							Emergency Kit Trunk Release

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Silencers Figure ILH-320




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		-								
	1	4580 767AD	1							SILENCER, Cowl Plenum Panel
_										Upper
	2	4580 622AC	1							SILENCER, Dash Panel-Engine
										Compartment
	3	6035 851	2							SCREW, Hex Flange Head, .25-
										14x1.00
	4									STUD, Dashliner Attaching (M6x1.00/
										.250-14x51.50), (NOT SERVICED)
										(Not Serviced)
	5	4698 441	1							SILENCER, Cowl Side, Dash and
										Cowl Sides
	6	6501 910	4							RETAINER, Trim Panel, Dash
										Silencer
	7									SILENCER, Wheelhouse
		4698 902AA	1							Right
		4698 903AA	1							Left
	8									PIN, Push, M6.35x12.60
		6502 842	10	C, Y						
			13	D						Hood Inner Panel Silencer
										Attaching
	9									SILENCER, Hood, Inner Panel, (NOT
_										SERVICED) (Not Serviced)

H = High Line
P = Premium
S = Special
M = LXI
X = R/T

CONCORDE-INTREPID-LHS-300M (LH)

SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
							-		
1									PANEL, Front Door Trim
	PR50 1D5CA	1	D					C7	Quartz, Right
	PR50 1K9CA		D					C7	Suede, Right
	PR50 LAZCA	1	D					C7	Agate, Right
	PR51 1D5CA	1	D					C7	Quartz, Left
	PR51 1K9CA	1	D					C7	Suede, Left
	PR51 LAZCA	1	D					C7	Agate, Left
	PV72 1D5CA	1	D					CL	Quartz, Right
	PV72 1K9CA	1	D					CL	Suede, Right
	PV72 LAZCA	1	D					CL	Agate, Right
	PV73 1D5CA	1	D					CL	Quartz, Left
	PV73 1K9CA	1	D					CL	Suede, Left
	PV73 LAZCA	1	D					CL	Agate, Left
	TL62 HD5CA	1	D					B7	Quartz, Right
		1	D					BF	Quartz, Right
	TL62 LAZCA	1	D					B7	Agate, Right
		1	D					BF	Agate, Right
	TL62 RK5CA	1	D					B7	Tan, Right
		1	D					BF	Tan, Right
	TL63 HD5CA	1	D					B7	Quartz, Left
		1	D					BF	Quartz, Left
'	TL63 LAZCA	1	D					B7	Agate, Left
		1	D					BF	Agate, Left
	TL63 RK5CA	1	D					B7	Tan, Left
		1	D					BF	Tan, Left
	PU20 1AZCA	1	С	Р				TL	Agate, (Use Up To 9-28-99), Right
		1	Υ					NL	Agate, (Use Up To 9-28-99), Right
		1	Υ					S7	Agate, (Use Up To 9-28-99), Right
		1	Υ					SL	Agate, (Use Up To 9-28-99), Right
	PU20 1FKCA	1						NL	Driftwood, (Use Up To 9-28-99),
									Right
		1						TL	Driftwood, (Use Up To 9-28-99),
									Right
	PU20 1K9CA	1	С	Р				TL	Suede, (Use Up To 9-28-99), Right
		1	Υ					NL	Suede, (Use Up To 9-28-99), Right
		1	Υ					S7	Suede, (Use Up To 9-28-99), Right
		1	Υ					SL	Suede, (Use Up To 9-28-99), Right
	PU21 1AZCA	1	С	Р				TL	Agate, (Use Up To 9-28-99), Left
		1	Υ					NL	Agate, (Use Up To 9-28-99), Left
		1	Υ					S7	Agate, (Use Up To 9-28-99), Left
		1	Υ					SL	Agate, (Use Up To 9-28-99), Left

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•				•	
	PU21 1FKCA	1						NL	Driftwood, (Use Up To 9-28-99),
	1 021 II NOA	<u>'</u>						INL	Left
		1						TL	Driftwood, (Use Up To 9-28-99),
		•							Left
	PU21 1K9CA	1	С	Р				TL	Suede, (Use Up To 9-28-99), Left
		1	Y	•				NL	Suede, (Use Up To 9-28-99), Left
		1	Υ					S7	Suede, (Use Up To 9-28-99), Left
		1	Υ					SL	Suede, (Use Up To 9-28-99), Left
	PU20 1AZCB	1						NL	Agate, (Use After 9- 28-99), Right
		1						SL	Agate, (Use After 9- 28-99), Right
		1						S7	Agate, (Use After 9- 28-99)
		1						TL	Agate, (Use After 9- 28-99)
	PU20 1FKCB	1						NL	Driftwood, (Use After 9- 28-99)
		1						TL	Driftwood, (Use After 9- 28-99)
	PU20 1K9CB	1						NL	Suede, (Use After 9- 28-99)
		1						SL	Suede, (Use After 9- 28-99)
		1						S7	Suede, (Use After 9- 28-99)
		1						TL	Suede, (Use After 9- 28-99)
	PU21 1AZCB	1						NL	Agate, (Use After 9- 28-99), Left
		1						SL	Agate, (Use After 9- 28-99), Left
		1						S7	Agate, (Use After 9- 28-99), Left
		1						TL	Agate, (Use After 9- 28-99), Left
	PU21 1FKCB	1						TL	Driftwood, (Use After 9- 28-99),
									Left
		1						NL	Driftwood, (Use After 9- 28-99),
									Left
	PU21 1K9CB	1						NL	Suede, (Use After 9- 28-99), Left
		1						SL	Suede, (Use After 9- 28-99), Left
		1						S7	Suede, (Use After 9- 28-99), Left
		1						TL	Suede, (Use After 9- 28-99), Left
	TA14 1AZCA	1	С	Н				K7	[AZ], Right
		1	С	Н				KF	[AZ], Right
		1	С	Н				ML	[AZ], Right
· · · · · · · · · · · · · · · · · · ·		1	С	Н	· · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	MP	[AZ], Right
		1	С	M				KF	[AZ], Right
		1	С	М				MP	[AZ], Right
		1	С	М				K7	[AZ], Right
		1	С	М				ML	[AZ], Right
	TA14 1D5CA	1	С	Н				K7	[D5], Right
		1	С	Н				KF	[D5], Right
		1	С	Н				ML	[D5], Right

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	С	Н				MP	[D5], Right
		1	С	М				KF	[D5], Right
		1	С	М				MP	[D5], Right
		1	С	М				ML	[D5], Right
		1	С	М				K7	[D5], Right
	TA14 1K9CA	1	С	Н				K7	[K9], Right
		1	С	Н				KF	[K9], Right
		1	С	Н				ML	[K9], Right
		1	С	Н				MP	[K9], Right
-		1	С	М				KF	[K9], Right
		1	С	М				MP	[K9], Right
		1	С	М				K7	[K9], Right
		1	С	М				ML	[K9], Right
	TA15 1AZCA	1	С	Н				K7	[AZ], Left
		1	С	Н				KF	[AZ], Left
		1	С	Н				ML	[AZ], Left
		1	С	Н				MP	[AZ], Left
		1	C	М				KF	[AZ], Left
		1	C	М				ML	[AZ], Left
		1	C	М				MP	[AZ], Left
		1	Ċ	М				K7	[AZ], Left
	TA15 1D5CA	1	С	H				K7	[D5], Left
	.,	1	C	H				KF	[D5], Left
		1	C	H				ML	[D5], Left
		1	C	H				MP	[D5], Left
		<u>.</u> 1	C	M				KF	[D5], Left
		1	C	M				ML	[D5], Left
		1	C	M				MP	[D5], Left
		1	C	M				K7	[D5], Left
	TA15 1K9CA	<u>'</u> 1		H				K7	[K9], Left
	TATO INSCA	1	C	Н				KF	[K9], Left
		1	C	Н				ML	[K9], Left
		1	C	Н				MP	
			C						[K9], Left
		1		M				KF	[K9], Left
		1	С	M				ML	[K9], Left
		1	С	M				MP	[K9], Left
	0000 700	1	С	М				K7	[K9], Left
2	6032 723	20							SCREW, Self Tapping, M4.2x1.
_	1000 55:15	_							69x19.05, Door Panel Attaching
3	4628 691AB	2							BRACKET, Door Pull Cup, Support
4	6100 047	1							NUT AND WASHER, Hex Nut-Coned
									Washer, M6 x 1.00

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	6505 325AA	6							NUT, Snap In, Snap-In, Door Panel
	0303 323AA								Attaching
6									FASTENER, Door Trim Panel
Ü	6505 534AA	1	D					B7	The rent poor Timer and
		1	D					BF	
7	6101 786	2							SCREW, Self Tapping, M6x1x15
8									CUP, Door Pull
	PP05 HD5CA	1	С	Н				K7	Quartz, Right & Left
		1	С	Н				KF	Quartz, Right & Left
		1	С	Н				ML	Quartz, Right & Left
		1	С	Н				MP	Quartz, Right & Left
	PP05 LAZCA	1	С	Н				K7	Agate, Right & Left
		1	С	Н				KF	Agate, Right & Left
		1	С	Н				ML	Agate, Right & Left
		1	С	Н				MP	Agate, Right & Left
	PP05 RK5CA	1	С	Н				K7	Tan, Right & Left
		1	С	Н				KF	Tan, Right & Left
		1	С	Н				ML	Tan, Right & Left
		1	С	Н				MP	Tan, Right & Left
	QB22 LAZCA	1	С	Р				TL	Agate, Right
		1	Υ					NL	Agate, Right
		1	Υ					S7	Agate, Right
		1	Υ					SL	Agate, Right
	QB22 VK9CA	1	С	Р				TL	Suede, Right
		1	Υ					NL	Suede, Right
		1	Υ					S7	Suede, Right
		1	Υ					SL	Suede, Right
	QB23 LAZCA	1	С	Р				TL	Agate, Left
		1	Υ					NL	Agate, Left
		1	Υ					S7	Agate, Left
		1	Υ					SL	Agate, Left
	QB23 VK9CA	1	С	Р				TL	Suede, Left
		1	Υ					NL	Suede, Left
		1	Υ					S7	Suede, Left
		1	Υ					SL	Suede, Left
	TK58 HD5CA	1	D					B7	Quartz, Right
		1	D					BF	Quartz, Right
		1	D					CL	Quartz, Right
		1	D					C7	Quartz, Right
	TK58 LAZCA	1	D					B7	Agate, Right
		1	D					BF	Agate, Right

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic






	PART			055:55	n				
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D					CL	Agate, Right
		1	D					C7	Agate, Right
	TK58 RK5CA	1	D					B7	Tan, Right
		1	D					BF	Tan, Right
		1	D					CL	Tan, Right
		1	D					C7	Tan, Right
	TK59 HD5CA	1	D					B7	Quartz, Left
		1	D					BF	Quartz, Left
		1	D					CL	Quartz, Left
		1	D					C7	Quartz, Left
	TK59 LAZCA	1	D					B7	Agate, Left
		1	D					BF	Agate, Left
		1	D					CL	Agate, Left
		1	D					C7	Agate, Left
	TK59 RK5CA	1	D					B7	Tan, Left
		1	D					BF	Tan, Left
		1	D					CL	Tan, Left
		1	D					C7	Tan, Left
9									WATERSHIELD, Front Door
	4780 148AC	1							Right
	4780 149AC	1							Left
10									CLIP, Door Trim
	6035 906	2	C, Y					00	
		2	D					00	
11	6504 014	AR							FASTENER, Door Trim Panel,
									[White], Attaching
-12	6503 204	AR							FASTENER, Door Trim Panel,
									[Green], Attaching
-13									PLUG, Bezel Trim, Pull Cup
	TG71 HD5CA-	1	С	Н				K7	Quartz
		1	С	Н				KF	Quartz
		1	D					BF	Quartz
		1	D					CL	Quartz
		1	D					C7	Quartz
		1	С	Н				ML	Quartz
		1	С	Н				MP	Quartz
		1	D					В7	Quartz
	TG71 LAZCA-	1	С	Н				K7	Agate
		1	C	Н				KF	Agate
		1	D					BF	Agate
		1	D					CL	Agate

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D					C7	Agate
		1	С	Н				ML	Agate
		1	С	Н				MP	Agate
		1	Υ					NL	Agate
		1	Υ					SL	Agate
		1	С	Р				TL	Agate
		1	D					B7	Agate
	TG71 RK5CA-	· 1	С	Н				K7	Tan
		1	С	Н				KF	Tan
		1	D					BF	Tan
		1	D					CL	Tan
		1	D					C7	Tan
		1	С	Н				ML	Tan
		1	С	Н				MP	Tan
		1	D					B7	Tan
	TG71 VK9CA-	· 1	Υ					NL	Suede
		1	Υ					SL	Suede
		1	С	Р				TL	Suede
14									KIT, Door Handle
	5102 832AA	1						C7	Agate, Left
		1						CL	Agate, Left
		1						BF	Agate, Left
		1						B7	Agate, Left
	5102 833AA	1						C7	Agate, Right
		1						CL	Agate, Right
		1						BF	Agate, Right
		1						B7	Agate, Right
	5102 834AA	1						C7	Dark Camel, Right
		1						CL	Dark Camel, Right
		1						BF	Dark Camel, Right
		1						B7	Dark Camel, Right
	5102 835AA	1						C7	Dark Camel, Left
		1						CL	Dark Camel, Left
		1						BF	Dark Camel, Left
		1						B7	Dark Camel, Left
	5102 842AA	1						NL	Agate, Right
		1						SL	Agate, Right
		1						S7	Agate, Right
		1						TL	Agate, Right
	5102 844AA	1						NL	Agate, Left
		1						SL	Agate, Left

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic





ITEM	NUMBER	QTY							
		QIT	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						S7	Agate, Left
		1						TL	Agate, Left
	5102 845AA	1						NL	Dark Camel, Left
		1						SL	Dark Camel, Left
		1						S7	Dark Camel, Left
		1						TL	Dark Camel, Left
	5102 846AA	1						NL	Dark Camel, Right
		1						SL	Dark Camel, Right
		1						S7	Dark Camel, Right
		1						TL	Dark Camel, Right
	5102 858AA	1						K7	Dark Camel, Right
		1						MP	Dark Camel, Right
		1						ML	Dark Camel, Right
		1						KF	Dark Camel, Right
	5102 859AA	1						KF	Dark Camel
		1						ML	Dark Camel
		1						MP	Dark Camel
		1						K7	Dark Camel, Left
	5102 860AA	1						K7	Agate, Right
		1						KF	Agate, Right
		1						MP	Agate, Right
		1	_					ML	Agate, Right
	5102 861AA	1						KF	Agate, Left
		1						ML	Agate, Left
		1						MP	Agate, Left
		1						K7	Agate, Left


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE DO	20 0 1	441.0							
	CP = Speakers eakers 9 Infini			ocations					
1	eakers 9 minn	ty III 7	Locations						PANEL, Rear Door Trim
ı	PQ52 1K9CA	1	D					C7	Suede, Right
	PQ52 LAZCA	1	D					C7	Agate, Right
	PQ52 1D5CA	<u>'</u>	D					C7	Quartz, Right
	PQ53 1D5CA	1	D					C7	Quartz, Left
	PQ53 1K9CA	1	D					C7	Suede, Left
	PQ53 LAZCA	1	D					C7	Agate, Left
	PU90 1AZCA	1	Y					S7	Agate, w/RCE, Right
		1	Y					NL	Agate, w/RCE, Right
		1	Υ					SL	Agate, w/RCE, Right
		1	С	Р				TL	Agate, w/RCE, Right
	PU90 1FKCA	1	Υ					NL	Driftwood, w/RCE, Right
		1	С	Р				TL	Driftwood, w/RCE, Right
	PU90 1K9CA	1	Υ					S7	Suede, w/RCE, Right
		1	Υ					NL	Suede, w/RCE, Right
		1	Υ					SL	Suede, w/RCE, Right
		1	С	Р				TL	Suede, w/RCE, Right
	PU91 1AZCA	1	Υ					S7	Agate, w/RCE, Left
		1	Υ					NL	Agate, w/RCE, Left
		1	Υ					SL	Agate, w/RCE, Left
		1	С	Р				TL	Agate, w/RCE, Left
	PU91 1FKCA	1	Υ					NL	Driftwood, w/RCE, Left
		1	С	Р				TL	Driftwood, w/RCE, Left
	PU91 1K9CA	1	Υ					S7	Suede, w/RCE, Left
		1	Υ					NL	Suede, w/RCE, Left
		1	Υ					SL	Suede, w/RCE, Left
		1	С	Р				TL	Suede, w/RCE, Left
	PW26 1D5CA	1	D					CL	Quartz, Right
	PW26 1K9CA	1	D					CL	Suede, Right
	PW26 LAZCA		D					CL	Agate, Right
	PW27 1D5CA	1	D					CL	Quartz, Left
	PW27 1K9CA	1	D					CL	Suede, Left
	PW27 LAZCA	1	D					CL	Agate, Left
	RB50 1AZCA	1	Υ					S7	Agate, w/RCP (Use Up To 9-2 99), Right
		1	С	Р				TL	Agate, w/RCP (Use Up To 9-2 99), Right
		1	Υ					NL	Agate, w/RCP (Use Up To 9-2 99), Right



CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

9

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						•			
		1	Υ					SL	Agate, w/RCP (Use Up To 9-27-
									99), Right
	RB50 1FKCA	1	С	Р				TL	Driftwood, w/RCP (Use Up To 9-
									27-99), Right
		1	Υ					NL	Driftwood, w/RCP (Use Up To 9-
									27-99), Right
	RB50 1K9CA	1	Υ					S7	Suede, w/RCP (Use Up To 9-27-
									99), Right
		1	С	Р				TL	Suede, w/RCP (Use Up To 9-27-
									99), Right
		1	Υ					NL	Suede, w/RCP (Use Up To 9-27-
									99), Right
		1	Y					SL	Suede, w/RCP (Use Up To 9-27-
	DD54 44704							0-	99), Right
	RB51 1AZCA	1	Υ					S7	Agate, w/RCP (Use Up To 9-27-
		4	0	Б					99), Left
		1	С	Р				TL	Agate, w/RCP (Use Up To 9-27-
		4	Y					NII	99), Left
		1	Ť					NL	Agate, w/RCP (Use Up To 9-27- 99), Left
		1	Υ					SL	Agate, w/RCP (Use Up To 9-27-
		- 1	1					- SL	99), Left
	RB51 1FKCA	1	С	Р				TL	Driftwood, w/RCP (Use Up To 9-
	RB91 II ROA	'	O	•					27-99), Left
		1	Υ					NL	Driftwood, w/RCP (Use Up To 9-
		•	·						27-99), Left
	RB51 1K9CA	1	Υ					S7	Suede, w/RCP (Use Up To 9-27-
									99), Left
		1	С	Р				TL	Suede, w/RCP (Use Up To 9-27-
									99), Left
		1	Υ					NL	Suede, w/RCP (Use Up To 9-27-
									99), Left
		1	Υ					SL	Suede, w/RCP (Use Up To 9-27-
									99), Left
	LR04 1AZCA	1	С	Н				ML	Agate, Right
		1	С	Н				MP	Agate, Right
		1	С	H				KF	Agate, Right
		1	С	Н				K7	Agate, Right
	LR04 1D5CA	1	С	Н				ML	Quartz, Right
		1	С	H				MP	Quartz, Right
		1	С	<u>H</u>				KF	Quartz, Right

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

September 16, 2005



9

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	С	Н				K7	Quartz, Right
	LR04 1K9CA	<u>'</u> 1	C	H				ML	Suede, Right
	LINO4 INSOA	1	C	Н				MP	Suede, Right
		1	C	H				KF	Suede, Right
		1	C	H				K7	Suede, Right
	LR05 1AZCA	<u>'</u> 	C	H				ML	Agate, Left
	LINOS TAZOA	1	C	H				MP	Agate, Left
		1	C	H				KF	Agate, Left
		1	C	H				K7	Agate, Left
	LR05 1D5CA	'	C	H				ML	Quartz, Left
	LINOS IDSCA	1	C	H				MP	Quartz, Left
		1	C	H				KF	Quartz, Left
		1	C	H				K7	Quartz, Left
	LR05 1K9CA	<u>'</u>	C	H				ML	Suede, Left
	LN05 INSCA	1	C	H				MP	Suede, Left
		1	C	H				KF	Suede, Left
		1	C	H				K7	Suede, Left
	TL48 HD5CA	'		11				B7	Quartz, Right
	TL46 TID3CA	1	D					BF	Quartz, Right
	TL48 LAZCA	1	D					B7	Agate, Right
	TL40 LAZCA	1	D					BF	-
	TL48 RK5CA	<u>'</u> 	D					B7	Agate, Right Tan, Right
	TL40 KK5CA	1	D					BF	Tan, Right
	TL49 HD5CA	1	D					B7	Quartz, Left
	TL49 TID3CA	1	D					BF	Quartz, Left
	TL49 LAZCA	<u>'</u> 	D					 В7	
	1L49 LAZCA	1	D					BF	Agate, Left
	TL49 RK5CA	1	D					B7	Agate, Left Tan, Left
	1L49 KKSCA							BF	Tan, Left
	RB50 1AZCB	<u>1</u> 1	D Y					S7	Agate, w/RCP (Use After 9-29-99),
	RD30 TAZCD	ı	1					31	Right
		1	С	Р				TL	Agate, w/RCP (Use After 9-29-99), Right
		1	Y					NL	Agate, w/RCP (Use After 9-29-99), Right
		1	Υ					SL	Agate, w/RCP (Use After 9-29-99), Right
	RB50 1FKCB	1	С	Р				TL	Driftwood, w/RCP (Use After 9-29- 99), Right
		1	Υ					NL	Driftwood, w/RCP (Use After 9-29-99), Right

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

September 16, 2005






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RB50 1K9CB	1	Υ					S7	Suede, w/RCP (Use After 9-29-99),
									Right
		1	С	Р				TL	Suede, w/RCP (Use After 9-29-99),
								.	Right
		1	Y					NL	Suede, w/RCP (Use After 9-29-99),
		1	Υ					SL	Right Suede, w/RCP (Use After 9-29-99),
		'	'					OL	Right
	RB51 1AZCB	1	Υ					S7	Agate, w/RCP (Use After 9-29-99),
·									Left
		1	С	Р				TL	Agate, w/RCP (Use After 9-29-99),
									Left
-		1	Y					NL	Agate, w/RCP (Use After 9-29-99),
			.,					01	Left
		1	Y					SL	Agate, w/RCP (Use After 9-29-99),
	RB51 1FKCB	1	С	Р				Τı	Left Driftwood w/PCP (Use After 9.29
	RB31 IFRCB	1		Г				TL	Driftwood, w/RCP (Use After 9-29- 99), Left
		1	Υ					NL	Driftwood, w/RCP (Use After 9-29-
		·	·						99), Left
	RB51 1K9CB	1	Υ					S7	Suede, w/RCP (Use After 9-29-99),
									Left
		1	С	Р				TL	Suede, w/RCP (Use After 9-29-99),
									Left
		1	Y					NL	Suede, w/RCP (Use After 9-29-99),
		4	V					CI	Left
		1	Y					SL	Suede, w/RCP (Use After 9-29-99), Left
2	6032 723	20							SCREW, Self Tapping, M4.2x1.
	0002 720								69x19.05, Door Panel Attaching
-3	6504 014	AR							FASTENER, Door Trim Panel, White
-4	6503 204	AR							FASTENER, Door Trim Panel,
									Green, Attaching (Green)
5	4628 692	2							BRACKET, Door Pull Cup
6	6100 047	1							NUT AND WASHER, Hex Nut-Coned
									Washer, M6 x 1.00, Pull Cup
	C404 700								Attaching Mouture
	6101 786	1							SCREW, Self Tapping, M6x1x15
8	6505 325AA	6							NUT, Snap In, Snap-In, Door Panel Attaching
9									FASTENER, Door Trim Panel

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic





9


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6505 524AA	1	Ь					C7	
	6505 534AA	<u>1</u> 1	D D					C7 CL	
								B7	
		1	D					BF	
10		1	D					БΓ	CUP, Door Pull
10	PP04 HD5CA		С	Н				ML	
	PPU4 HD5CA							MP	Quartz, Right & Left
		1	С	Н					Quartz, Right & Left
		1	С	Н				KF	Quartz, Right & Left
	DD041A7CA	1	С	H H				K7	Quartz, Right & Left
	PP04 LAZCA	1	С					ML	Agate, Right & Left
		1	С	Н				MP	Agate, Right & Left
		1	С	H				KF	Agate, Right & Left
	DD04 DK504	1	C	H				K7	Agate, Right & Left
	PP04 RK5CA		С	H				ML	Tan, Right & Left
		1	С	H				MP	Tan, Right & Left
		1	С	H				KF	Tan, Right & Left
		1	С	Н				K7	Tan, Right & Left
	QC06 LAZCA		Y	_				S7	Agate, Right
		1	С	Р				TL	Agate, Right
		1	Y					NL	Agate, Right
		1	Y					SL	Agate, Right
	QC06 VK9CA	. 1	Υ					S7	Suede, Right
		1	Υ					NL	Suede, Right
		1	Υ					SL	Suede, Right
		1	С	Р				TL	Suede, Right
	QC07 LAZCA	1	Υ					S7	Agate, Left
		1	С	Р				TL	Agate, Left
		1	Υ					NL	Agate, Left
		1	Υ					SL	Agate, Left
	QC07 VK9CA	. 1	Υ					S7	Suede, Left
		1	Υ					NL	Suede, Left
		1	Υ					SL	Suede, Left
		1	С	Р				TL	Suede, Left
	TK60 HD5CA	1	D					B7	Quartz, Right
		1	D					BF	Quartz, Right
		1	D					CL	Quartz, Right
		1	D					C7	Quartz, Right
	TK60 LAZCA	1	D					B7	Agate, Right
		1	D					BF	Agate, Right
		1	D					CL	Agate, Right
		1	D					C7	Agate, Right
		•							

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic






	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TK60 RK5CA	1	D					В7	Tan, Right
		1	D					BF	Tan, Right
		1	D					CL	Tan, Right
		1	D					C7	Tan, Right
	TK61 HD5CA	1	D					B7	Quartz, Left
		1	D					BF	Quartz, Left
		1	D					CL	Quartz, Left
		1	D					C7	Quartz, Left
	TK61 LAZCA	1	D					В7	Agate, Left
		1	D					BF	Agate, Left
		1	D					CL	Agate, Left
		1	D					C7	Agate, Left
	TK61 RK5CA	1	D					В7	Tan, Left
		1	D					BF	Tan, Left
		1	D					CL	Tan, Left
		1	D					C7	Tan, Left
-11	6505 077AA-	2						00	NUT, Snap In
12									ASH RECEIVER, Quarter Panel,
									Door Panel
	JU27 HD5	2	D					00	Quartz
		2	C	Н				00	Quartz
	JU27 LAZ	2	D					00	Agate
		2	Υ					00	Agate
		2	C	Н				00	Agate
	JU27 SK5	2	D					00	Tan
		2	С	Н				00	Tan
	JU27 VK9	2	Y	• •				00	Suede
		2	C	Р				00	Suede
-13		_	Ū	•					PLUG, Bezel Trim, Pull Cup
	TG71 HD5CA-	. 1	С	Н				K7	Quartz
		1	C	Н				KF	Quartz
		1	D	• •				BF	Quartz
		1	D					CL.	Quartz
		1	D					C7	Quartz
		1	C	Н				ML	Quartz
		1	C	H				MP	Quartz
		1	C	М				KF	Quartz
		1						B7	Quartz
	TG71 LAZCA-	-	C	Н				K7	Agate
		1	C	H				KF	Agate
		1	D					BF	Agate

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D					CL	Agate
		1	D					C7	Agate
		1	С	Н				ML	Agate
		1	С	Н				MP	Agate
		1	С	M				KF	Agate
		1	С	Р				TL	Agate
		1	Υ					S7	Agate
		1	Υ					NL	Agate
		1	Υ					SL	Agate
'		1	D					B7	Agate
	TG71 RK5CA	- 1	С	Н				K7	Tan
		1	С	Н				KF	Tan
		1	D					BF	Tan
		1	D					CL	Tan
		1	D					C7	Tan
		1	С	Н				ML	Tan
		1	С	Н				MP	Tan
		1	С	M				KF	Tan
		1	D					B7	Tan
	TG71 VK9CA	- 1	С	Р				TL	Suede
		1	Υ					S7	Suede
		1	Υ					NL	Suede
		1	Υ					SL	Suede

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Seat Front - Trim Code BF Figure ILH-510




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	TC32 1AZAA	1	D					BF	Agate, Right
	TC32 1K9AA	1	D					BF	Suede, Right
	TC32 1D5AA	1	D					BF	Quartz, Right
	TC33 1AZAA	1	D					BF	Agate, Left
	TC33 1D5AA	1	D					BF	Quartz, Left
	TC33 1K9AA	1	D					BF	Suede, Left
2									COVER, Front Seat Cushion
	TC34 1AZAA	1	D					BF	Agate, Right
	TC34 1D5AA	1	D					BF	Quartz, Right
	TC34 1K9AA	1	D					BF	Suede, Right
	TC35 1AZAA	1	D					BF	Agate, Left
	TC35 1D5AA	1	D					BF	Quartz, Left
	TC35 1K9AA	1	D					BF	Suede, Left
3									SEAT BACK, Front
	TC40 1AZAA	1	D					BF	Agate, Right
	TC40 1D5AA	1	D					BF	Quartz, Right
	TC40 1K9AA	1	D					BF	Suede, Right
	TC41 1AZAA	1	D					BF	Agate, Left
	TC41 1D5AA	1	D					BF	Quartz, Left
	TC41 1K9AA	1	D					BF	Suede, Left
4									COVER, Front Seat Back
	TC29 1AZAA	2	D					BF	Agate, Right & Left
	TC29 1K9AA	2	D					BF	Suede, Right & Left
	TC29 1D5AA	2	D					BF	Quartz, Right & Left
5									HEADREST, Front
	TC27 1AZAA	2	D					BF	Agate
	TC27 1D5AA	2	D					BF	Quartz
	TC27 1K9AA	2	D					BF	Suede
6									ARMREST, Seat
	TC28 1AZAA	1	D					BF	Agate
	TC28 1K9AA	1	D					BF	Suede
	TC28 1D5AA	1	D					BF	Quartz
7									SLEEVE, Headrest
	QX11 1AZAA	1	D					BF	Agate, w/Release Button
	QX11 1D5AA		D					BF	Quartz, w/Release Button
	QX11 1K5AA	1	D					BF	Tan, w/Release Button
	QX12 1AZAA		D					BF	Agate, w/o Release Button
	QX12 1D5AA		D					BF	Quartz, w/o Release Button
	QX12 1K5AA	1	D					BF	Tan, w/o Release Button
-8									SHIELD, Seat Adjuster

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Front - Trim Code BF Figure ILH-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QY22 1AZAA	- 1	D					BF	Agate, Right
	QY22 1D5AA	- 1	D					BF	Quartz, Right
	QY22 1K9AA	- 1	D					BF	Suede, Right
	QY23 1AZAA	- 1	D					BF	Agate, Left
	QY23 1D5AA	- 1	D					BF	Quartz, Left
	QY23 1K9AA	- 1	D					BF	Suede, Left
	QY25 1AZAA	- 1	D					BF	Agate, Left,Power
	QY25 1D5AA	- 1	D					BF	Quartz, Left,Power
	QY25 1K9AA	- 1	D					BF	Suede, Left,Power

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Front - Trim Code B7 Figure ILH-515




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	TC25 1AZAA	2	D					B7	Agate, Right & Left
	TC25 1D5AA	2	D					В7	Quartz, Right & Left
	TC25 1K9AA	2	D					B7	Suede, Right & Left
2									COVER, Front Seat Cushion
	TC30 1AZAA	2	D					B7	Agate, Right & Left
	TC30 1D5AA	2	D					B7	Quartz, Right & Left
	TC30 1K9AA	2	D					B7	Suede, Right & Left
3									SEAT BACK, Front
	TC40 1AZAA	2	D					В7	Agate, Right & Left
	TC40 1D5AA	2	D					B7	Quartz, Right & Left
	TC40 1K9AA	2	D					B7	Suede, Right & Left
4									COVER, Front Seat Back
	TC29 1AZAA	2	D					В7	Agate, Right & Left
	TC29 1D5AA	2	D					B7	Quartz, Right & Left
	TC29 1K9AA	2	D					B7	Suede, Right & Left
5									HEADREST, Front
	TC27 1AZAA	2	D					В7	Agate
	TC27 1D5AA	2	D					B7	Quartz
	TC27 1K9AA	2	D					B7	Suede
	TQ68 1AZAA	1						B7	Agate, [RT]
6									SLEEVE, Headrest
	QX11 1AZAA	1	D					B7	Agate, w/Release Button
	QX11 1D5AA	1	D					B7	Quartz, w/Release Button
	QX11 1K5AA	1	D					B7	Suede, w/Release Button
	QX12 1AZAA	1	D					B7	Agate, w/o Release Button
	QX12 1D5AA	1	D					B7	Quartz, w/o Release Button
	QX12 1K5AA	1	D					B7	Tan, w/o Release Button
7									SHIELD, Seat Adjuster
	QY22 1AZAA	1	D					B7	Agate, Right
	QY22 1D5AA	1	D					B7	Quartz, Right
	QY22 1K9AA	1	D					B7	Suede, Right
	QY23 1D5AA	1	D					B7	Quartz, Left
	QY23 1AZAA		D					B7	Agate, Left
	QY23 1K9AA		D					B7	Suede, Left
	QY25 1AZAA		D					B7	Agate, Left,Power
	QY25 1D5AA		D					B7	Quartz, Left,Power
	QY25 1K9AA	1	D					B7	Suede, Left,Power

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Front - Trim Code C7,CL Figure ILH-520



DESCRIPTION

Seat Front - Trim Code C7,CL Figure ILH-520



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RC62 1AZAA	2	D					C7	Agate
	RC62 1K9AA	2	D					C7	Suede
	RC62 1D5AA	2	D					C7	Quartz
6									SHIELD, Seat Adjuster
	QY22 1AZAA	1	D					C7	Agate, Right
	QY22 1D5AA	1	D					C7	Quartz, Right
	QY22 1K9AA	1	D					C7	Suede, Right
	QY24 1AZAA	1	D					C7	Agate, Right,Power
		1	D					CL	Agate, Right,Power
	QY24 1D5AA	1	D					CL	Quartz, Right,Power
		1	D					C7	Quartz, Right,Power
	QY24 1K9AA	1	D					C7	Suede, Right,Power
		1	D					CL	Suede, Right,Power
	QY25 1AZAA	1	D					C7	Agate, Left,Power
		1	D					CL	Agate, Left,Power
	QY25 1D5AA	1	D					C7	Quartz, Left,Power
		1	D					CL	Quartz, Left,Power
	QY25 1K9AA	1	D					C7	Suede, Left,Power
		1	D					CL	Suede, Left,Power
7									SLEEVE, Headrest
	QX11 1AZAA	1	D					CL	Agate, w/Release Button
		1	D					C7	Agate, w/Release Button
	QX11 1D5AA	1	D					C7	Quartz, w/Release Button
		1	D					CL	Quartz, w/Release Button
	QX11 1K5AA	1	D					C7	Suede, w/Release Button
		1	D					CL	Suede, w/Release Button
	QX12 1AZAA	1	D					C7	Agate, w/o Release Button
		1	D					CL	Agate, w/o Release Button
	QX12 1D5AA	1	D					C7	Quartz, w/o Release Button
		1	D					CL	Quartz, w/o Release Button
	QX12 1K5AA	1	D					CL	Suede, w/o Release Button
		1	D					C7	Suede, w/o Release Button

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Seat Front - Trim Code K7 Figure ILH-525



	PART	OT:		0==:==	D051/				
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	QZ40 1AZAA	2	С	Н				K7	Agate, Right & Left
	QZ40 1D5AA	2	С	Н				K7	Quartz, Right & Left
	QZ40 1K9AA	2	С	Н				K7	Suede, Right & Left
2									COVER, Front Seat Cushion
	QZ39 1AZAA	2	С	Н				K7	Agate, Right & Left
	QZ39 1D5AA	2	С	Н				K7	Quartz, Right & Left
	QZ39 1K9AA	2	С	Н				K7	Suede, Right & Left
3									SEAT BACK, Front
	QZ98 1AZAA	1	С	Н				K7	Agate, Right
	QZ98 1D5AA	1	С	Н				K7	Quartz, Right
	QZ98 1K9AA	1	С	Н				K7	Suede, Right
	QZ99 1AZAA	1	С	Н				K7	Agate, Left
· ·	QZ99 1D5AA	1	С	Н				K7	Quartz, Left
	QZ99 1K9AA	1	С	Н				K7	Suede, Left
4									COVER, Front Seat Back
	QZ96 1AZAA	1	С	Н				K7	Agate, Right
	QZ96 1D5AA	1	С	Н				K7	Quartz, Right
	QZ96 1K9AA	1	С	Н				K7	Suede, Right
	QZ97 1AZAA	1	С	Н				K7	Agate, Left
	QZ97 1D5AA	1	С	Н				K7	Quartz, Left
	QZ97 1K9AA	1	С	Н				K7	Suede, Left
5									HEADREST, Front
	RC67 1AZAA	2	С	Н				K7	Agate
	RC67 1D5AA	2	С	Н				K7	Quartz
	RC67 1K9AA	2	С	Н				K7	Suede
6									SHIELD, Seat Adjuster
	QY22 1AZAA	1	С	Н				K7	Agate, Right
	QY22 1D5AA	1	С	Н				K7	Quartz, Right
	QY22 1K9AA	1	С	Н				K7	Suede, Right
	QY24 1AZAA	1	С	Н				K7	Agate, Left
	QY24 1D5AA	1	С	Н				K7	Quartz, Left
	QY24 1K9AA	1	С	Н				K7	Suede, Left
	QY25 1AZAA	1	С	Н				K7	Agate, Left,Power
	QY25 1D5AA		С	Н				K7	Quartz, Left,Power
	QY25 1K9AA	1	С	Н				K7	Suede, Left, Power
7									SLEEVE, Headrest
	QX11 1AZAA	1	С	Н				K7	Agate, w/Release Button
	QX11 1D5AA		С	Н				K7	Quartz, w/Release Button
	QX11 1K5AA	1	С	Н				K7	Suede, w/Release Button
	QX12 1AZAA		C	Н				K7	Agate, w/o Release Button

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI

X = R/T


D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Front - Trim Code K7 Figure ILH-525


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		QX12 1D5A/ QX12 1K5A/		C C	H H				K7 K7	Quartz, w/o Release Button Suede, w/o Release Button
7——————————————————————————————————————										
2										
	H = High Lir P = Premiur	-INTREPID-LHS- LINE ne D = Int n C = LH	repid S. Concor	B0 41 rde	DDY = 4 Door Sec	dan E E	NGINE ER = 2.7L V ES = 2.7L V	6 DOHC 24V	D	RANSMISSION DGX = 4 Speed Automatic
	S = Special M = LXI X = R/T	Y = 30	OM			E E	GG = 3.5L V GW = 3.2L V GC = 3.5L V	6 MPI 24V /6 MPI 24V		

Seat Front - Trim Code NL,SL Figure ILH-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	Q 11	LINE	OLIVIED	ВОВТ	LIVOINE	IIIAIIO	I IXIII	DESCRIPTION
									OUQUION E O
1	TN86 1AZAA		Υ					N.II	CUSHION, Front Seat
	TN86 TAZAA	1						NL	Agate, Right
	TNICO 4FICA A	1	Y					SL	Agate, Right
	TN86 1FKAA	1	Y					NL	Driftwood, Right
	TN86 1K9AA	1	Y Y					NL	Suede, Right
	TNO2 4 A Z A A	1						SL	Suede, Right
	TN87 1AZAA	1	Y					NL	Agate, Left
	TNOT 1 FIZ A A	1	Y					SL	Agate, Left
	TN87 1FKAA	1	Y Y					NL	Driftwood, Left
	TN87 1K9AA	1						NL	Suede, Left
0		1	Υ					SL	Suede, Left
2	TN00 4 4 7 4 4	4	V					N II	COVER, Front Seat Cushion
	TN88 1AZAA	1	Y					NL	Agate, Right
	TNIOO 4EICAA	1	Y					SL	Agate, Right
	TN88 1FKAA	1	Y					NL	Driftwood, Right
	TN88 1K9AA	1	Y					NL	Suede, Right
	TN100 4 4 7 4 4	1	Y					SL	Suede, Right
	TN89 1AZAA	1	Y					NL	Agate, Left
	TN100 451444	1	Y					SL	Agate, Left
	TN89 1FKAA	1	Y					NL	Driftwood, Left
	TN89 1K9AA	1	Y					NL	Suede, Left
_		1	Υ					SL	Suede, Left
3			.,					٥.	SEAT BACK, Front
	TE48 1AZAA	1	Y					SL	Agate, Right
	TE48 1K9AA	1	Y					SL	Suede, Right
	TE49 1AZAA	1	Y					SL	Agate, Left
	TE49 1K9AA	1	Y					SL	Suede, Left
	TN90 1AZAA	1	Y					NL	Agate, Right
	TN90 1FKAA	1	Y					NL	Driftwood, Right
	TN90 1K9AA	1	Y					NL	Suede, Right
	TN91 1AZAA	1	Y					NL	Agate, Left
	TN91 1FKAA	1	Y					NL	Driftwood, Left
	TN91 1K9AA	1	Υ					NL	Suede, Left
4	T 100 11=::	_						٥.	COVER, Front Seat Back
	TJ36 1AZAA	1	Y					SL	Agate, Right
	TJ36 1K9AA	1	Y					SL	Suede, Right
	TJ37 1AZAA	1	Y					SL	Agate, Left
	TJ37 1K9AA	1	Y					SL	Suede, Left
	TN92 1AZAA	2	Y					NL	Agate, Right & Left
	TN92 1FKAA	2	Y					NL	Driftwood, Right & Left
	TN92 1K9AA	2	Υ					NL	Suede, Right & Left
5									HEADREST, Front
CONCORDE	-INTREPID-LHS-30	00M (I H)-							
SERIES	LINE		В	ODY		ENGINE			TRANSMISSION
H = High Lin P = Premiun				= 4 Door Se		EER = 2.7L V EES = 2.7L V			DGX = 4 Speed Automatic
S = Special	Y = 300					EGG = 3.5L V	'6 MPI 24V	•	
M = LXI X = R/T						EGW = 3.2L \ EGC = 3.5L V			

Seat Front - Trim Code NL,SL Figure ILH-530



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
- I										
		TN85 1AZAA	2	Υ					NL	Agate
i -			2	Υ					SL	Agate
		TN85 1FKAA	2	Υ					NL	Driftwood
		TN85 1K9AA	2	Υ					NL	Suede
			2	Υ					SL	Suede
_	6									SHIELD, Seat Adjuster
		QY26 1AZAA	1	Υ					SL	Agate, Heated, Right, Power
			1	Υ					NL	Agate, Heated, Right,Power
		QY26 1FKAA	1	Υ					NL	Driftwood, Heated, Right, Power
		QY26 1K9AA	1	Y					SL	Suede, Heated, Right,Power
			1	Υ					NL	Suede, Heated, Right, Power
		QY27 1AZAA	1	Υ					SL	Agate, Heated and Memory, Left,
										Power
			1	Y					NL	Agate, Heated and Memory, Left, Power
		QY27 1FKAA	1	Υ					NL	Driftwood, Heated and Memory, Left,Power
_		QY27 1K9AA	1	Y					SL	Suede, Heated and Memory, Left, Power
			1	Υ					NL	Suede, Heated and Memory, Left, Power
_	7									SLEEVE, Headrest
		QX11 1AZAA	1	Υ					SL	Agate, w/Release Button
			1	Υ					NL	Agate, w/Release Button
		QX11 1FKAA	1	Υ					NL	Driftwood, w/Release Button
-		QX11 1K5AA	1	Υ					SL	Tan, w/Release Button
			1	Υ					NL	Tan, w/Release Button

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Front - Trim Code ML Figure ILH-535



	PART								
 ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	SS09 1AZAA	2	С	Н				ML	Agate, Right & Left
	SS09 1D5AA	2	С	Н				ML	Quartz, Right & Left
	SS09 1K9AA	2	С	Н				ML	Suede, Right & Left
2									COVER, Front Seat Cushion
	SS12 1AZAA	2	С	Н				ML	Agate, Right & Left
	SS12 1D5AA	2	С	Н				ML	Quartz, Right & Left
	SS12 1K9AA	2	С	Н				ML	Suede, Right & Left
3									SEAT BACK, Front
	SS10 1AZAA	1	С	Н				ML	Agate, Right
	SS10 1D5AA	1	С	Н				ML	Quartz, Right
	SS10 1K9AA	1	С	Н				ML	Suede, Right
	SS11 1AZAA	1	С	Н				ML	Agate, Left
	SS11 1D5AA	1	С	Н				ML	Quartz, Left
	SS11 1K9AA	1	С	Н				ML	Suede, Left
4									COVER, Front Seat Back
	SS14 1AZAA	2	С	Н				ML	Agate
	SS14 1D5AA	2	С	Н				ML	Quartz
	SS14 1K9AA	2	С	Н				ML	Suede
5									HEADREST, Front
	QY82 1AZAA	2	С	Н				ML	Agate
	QY82 1D5AA	2	С	Н				ML	Quartz
	QY82 1K9AA	2	С	Н				ML	Suede
6									SHIELD, Seat Adjuster
	QY24 1AZAA	1	С	H				ML	Agate, Right,Power
	QY24 1D5AA	1	С	Н				ML	Quartz, Right,Power
	QY24 1K9AA	1	С	Н				ML	Suede, Right,Power
	QY25 1AZAA	1	С	Н				ML	Agate, Left,Power
	QY25 1D5AA	1	С	Н				ML	Quartz, Left,Power
	QY25 1K9AA	1	С	Н				ML	Suede, Left,Power
7									SLEEVE, Headrest
	QX11 1AZAA	1	С	Н				ML	Agate, w/Release Button
	QX11 1D5AA	1	С	Н				ML	Quartz, w/Release Button
	QX11 1K5AA	1	С	Н				ML	Tan, w/Release Button
	QX12 1AZAA	1	С	Н				ML	Agate, w/o Release Button
	QX12 1D5AA	1	С	Н				ML	Quartz, w/o Release Button
	QX12 1K5AA	1	С	Н				ML	Tan, w/o Release Button

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Front - Trim Code MP Figure ILH-540

8—		6
		5
		4
$ \begin{array}{c} $	6000	3
	7	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
unholde	er Serviced In A	Armrest	Only						
1	CI OCIVICCA III 7	WITH COL	Offiny						CUSHION, Front Seat
•	SR82 1K9AA	1	С	Н				MP	Suede, Right
	SR83 1AZAA	1	C	H				MP	Agate, Left
	SR82 1AZAA	1	C	н				MP	Agate, Right
	SR82 1D5AA	1	C	H				MP	Quartz, Right
	SR83 1D5AA	1	C	н				MP	Quartz, Left
	SR83 1K9AA	1	C	н				MP	Suede, Left
2	Citoo iito, vt	•		• • •					COVER, Front Seat Cushion
	SR90 1AZAA	1	С	H				MP	Agate, Right
	SR90 1D5AA	1	C	 Н				MP	Quartz, Right
	SR90 1K9AA	1	C	н				MP	Suede, Right
	SR91 1AZAA	1	C	 Н				MP	Agate, Left
	SR91 1D5AA	'	C	 H				MP	Quartz, Left
	SR91 1K9AA	1	C	н				MP	Suede, Left
3		•	Ü	• •					SEAT BACK, Front
Ŭ	SR84 1K9AA	1	С	Н				MP	Suede, Right
	SR85 1AZAA	1	C	H				MP	Agate, Left
	SR84 1AZAA	1	C	H				MP	Agate, Right
	SR84 1D5AA	1	C	н				MP	Quartz, Right
	SR85 1D5AA	1	C	н				MP	Quartz, Left
	SR85 1K9AA	1	C	H				MP	Suede, Left
4	Citoo iito, vt	•	Ū	• • •					COVER, Front Seat Back
•	SR88 1K9AA	2	С	Н				MP	Suede, Right & Left
	SR88 1AZAA	2	C	н				MP	Agate, Right & Left
	SR88 1D5AA	2		H				MP	Quartz, Right & Left
5	CITOO IDONIT	_	Ū	• • •					HEADREST, Front
Ū	QY82 1AZAA	2	С	Н				MP	Agate
	QY82 1D5AA		C	н				MP	Quartz
	QY82 1K9AA	2	C	 H				MP	Suede
6	Q102 1110781	_	Ū	• •					ARMREST, Seat
Ü	RA31 1K9AA	1	С	Н				MP	Suede
	RA31 1AZAA	1	C	 Н				MP	Agate
	RA31 1D5AA			H				MP	Quartz
7	TOTAL TOTAL	'	0	11				IVII	SHIELD, Seat Adjuster
•	QY24 1AZAA	1	С	Н				MP	Agate, Right, Power
	QY24 1D5AA		C	 Н				MP	Quartz, Right, Power
	QY24 1K9AA			H				MP	Suede, Right, Power
	QY25 1AZAA		C	H				MP	Agate, Left, Power
	QY25 1K9AA		C	H				MP	Suede, Left, Power
8	QIZU INUAA	'	J	11				IVII	SLEEVE, Headrest

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line
P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Front - Trim Code MP Figure ILH-540

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QX11 1D5AA	1	С	Н				MP	Quartz, w/Release Button
	QX11 1K5AA	1	С	Н				MP	Suede, w/Release Button
	QX12 1AZAA	1	С	Н				MP	Agate, w/o Release Button
	QX12 1D5AA	1	С	Н				MP	Quartz, w/o Release Button
	QX12 1K5AA	1	С	Н				MP	Tan, w/o Release Button



CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC TRANSMISSION DGX = 4 Speed Automatic

Seat Front - Trim Code TL Figure ILH-545



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat, Includes
									Heating Element
	TN86 1AZAA	1	С	Р				TL	Agate, Right
	TN86 1FKAA	1	С	Р				TL	Driftwood, Right
	TN86 1K9AA	1	С	Р				TL	Suede, Right
	TN87 1AZAA	1	С	Р				TL	Agate, Left
	TN87 1FKAA	1	С	Р				TL	Driftwood, Left
	TN87 1K9AA	1	С	Р				TL	Suede, Left
2									COVER, Front Seat Cushion,
									Includes Heating Element
	TN88 1AZAA	1	С	Р				TL	Agate, Right
	TN88 1FKAA	1	C	Р				TL	Driftwood, Right
	TN88 1K9AA	1	C	Р				TL	Suede, Right
	TN89 1AZAA	1	С	P				TL	Agate, Left
	TN89 1FKAA	1	C	P				TL	Driftwood, Left
	TN89 1K9AA	1	C	Р				TL	Suede, Left
3		-		-					SEAT BACK, Front
	TN90 1AZAA	1	С	P				TL	Agate, Right
	TN90 1FKAA	1	Ċ	P				TL	Driftwood, Right
	TN90 1K9AA	1	C	Р				TL	Suede, Right
	TN91 1AZAA	1	C	Р				TL	Agate, Left
	TN91 1FKAA	1	C	<u>.</u> P				TL	Driftwood, Left
	TN91 1K9AA	1	C	Р				TL	Suede, Left
4	11451 1165/07	•	O	•					COVER, Front Seat Back
7	TN92 1AZAA	2	С	Р				TL	Agate, Right & Left
	TN92 1FKAA	2		' P				TL	Driftwood, Right & Left
	TN92 11 10AA	2	C	r P				TL	Suede, Right & Left
5	11402 1140/04	_	O	•					HEADREST, Front
3	TN85 1AZAA	2	С	Р				TL	Agate
	TN85 1FKAA	2		P				TL	Driftwood
	TN85 1 KAA	2	C	P				TL	Suede
6	TNOS TRAA	2	C	Г				1 L	SHIELD, Seat Adjuster
O	QY26 1AZAA	1	С	Р				TL	Agate
	QY26 1FKAA	1	C	<u>г</u> Р				TL	Driftwood
			C					TL	Suede
7	QY26 1K9AA	1	C	Р				IL	
7	OV11 1	4	C	D				TI	SLEEVE, Headrest
	QX11 1AZAA	1	С	P P				TL	Agate, w/Release Button
	QX11 1FKAA	1	С					TL	Driftwood, w/Release Button
	QX11 1K5AA	1	С	P				TL	Suede, w/Release Button
	QX12 1AZAA	1	С	P				TL	Agate, w/o Release Buton
	QX12 1FKAA	1	С	Р				TL	Driftwood, w/o Release Buton


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Front - Trim Code TL Figure ILH-545

.н-э4э									
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	OY12 1K5AA	1	C	Р				TI	Suede w/o Release Ruton
	QX12 1K5AA	1	С	Р				TL	Suede, w/o Release Buton



CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Front - Trim Code KF Figure ILH-550



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-		•							•	
	1									CUSHION, Front Seat
_	<u> </u>	QZ78 1AZAA	1	С	Н				KF	Agate, Right
		QZ78 1D5AA	1	C	Н				KF	Quartz, Right
		QZ78 1K9AA	1	C	Н				KF	Suede, Right
		QZ79 1AZAA	1	C	Н				KF	Agate, Left
_		QZ79 1D5AA	1	С	Н				KF	Quartz, Left
		QZ79 1K9AA	1	С	Н				KF	Suede, Left
	2									COVER, Front Seat Cushion
		QZ42 1AZAA	1	С	Н				KF	Agate, Right
_		QZ42 1D5AA	1	С	Н				KF	Quartz, Right
		QZ42 1K9AA	1	С	Н				KF	Suede, Right
		QZ43 1AZAA	1	С	Н				KF	Agate, Left
		QZ43 1D5AA	1	С	Н				KF	Quartz, Left
		QZ43 1K9AA	1	С	Н				KF	Suede, Left
	3									SEAT BACK, Front
		QZ94 1AZAA	1	С	Н				KF	Agate, Right
		QZ94 1D5AA	1	С	Н				KF	Quartz, Right
		QZ94 1K9AA	1	С	Н				KF	Suede, Right
		QZ95 1AZAA	1	С	Н				KF	Agate, Left
		QZ95 1D5AA	1	С	Н				KF	Quartz, Left
_		QZ95 1K9AA	1	С	Н				KF	Suede, Left
	4									COVER, Front Seat Back
		RB28 1AZAA	1	С	Н				KF	Agate, Right
		RB28 1D5AA	1	С	Н				KF	Quartz, Right
_		RB28 1K9AA	1	С	Н				KF	Suede, Right
		RB29 1AZAA	1	С	Н				KF	Agate, Left
		RB29 1D5AA	1	С	Н				KF	Quartz, Left
		RB29 1K9AA	1	С	Н				KF	Suede, Left
_	5									HEADREST, Front
		RC67 1AZAA		С	Н				KF	Agate
		RC67 1D5AA		С	Н				KF	Quartz
	_	RC67 1K9AA	2	С	Н				KF	Suede
_	6									ARMREST, Seat
		QY60 1AZAA	1	С	M				KF	Agate
		0)/00 /55/:	1	С	Н				KF	Agate
		QY60 1D5AA		С	М				KF	Quartz
-		0\/00.41/04.4	1	С	H				KF	Quartz
		QY60 1K9AA	1	С	М				KF	Suede
	7		1	С	Н				KF	Suede
	7	0.000 4 4 7 4 4	4	0					VΕ	SHIELD, Seat Adjuster
_		QY22 1AZAA	1	С	Н				KF	Agate, Right

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line
P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Seat Front - Trim Code KF Figure ILH-550



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
		QY22 1D5AA	1	С	Н				KF	Quartz, Right
		QY22 1K9AA	1	С	Н				KF	Suede, Right
		QY24 1AZAA	1	С	Н				KF	Agate, Right,Power
		QY24 1D5AA	1	С	Н				KF	Quartz, Right,Power
		QY24 1K9AA	1	С	Н				KF	Suede, Right,Power
		QY25 1AZAA	1	С	Н				KF	Agate, Left,Power
		QY25 1D5AA	1	С	Н				KF	Quartz, Left,Power
		QY25 1K9AA	1	С	Н				KF	Suede, Left,Power
	8									SLEEVE, Headrest
_		QX11 1AZAA	1	С	Н				KF	Agate, w/Release Button
		QX11 1D5AA	1	С	Н				KF	Quartz, w/Release Button
		QX11 1K5AA	1	С	Н				KF	Tan, w/Release Button
		QX12 1AZAA	1	С	Н				KF	Agate, w/o Release Button
		QX12 1D5AA	1	С	Н				KF	Quartz, w/o Release Button
		QX12 1K5AA	1	С	Н				KF	Suede, w/o Release Button

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Rear - Trim Code BF Figure ILH-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	TC36 1D5AA	1	D					BF	Quartz
	TC36 1AZAA	1	D					BF	Agate
	TC36 1K9AA	1	D					BF	Suede
2									COVER, Rear Seat Back
	TC37 1D5AA	1	D					BF	Quartz
	TC37 1AZAA	1	D					BF	Agate
	TC37 1K9AA	1	D					BF	Suede
3									CUSHION, Rear Seat
	TC31 1D5AA	1	D					BF	Quartz
	TC31 1AZAA	1	D					BF	Agate
	TC31 1K9AA	1	D					BF	Suede
4									COVER, Rear Seat Cushion
	TC38 1D5AA	1	D					BF	Quartz
	TC38 1AZAA	1	D					BF	Agate
	TC38 1K9AA	1	D					BF	Suede


CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	TC36 1AZAA	1	D					B7	Agate
	TC36 1D5AA	1	D					B7	Quartz
	TC36 1K9AA	1	D					B7	Suede
2									COVER, Rear Seat Back
	TC37 1AZAA	1	D					B7	Agate
	TC37 1D5AA	1	D					B7	Quartz
	TC37 1K9AA	1	D					B7	Suede
3									CUSHION, Rear Seat
	TC31 1AZAA	1	D					B7	Agate
	TC31 1D5AA	1	D					B7	Quartz
	TC31 1K9AA	1	D					B7	Suede
4									COVER, Rear Seat Cushion
	TC38 1AZAA	1	D					B7	Agate
	TC38 1D5AA	1	D					B7	Quartz
	TC38 1K9AA	1	D					B7	Suede

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line
P = Premium
S = Special
M = LXI

X = R/T


D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Rear - Trim Code C7,CL Figure ILH-620



Seat Rear - Trim Code C7,CL Figure ILH-620





	PART	1 '							
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	RA04 1D5AA	. 1	С	Н				K7	Quartz
	RA04 1AZAA	1	С	Н				K7	Agate
	RA04 1K9AA	1	С	Н				K7	Suede
2									COVER, Rear Seat Cushion
	RA09 1D5AA	1	С	Н				K7	Quartz
	RA09 1AZAA	1	С	Н				K7	Agate
	RA09 1K9AA	1	С	Н				K7	Suede
3									SEAT BACK, Rear, w/Center
									Armrest
	SR26 1AZAA	1	С	Н				K7	Agate
	SR26 1D5AA	1	С	Н				K7	Quartz
	SR26 1K9AA	1	С	Н				K7	Suede
4									COVER, Rear Seat Back
	SR27 1AZAA	1	С	Н				K7	Agate
	SR27 1D5AA	1	С	Н				K7	Quartz
	SR27 1K9AA	1	С	Н				K7	Suede
5									ARMREST, Seat
	RA07 1D5AA	1	С	Н				K7	Quartz
	RA07 1AZAA	1	С	Н				K7	Agate
	RA07 1K9AA	1	С	Н				K7	Suede
6								1	COVER, Armrest, (NOT SERVICED)
									(Not Serviced)
-7									DOOR, Rear Seat Armrest
	5014 828AA-	1	С	Н				ML	
		1	С	Н				MP	
		1	С	Р				TL	
		1	С	Н				K7	
		1	С	Н				KF	

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Rear - Trim Code NL,SL Figure ILH-630



T-14	PART	ОТУ	LINE	CEDIEC	DODY	FNOINE	TDANC	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									OUGUION D. O. (
1	TN00 4 4 7 4 4							.	CUSHION, Rear Seat
	TN93 1AZAA	1	Y					NL	Agate
	TN93 1FKAA	1	Y					NL	Driftwood
	TN93 1K9AA	1	Υ					NL	Suede
		11	Y					SL	Suede
	TN93 1AZAA	1	Υ					SL	Agate
2									COVER, Rear Seat Cushion
	TN94 1AZAA	1	Υ					NL	Agate
	TN94 1FKAA	1	Υ					NL	Driftwood
	TN94 1K9AA	1	Υ					NL	Suede
		1	Υ					SL	Suede
	TN94 1AZAA	1	Υ					SL	Agate
3									SEAT BACK, Rear, 60%
	TS20 1AZAA	1	Υ					NL	Agate
	TS20 1FKAA	1	Υ					NL	Driftwood
	TS20 1K9AA	1	Υ					NL	Suede
		1	Υ					SL	Suede
	TS20 1AZAA	<u>·</u> 1	Y					SL	Agate
4	. • • • • • • • • • • • • • • • • • • •	•	•					-	SEAT BACK, Rear, 40%
•	TS21 1AZAA	1	Υ					NL	Agate
	TS21 1FKAA	1	Ϋ́					NL	Driftwood
	TS21 1K9AA	1	Y					NL	Suede
	1021 11344	1	Y					SL	Suede
	TS21 1AZAA	1	Y					SL	
_	1321 TAZAA	1	ī					SL	Agate
5									SEAT BACK, Rear, w/Center
	TO40.4.4.7.4.4	4	V					N.II	Armrest
	TS13 1AZAA	1	Y					NL	Agate
	TS13 1FKAA	1	Y					NL	Driftwood
	TS13 1K9AA	1	Y					NL	Suede
		1	Υ					SL	Suede
	TS13 1AZAA	1	Υ					SL	Agate
6									ARMREST, Rear Seat Center
	TB87 1AZAA	1	Υ					NL	Agate
		1	Υ					SL	Agate
	TB87 1FKAA	1	Υ					NL	Driftwood
	TB87 1K9AA	1	Υ					SL	Suede
		1	Υ					NL	Suede
7									COLLAR, Rear Seat Back
	SD89 1AZAA	1	Υ					NL	Agate
	SD89 1FKAA	1	Υ					NL	Driftwood
	SD89 1K9AA	1	Υ					NL	Suede

P = Premium
S = Special
M = LXI

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)


SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Seat Rear - Trim Code NL,SL Figure ILH-630

		PART									
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
		D89 1AZAA		Y					SL	Agate	
	5	SD89 1K9AA	. 1	Υ					SL	Suede	
<u>-</u>											
(3) (5)											
\forall											
\backslash \backslash \backslash											
$\begin{array}{c} (7) \\ \end{array}$											
(1) (2)											
_											
	CONCORDE-IN	ITREPID-LHS-3	300M (LH)								
	SERIES	ITREPID-LHS-3 LINE D = Intre	epid	B(41	DDY = 4 Door Sec	E dan F	NGINE ER = 2.71 VA	5 DOHC	T	RANSMISSION GX = 4 Speed Automatic	
	P = Premium S = Special	D = Intre C = LHS Y = 300	S, Concor	de	. 200, 000	E F	ES = 2.7L V6	5 DOHC 24V 6 MPI 24V			
	H = High Line P = Premium S = Special M = LXI K = R/T	. 300	-			E E	NGINE ER = 2.7L V6 ES = 2.7L V6 GG = 3.5L V6 GW = 3.2L V6 GC = 3.5L V6	6 MPI 24V 6 SOHC			



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
	1									CUSHION, Rear Seat
		SR92 1K9AA	1	С	Н				ML	Suede
		SR92 1AZAA	1	С	Н				ML	Agate
		SR92 1D5AA	1	С	Н				ML	Quartz
	2									COVER, Rear Seat Cushion
		SR95 1K9AA	1	С	Н				ML	Suede
		SR95 1AZAA	1	С	Н				ML	Agate
		SR95 1D5AA	1	С	Н				ML	Quartz
	3									SEAT BACK, Rear, w/Center
										Armrest
		SR93 1K9AA	1	С	Н				ML	Suede
		SR93 1AZAA	1	С	Н				ML	Agate
		SR93 1D5AA	1	С	Н				ML	Quartz
	4									COVER, Rear Seat Back
		SR94 1AZAA	1	С	Н				ML	Agate
		SR94 1D5AA	1	С	Н				ML	Quartz
		SR94 1K9AA	1	С	Н				ML	Suede
	5									ARMREST, Rear Seat Center
		QZ38 1K9AA	1	С	Н				ML	Suede
		QZ38 1AZAA	1	С	Н				ML	Agate
		QZ38 1D5AA	1	С	Н				ML	Quartz
	-6	5014 828AA-	1	С	Н				ML	DOOR, Rear Seat Armrest

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Rear - Trim Code MP Figure ILH-640



	PART								
 ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	SR92 1AZAA	1	С	Н				MP	Agate
	SR92 1D5AA	1	С	Н				MP	Quartz
	SR92 1K9AA	1	С	Н				MP	Suede
2									COVER, Rear Seat Cushion
	SR95 1AZAA	1	С	Н				MP	Agate
	SR95 1D5AA	1	С	Н				MP	Quartz
	SR95 1K9AA	1	С	Н				MP	Suede
 3									SEAT BACK, Rear, w/Center
									Armrest
	SR93 1AZAA	1	С	Н				MP	Agate
	SR93 1D5AA	1	С	Н				MP	Quartz
	SR93 1K9AA	1	С	Н				MP	Suede
4									COVER, Rear Seat Back
	SR94 1AZAA	1	С	Н				MP	Agate
	SR94 1D5AA	1	С	Н				MP	Quartz
 5									ARMREST, Seat
 ·	RA31 1AZAA	1	С	Н			·	MP	Agate
	RA31 1D5AA	1	С	Н				MP	Quartz
	RA31 1K9AA	1	С	Н				MP	Suede
-6	5014 828AA-	1	С	Н				MP	DOOR, Rear Seat Armrest

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Rear - Trim Code TL Figure ILH-645

	3
5	1
(2)	

	PART								
 TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	TN95 1AZAA	1	С	Р				TL	Agate
	TN95 1FKAA	1	С	Р				TL	Driftwood
	TN95 1K9AA	1	С	Р				TL	Suede
 2									COVER, Rear Seat Cushion
	TN98 1AZAA	1	С	Р				TL	Agate
	TN98 1FKAA	1	С	Р				TL	Driftwood
	TN98 1K9AA	1	С	Р				TL	Suede
 3									SEAT BACK, Rear, w/Center
									Armrest
	TN96 1AZAA	1	С	Р				TL	Agate
	TN96 1FKAA	1	С	Р				TL	Driftwood
	TN96 1K9AA	1	С	Р				TL	Suede
 4									COVER, Rear Seat Back
	TN97 1AZAA	1	С	Р				TL	Agate
	TN97 1FKAA	1	С	Р				TL	Driftwood
	TN97 1K9AA	1	С	Р				TL	Suede
 5									ARMREST, Rear Seat Center
	QZ38 1AZAA	1	С	Р				TL	Agate
	QZ38 1FKAA	1	С	Р				TL	Suede
	QZ38 1K9AA	1	С	Р				TL	
 -6	5014 828AA-	1	С	Р				TL	DOOR, Rear Seat Armrest

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan

ENGINE ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Rear - Trim Code KF Figure ILH-650

3	
1 2	

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
										_
	1									CUSHION, Rear Seat
		RA04 1AZAA	1	С	Н				KF	Agate
		RA04 1D5AA	1	С	Н				KF	Quartz
		RA04 1K9AA	1	С	Н				KF	Suede
	2	RA09 1K9AA	1	С	Н				KF	COVER, Rear Seat Cushion, Suede
	3									SEAT BACK, Rear, w/Center
										Armrest
		SR26 1AZAA	1	С	Н				KF	Agate
		SR26 1D5AA	1	С	Н				KF	Quartz
	4									COVER, Rear Seat Back
		SR27 1D5AA	1	С	Н				KF	Quartz
		SR27 1AZAA	1	С	Н				KF	Agate
		SR27 1K9AA	1	С	Н				KF	Suede
	5									ARMREST, REAR SEAT
		RA07 1D5AA	1	С	Н				KF	Quartz
		RA07 1AZAA	1	С	Н				KF	Agate
		RA07 1K9AA	1	С	Н				KF	Suede
_	-6	5014 828AA-	1	С	Н				KF	DOOR, Rear Seat Armrest

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Seat Belts - Front Figure ILH-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	,						-		
1									SEAT BELT, Front Outer
	SG62 LAZAB	1	Υ					00	Agate, Right
		1	C, D					O 0	Agate, Right
	SG63 LAZAD	1	Υ					O 0	Agate, Left
		1	C, D					O0	Agate, Left
	SG63 LAZAK	1	C, D					00	[D5], Left
	SG62 LAZAG	1	C, D					00	[D5], Right
	SG62 1FKAB	1	Υ					00	Driftwood, Right
		1	C, D					O0	Driftwood, Right
	SG63 1FKAD	1	Υ					O0	Driftwood, Left
		1	C, D					00	Driftwood, Left
	SG62 1K9AB	1	Υ					00	Suede, Right
		1	C, D					00	Suede, Right
	SG63 1K9AD	1	C, D					00	Suede, Left
		1	Υ					00	Suede, Left
	LM47 LAZAE	1						00	Agate, (European), Left
	LM46 LAZAC	1						00	Agate, (European), Right
2	6504 538	2							SCREW, Shoulder, Front Seat Belt
									Attaching Outboard
3									WIRE, Front Seat, Serviced With
									Seat Belt, (NOT SERVICED) (Not
									Serviced)
4	4698 544AD	2							ADJUSTER, Seat Belt Turning Loop
5	6504 542	2							SCREW, 6 Lobed, Adjuster to B-
									Pillar Attaching
6	4680 385	2							BUTTON, Adjuster
7									SEAT BELT, Front Center
	JX77 1K9AC	2	D					B7	Driftwood
	JX77 1AZAC	2	D					B7	Agate
	WR12 1AZAB	1	D					BF	Agate, Center Seat Position
									(Buckle) 50/50 Bench Seat, Right
	WR12 1K5AB	1	D					BF	Tan, Center Seat Position (Buckle)
									50/50 Bench Seat, Right
	WR13 LAZAB	1	D					BF	Agate, Center Seat Position (Tip)
									50/50 Bench Seat, Left
	WR13 RK5AB	1	D					BF	Tan, Center Seat Position (Tip) 50/
									50 Bench Seat, Left
	JX77 1K9AC	2	D					BF	Driftwood
	JX77 1AZAC	2	D					BF	
		2	D					C7	Agate
	JX77 1K9AC	2	D					C7	Driftwood

P = Premium
S = Special
M = LXI
X = R/T


CONCORDE-INTREPID-LHS-300M (LH)

SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

Seat Belts - Front Figure ILH-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	D					CL	
	JX77 1AZAC	2	C	Н				K7	[D5]
	JX77 1K9AC	2	C	Н				K7	Driftwood
		2	C	н				K7	Biiitwood
	JX77 1AZAC	2	C	н				K7	Agate
	JX77 1K9AC	2	C	H				KF	Driftwood
	WR12 1AZAB	_	C	Н				KF	Agate, Center Seat Position
	***************************************	•	Ü	• •					(Buckle) 50/50 Bench Seat, Right
	WR12 1K5AB	1	С	Н				KF	Tan, Center Seat Position (Buckle)
	***************************************	•		• •					50/50 Bench Seat, Right
	WR13 LAZAB	1	С	М				KF	Agate, Center Seat Position (Tip)
	***************************************	•	Ü	•••					50/50 Bench Seat, Left
	WR13 RK5AB	1	С	Н				KF	Tan, Center Seat Position (Tip) 50/
	Witte Hiteria	•		• •					50 Bench Seat, Left
	JX77 1AZAC	2	С	Н				KF	Agate
	JX77 1K9AC	1	C	М				ML	Driftwood
	JX77 1AZAC	1	C	М				ML	Agate
		2	C	M				MP	Agate
	JX77 1FKAC	2	C	М				MP	Driftwood
	WR13 RK5AB	1	С	М				MP	Tan, Center Seat Position (Tip) 50/
									50 Bench Seat, Left
	WR13 LAZAB	1	С	М				MP	Agate, Center Seat Position (Tip)
									50/50 Bench Seat, Left
	WR12 1AZAB	1	С	М				MP	Agate, Center Seat Position
									(Buckle) 50/50 Bench Seat, Right
	WR12 1K5AB	1	С	Н				MP	Tan, Center Seat Position (Buckle)
									50/50 Bench Seat, Right
	WR12 1AZAB	1	С	Н				MP	Agate, Center Seat Position
									(Buckle) 50/50 Bench Seat, Right
	JX77 1AZAC	2	Υ					NL	Agate
	JX77 1FKAC	2	Υ					NL	Driftwood
	JX77 1AZAC	1	Υ					SL	Agate
		2	С	Р				TL	Agate
	JX77 1FKAC	2	С	Р				TL	Driftwood
8	4740 415	1							EXTENDER, Seat Belt, Seatbelt
9									BOLT, Seat Belt
	4761 234	2	С	Р				TL	Attaching, w/Bucket Seats
		1	С	Н				ML	Attaching, w/Bucket Seats
		2	С	Н				MP	Attaching, w/Bucket Seats
		1	Υ					SL	Attaching, w/Bucket Seats
		2	С	Н				KF	Attaching, w/Bucket Seats
									-

P = Premium
S = Special
M = LXI
X = R/T

CONCORDE-INTREPID-LHS-300M (LH)


SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic



Seat Belts - Front Figure ILH-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
		2	С	Н				K7	Attaching, w/Bucket Seats
		2	D					BF	Attaching, w/Bucket Seats
		2	D					B7	Attaching, w/Bucket Seats
		2	D					C7	Attaching, w/Bucket Seats
		2	Υ					NL	Attaching, w/Bucket Seats
		2	Υ					N7	Attaching, w/Bucket Seats
10	6506 164AA	8							SCREW AND WASHER, Hex Head,
									Seat Belt Attaching, w/Bench
									Seating
11									COVER, Turning Loop
	UY50 LAZAA	AR						00	[AZ]
		AR						00	[D5]
	UY50 MF1AA	AR						00	[FK]
	UY50 RK5AA	AR						O0	[K9]

P = Premium
S = Special
M = LXI


X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	DI 170 1 1 7 1 D								SEAT BELT, Rear Inner
		PH76 1AZAB							00	Agate, Right
		PH76 1FKAB PH76 1K9AB							O0 O0	Driftwood, Right
		PH77 1AZAB							00	Suede, Right Agate, Left
		PH77 1FKAB							00	Driftwood, Left
		PH77 1K9AB							00	Suede, Left
		SH30 1AZAA							00	Agate, (European), Right
(5)	2		•							SEAT BELT, Rear Inner
		PH77 1AZAB	1						O0	Agate, [AZ,D5]
		PH77 1FKAB	1						O 0	Driftwood, [FK]
		PH77 1K9AB	1						O0	Suede, [K9]
$(4) \qquad (4) $	3									NUT, Seat Belt Attaching (M12x1.
										75), (NOT SERVICED) (Not
										Serviced)
	4								_	SEAT BELT, Rear Outer
		PH72 LAZAB							00	Agate, Right
		PH72 MF6AE							00	Driftwood, Right
		PH72 RK5AB							00	Tan, Right
		PH73 LAZAB PH73 MF6AE							O0 O0	Agate, Left Driftwood, Left
		PH73 RK5AB							00	Tan, Left
		PH74 1AZAC							00	Agate, (BUX), Right
		PH75 1AZAC							00	Agate, (BUX), Left
9	5	6504 542	2							SCREW, 6 Lobed, Seat Belt
										Attaching
	6									SCREW, Serviced With Seat Belt
										Only, (NOT SERVICED) (Not
										Serviced)
(8)	7									PANEL, Rear Shelf, Reference Only,
	_									(NOT REQUIRED)
	8									SCREW, Tapping, (M12 x1.75x29.
										30), (NOT SERVICED) (Not
	9									Serviced) TETHER, Child Seat
	9	TB25 LAZAE	1	D					00	Agate
		TB25 HS6AE		D					00	Quartz
		TB25 VK9AE		D					00	Suede
		TB26 LAZAE		С					00	Agate
		TB26 HS6AE		С					O0	Quartz
		TB26 VK9AE	1	С					O0	Suede
	CONCORDE	-INTREPID-LHS-3	00M (LH)—							
	SERIES H = High Lir	LINE		ВО	DY = 4 Door Sed	El	NGINE ER = 2.7L V	6 DOUC	-	TRANSMISSION DGX = 4 Speed Automatic
	P = Premiun	C = LHS	Concord	le	- 4 DOOL 360	E	ES = 2.7L V6	6 DOHC 24\	/	DON - 4 Speed Automatic
	S = Special M = LXI	Y = 300	М			E:	GG = 3.5L V GW = 3.2L V	6 MPI 24V		
	X = R/T					E	GC = 3.5L V	6 SOHC		





	PART								
 ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
 1									HEADREST, Front, See Seat
									Illustrations, (NOT REQUIRED)
2									SLEEVE, Headrest, See Seat
0									Illustrations, (NOT REQUIRED)
 -3	5010 905AA-	1	D					BF	COVER, Stanchion 50/50 A/R
	3010 903AA-	1	С	Н				MP	
		1	C	H				KF	
4									PLUG, Armrest, (NOT SERVICED)
									(Not Serviced)
5									NUT, Arm Rest, (NOT SERVICED)
									(Not Serviced)
 6									ARMREST, Seat, See Seat
7									Illustration, (NOT REQUIRED)
7									SCREW, Armrest Attaching (M6-1. 00x20.00), (NOT SERVICED) (Not
									Serviced)
 8									BRACKET, Arm Rest, Pivot
									(Serviced With Seat Back), (NOT
									REQUIRED)
 9									HANDLE, Lumbar
	4420 701	2	D					BF	
		2	D					B7	
		1	Y					SL	
		1 1	D Y					C7 N7	
		1	D					CL	
		1	C	Н				ML	
		1	С	Н				MP	
		1	Υ					NL	
		1	С	Р				TL	
		1	С	Н				K7	
 - 10		1	С	Н				KF	0005111 115 0 10 5 11 11
10									SCREW, M5x.8x12.5, Handle
									Attaching, (NOT SERVICED) (Not Serviced)
11									SHIELD, Seat Adjuster
 • •	QY22 1AZAA	1	D					BF	Agate, Right
		1	D					B7	Agate, Right
		1	Υ					S7	Agate, Right
		1	D					C7	Agate, Right

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	<u> </u>								_
		4	V					NIZ	Agoto Right
		<u>1</u> 1	C	Н				N7 K7	Agate, Right
		1	C	Н				KF	Agate, Right
	QY22 1D5AA	1	D	11				BF	Agate, Right Quartz, Right
	Q122 IDSAA	1	D					В7	Quartz, Right
		1	D					C7	Quartz, Right
		1	C	Н				K7	Quartz, Right
		1	C	Н				KF	Quartz, Right
	QY22 1K9AA	1	D	11				BF	Suede, Right
-	Q122 INSAA	1	D					B7	Suede, Right
		1	Y					S7	Suede, Right
		1	D					C7	Suede, Right
		1	Y					N7	Suede, Right
		<u>'</u>	C	Н				K7	Suede, Right
		1	C	н				KF	Suede, Right
	QY23 1AZAA	1	D					BF	Agate, Left
	Q120 17(27) (1	D					B7	Agate, Left
	QY23 1D5AA	1	D					BF	Quartz, Left
	Q.120 120701	1	D					B7	Quartz, Left
	QY23 1K9AA	1	D					BF	Suede, Left
	Q120 1110/01	1	D					B7	Suede, Left
	QY24 1AZAA	1	D					C7	Agate, Right,Power
		1	D					CL	Agate, Right,Power
		1	С	Н				ML	Agate, Right,Power
		1	С	Н				MP	Agate, Right,Power
		1	C	Н				K7	Agate, Right,Power
		1	С	Н				KF	Agate, Right,Power
	QY24 1D5AA	1	D					C7	Quartz, Right,Power
		1	D					CL	Quartz, Right,Power
		1	С	Н				ML	Quartz, Right,Power
		1	С	Н				MP	Quartz, Right,Power
		1	С	Н				K7	Quartz, Right,Power
		1	С	Н				KF	Quartz, Right,Power
	QY24 1K9AA	1	D					C7	Suede, Right,Power
		1	D					CL	Suede, Right,Power
		1	С	Н				ML	Suede, Right,Power
		1	С	Н				MP	Suede, Right,Power
		1	С	Н				K7	Suede, Right,Power
		1	С	Н				KF	Suede, Right,Power
	QY25 1AZAA	1	D					BF	Agate, Left,Power
		1	D					B7	Agate, Left,Power

H = High Line
P = Premium
S = Special
M = LXI


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)

SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Į.								
		1	Υ					S7	Agate, Left,Power
		'						C7	Agate, Left, Power
		1	Y					N7	Agate, Left,Power
		1	D					CL	Agate, Left,Power
		1	C	Н				ML	Agate, Left,Power
-		1	C	H				MP	Agate, Left,Power
		1	C	H				K7	Agate, Left,Power
		1	C	H				KF	Agate, Left,Power
	QY25 1D5AA	1	D	• • •				BF	Quartz, Left,Power
-	Q120 120701	1	D					B7	Quartz, Left,Power
		1	D					C7	Quartz, Left,Power
		1	D					CL	Quartz, Left,Power
		1	C	Н				ML	Quartz, Left,Power
		'	C	Н				MP	Quartz, Left,Power
		1	C	Н				K7	Quartz, Left,Power
		1	C	H				KF	Quartz, Left,Power
	QY25 1K9AA	1	D	••				BF	Suede, Left,Power
	Q120 11(0) () (1	D					B7	Suede, Left,Power
		1	Y					S7	Suede, Left,Power
		1	D					C7	Suede, Left,Power
		1	Y					N7	Suede, Left,Power
		1	D					CL	Suede, Left,Power
		1	C	Н				ML	Suede, Left,Power
		1	C	Н				MP	Suede, Left, Power
		1	C	Н				K7	Suede, Left,Power
		1	C	H				KF	Suede, Left,Power
	QY26 1AZAA	1	Y					SL	Agate, Right,Power
		1	Υ					NL	Agate, Right,Power
		1	С	Р				TL	Agate, Right,Power
	QY26 1FKAA	1	Y					NL	Driftwood, Right, Power
		1	С	Р				TL	Driftwood, Right,Power
	QY26 1K9AA	1							-
		1							_
		1		Р				TL	
	QY27 1AZAA	1							_
		1	Υ					NL	
		1	С	Р				TL	Agate, Left,Power
	QY27 1FKAA	1	Y					NL	
		1		Р					
	QY27 1K9AA	1	Υ					SL	Suede, Left,Power
		1	Υ					NL	
	QY26 1K9AA QY27 1AZAA QY27 1FKAA QY27 1K9AA	1 1 1 1 1 1	C Y C Y	Р				SL NL TL NL TL SL	Driftwood, Left,Power Driftwood, Left,Power

H = High Line
P = Premium
S = Special
M = LXI


X = R/T

CONCORDE-INTREPID-LHS-300M (LH)

SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic



		PART								
ITE	М	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1	С	Р				TL	Suede, Left,Power
1:	2									SCREW, Manual Recliner Handle
										Attching (8-18x.75), (NOT
										SERVICED) (Not Serviced)
1;	3									HANDLE, Seat Recliner
		4761 004	1	D					BF	Right
			1	D					B7	Right
			1	С	Н				K7	Right
		4761 005	1	D					BF	Left
			1	D					B7	Left
1	4									SCREW, Shield To Cushion
										Attaching (8-18x.75), (NOT
										SERVICED) (Not Serviced)
1:		5040 00544		0					.v=	SCREW, Hex Head
		5018 025AA	1	С	Н				KF	
			1	С	Н				ML	
			<u>1</u> 1	C	H H				MP	
			1	C	н Р				K7 TL	
			1	D	Р				CL	
			1	D					C7	
			1	Y					NL	
			1	Y					SL	
10	6		•	•					OL	RECLINER, Front Seat Back
• •		4882 676	1	D					В7	Right
		1002 010	<u>·</u> 1	D					BF	Right
			1	Y					S7	Right
			1	D					C7	Right
			1	Υ					N7	Right
			1	С	Н				K7	Right
			1	С	Н				KF	Right
		4882 677	1	D					B7	Left
			1	Υ					S7	Left
		4897 288AA	1	D					BF	Left
1	7									BOLT, Front Seat Recliner, Manual
										Recliner To Adjuster Attaching (M6-
										1.00)
		5019 619AA	1	D					B7	
			1	D					BF	
			1	Υ					S7	
			1	D					C7	

H = High Line
P = Premium
S = Special
M = LXI

X = R/T


CONCORDE-INTREPID-LHS-300M (LH)

SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Υ					N7	
		1	С	Н				K7	
		1	С	Н				KF	
18									ADJUSTER, Manual Seat
	4882 224	1	D					BF	Right,Inboard
		1	D					B7	Right,Inboard
		1	Υ					S7	Right,Inboard
		1	D					C7	Right,Inboard
		1	Υ					N7	Right,Inboard
		1	С	Н				K7	Right,Inboard
		1	С	Н				KF	Right,Inboard
	4882 225	1	D					B7	Left,Outboard
		1	D					BF	Left,Outboard
	4882 226	1	D					BF	Right,Outboard
		1	D					B7	Right,Outboard
		1	Υ					S7	Right,Outboard
		1	D					C7	Right,Outboard
		1	Υ					N7	Right,Outboard
		1	С	Н				K7	Right,Outboard
		1	С	Н				KF	Right,Outboard
	4882 227	1	D					B7	Left,Inboard
		1	D					BF	Left,Inboard
19									TOWEL BAR, Seat Adjuster Hand
	4746 292	1	D					BF	
		1	D					B7	
		1	Υ					S7	
		1	D					C7	
		1	Υ					N7	
		1	С	Н				K7	
		1	С	Н				KF	
20	6506 164AA	8							SCREW AND WASHER, Hex Hea
									Front and Rear Seat Attaching T
									Floor
21									RIVET, Towel Bar Attaching, (NOT
									SERVICED) (Not Serviced)
-22	6503 679	4							NUT, M10x1.50, Front Seat
									Mounting, Front

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line
P = Premium
S = Special
M = LXI


X = R/T

D = Intrepid C = LHS, Concorde Y = 300M


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic


Seats Attaching Parts Power Seat Figure ILH-815




Seats Attaching Parts Power Seat Figure ILH-815




Seats Attaching Parts Power Seat Figure ILH-815




Seats Attaching Parts Power Seat Figure ILH-815




Seats Attaching Parts Power Seat Figure ILH-815



Seats Attaching Parts Power Seat Figure ILH-815



Seats Attaching Parts Figure ILH-820




		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	6506 164AA	8							SCREW AND WASHER, Hex Head,
										Seat Attaching
	2	6503 679	4							NUT, M10x1.50, Front Seat
										Mounting, Front
	3	4645 801	2							RETAINER, Seat Cushion, Rear
										Cushion Attaching
	4									NUT, M12-1.75, Rear Seat Back and
										Seat Belts Attaching, (NOT
										SERVICED) (Not Serviced)

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC


Group – SLH

Body Sheet Metal Except Doors



SLH-200	SLH-300	SLH-400	SLH-500
Floor Pans	Plugs	Front Fenders	Hood & Hood Release
	©		
SLH-600	SLH-700	SLH-800	SLH–900
Cowl and Dash Panel	Glass and Rear View Mirror	Aperture Panel	Quarter Panel and Pillar


Group – SLH Body Sheet Metal Except Doors




GROUP SLH - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pans	
Front And Center Floor Pan	Fig. SLH-210
Rear Floor Pan	Fig. SLH-220
Plugs	
Plugs, Floor Pan	Fig. SLH-310
Plugs, Hood And Deck Lid	Fig. SLH-320
Plugs, Body	Fig. SLH-330
Front Fenders	
Front Fender	Fig. SLH-410
Hood & Hood Release	
Hood	Fig. SLH-510
Hood Release And Latch	Fig. SLH-520
Cowl and Dash Panel	
Cowl Screens And Support Beam	Fig. SLH-610
Cowl And Dash	Fig. SLH-620
Glass and Rear View Mirror	
Glass Windshield And Mirror	Fig. SLH-710
Glass Rear Window	Fig. SLH-720
Aperture Panel	
Aperture, Body Side	Fig. SLH-810
Aperture, Body Side	Fig. SLH-815
Quarter Panel and Pillar	
Quarter Panel	Fig. SLH-910
Roof Panels	
Roof Panel	Fig. SLH-1110
Sunroof	
Sunroof	Fig. SLH-1210
Liftgate Panel	
Deck Lid	Fig. SLH-1310
Rear Shelf Panel	
Rear Shelf Panel	Fig. SLH-1410
	•


Front And Center Floor Pan Figure SLH-210






	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
 ·· • ·•		4646 971	4							PLUG, Floor Pan
4	2 3	4780 520AA	5							PLUG, Top Seal TAPE, Butyl, (NOT SERVICED) (Not
		4780 520AA 4780 194	5							Serviced) PLUG, Top Seal PLUG, Sidesill, Inner
		4759 514AB-								GROMMET, Trunk Carpet Attaching
4										
2										
5										
5										
	H = High Lir	-INTREPID-LHS-30 LINE ne D = Intre	00M (LH) - epid	BC 41	DY = 4 Door Sed	an EE	NGINE ER = 2.7L V6	DOHC		TRANSMISSION DGX = 4 Speed Automatic
)	P = Premiur S = Special M = LXI X = R/T	C = IHS	i, Concord M	de		E(ES = 2.7L V6 GG = 3.5L V6 GW = 3.2L V GC = 3.5L V6	6 MPI 24V 6 MPI 24V	1	
	X = 101						30 = 3.3L V	3 00110		

Plugs, Hood And Deck Lid Figure SLH-320




ITEM	PART NUMBE		LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4780 194	2							PLUG, Hood
2									PLUG, Body Side Aperture, (NOT REQUIRED)
3	4814 648	3							PLUG, Deck Lid
CONCOR	DE-INTREPID-L	.HS-300M (LH)						
SERIES H = High P = Prem S = Spec M = LXI X = R/T	LIN Line D = nium C =	E : Intrepid : LHS, Conco : 300M	BC 41	ODY = 4 Door Se	edan E E E E	ENGINE EER = 2.7L V EES = 2.7L V EGG = 3.5L V EGW = 3.2L V EGC = 3.5L V	6 DOHC 24V '6 MPI 24V /6 MPI 24V	[TRANSMISSION DGX = 4 Speed Automatic

Plugs, Body Figure SLH-330



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									
1	4696 466AB								PLUG, Door, Rubber
2	4780 615AA								PLUG, Body, .75 Diameter, Pillar
3	55176 729AA								PLUG, Cowl Side, Aperture
4 5	4780 194	2							PLUG, Lower, Aperture Panel
5									TAPE, Butyl, (NOT SERVICED) (No Serviced)
									Servicea
_		_						_	
NCORDE- RIES	:-INTREPID-LHS-3 LINE	300M (LH)-	B	ODY		ENGINE		.	TRANSMISSION
RIES : High Lin : Premium : Special	D = Intre D = Intre	S, Concord	41	1 = 4 Door Se	edan E E	ENGINE EER = 2.7L V6 EES = 2.7L V6 EGG = 3.5L V	6 DOHC 24	IV C	DGX = 4 Speed Automatic

Front Fender Figure SLH-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NUMBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIW	DESCRIPTION
1									PANEL, Fender
	5003 064AC	1	D						Right
	5003 065AC	1	D						Left
	5003 060AC	1	C						Right
	5003 061AC	1	C						Left
	5003 066AC	1	<u> </u>						Right
	5003 067AC	1	Ϋ́						Left
-2		·	•						BRACKET PACKAGE, Fender to
_									Body Side Aperture
	5013 082AA-	1	Υ						
		1	D						
		1	С						
3	6504 971AA	2							SCREW, M8x1.25x20, M8X1.25X2
									00
4	6101 801	4							SCREW, Tapping Annular, M8x1.
									25x15, Tapping, M8X1.25X15
5	6502 064	AR							SCREW, Tapping, M6x1x20
6	6101 712	2							NUT, U, M6x1, M6X1, Upper
									Radiator Crossmember Attach to
									Load Beam Inner
7									BEAM PACKAGE, Upper Load Pa
	5003 848AB	1							Right
	5003 849AB	1							Left
8	6102 088AA	4							SCREW, Hex Head, M8x1.25x45
9									TOWER, Front Suspension
	4580 442AI	1							Right
	4580 443AJ	1							Left
10									SUPPORT, Headlamp Panel
	4580 546	1							Right
	4580 547	1							Left
11									BEAM, Upper Load Path
	4580 216AE	1							Right
	4580 217AE	1							Left
12	4580 776AB	1							TAPPING PLATE, Hood Hinge Bo
									to Load Beam
13	4580 777AA	1							TAPPING PLATE, Hood Hinge
14									SHIELD, Wheelhouse
	4580 486AE	1	C, Y						Right
	4580 487AE	1	C, Y						Left
	4580 194AE	1	D						Right
	4580 195AE	1	D						Left
-15									NUT

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Front Fender Figure SLH-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6504 870AA-	5	D						Plastic
		5	C, Y						Plastic
-16	6504 521	4							PIN, Push
17									SEAL, Fender To Cowl
	4580 774AC	1							Right
	4580 775AC	1							Left
18									REINFORCEMENT, Suspension
									Strut Mounting
	4580 722AJ	1							Right
	4580 723AE	1							Left
19	4580 192	2							PLATE, Suspension, Front
									Suspension Strut Mounting
20									PANEL, Fender Side Shield
	4580 186AD	1							Right
	4580 187AE	1							Left
-21	4580 795AA-	AR							SHIM, Fender, Load Beam to Front
									Fender


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

Hood Figure SLH-510




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									HOOD
		5003 088AD	1	С						
		5003 098AC	1	D						
		5003 100AD	1	Υ						
	-2									CLIP, Hood
		4580 778AA-	1	D, Y						
			1	С						
	-3	4580 793AF-	1	Υ						PANEL, Under Hood Appearance
	-4	6504 090	6	Υ						RIVET, Plastic Gray
	-5									SILENCER, Hood
		4580 565AC-	1	C, Y						
		4580 566AC-	1	D						
	-6	6502 842	13	D						PIN, Push, M6.35x12.60
	7									HINGE, Hood
		4580 136AF	1	D, Y						Right
		4580 137AF	1	D, Y						Left
		4580 138AG	1	С						Right
		4580 139AG	1	С						Left
	8	6100 592	4							SCREW, M8x1.25x30, Attaching,
										Hood Hinge
	9	4780 090	1							WEATHERSTRIP, Hood to Radiator,
										Hood to Radiator
	10		_							PROP, Gas
		4580 770AC	1	D, Y						Right
		4580 771AC	1	D, Y						Left
	11	4500 770 A D	4	•						PROP, Hood
)		4580 772AB	1	С						Right
	40	4580 773AB	1	С						Left
	12	6504 971AA	2							SCREW, M8x1.25x20, M8X1.25X20
	13	5253 192	2							BUMPER, Hood, Stop Bumper
	14	4696 592	2							BUMPER, Hood, Hood Adjust
	-15	4780 549AA-	1							DEADENER, Hood To Cowl Seal Extension
	16	4580 349AF	1							BRACE, Front Strut Tower to Tower
	10	7000 0 1 3/1	'							DIAOL, I TOTA STALL TOWER TO TOWER

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Hood Release And Latch Figure SLH-520




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
	1	4580 280AB	1							RELEASE, Hood Latch
_	2	6504 476	2							SCREW, Hex Flange Head Tapping,
										M4.8 x 1.59 x 38.00
	-3	4646 042	1							CLIP, Hood Latch Release
_	4									LATCH, Hood
		4580 180AB	1	D						
		4580 282AB	1	С						
		4580 730AB	1	X, Y						
	5	6101 446	8							NUT AND WASHER
	6	6504 905AA	2							CLIP, M5 x 21.80
	7	4658 887	4	C, Y						PUSH PIN, Front Door Glass Run
										With Weatherstrip
	8									SEAL
_		4780 532AB	1	D						Hood Latch Upper Radiator
										Crossmember
		4780 533AB	1	C, Y						Hood Latch Upper Radiator
										Crossmember
_	9	4696 592	2							BUMPER, Hood

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Cowl Screens And Support Beam Figure SLH-610




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4580 638AB	1							SCREEN, Cowl, Plenum
2									GROMMET, Cowl
	4805 119AB	2							Cowl To Fender
		7							Upper,Plenum
3									SCREEN, Cowl Top
	4805 014AB	1	D, Y						Right
	4805 015AB	1	D, Y						Left
	4805 016AD	1	С						Right
	4805 017AD	1	С						Left
4									SCREW, (NOT SERVICED) (Not
									Serviced)
5	6502 964	1							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25
6	4580 409AD	1							BEAM, Steering Column Support
7									NUT, (NOT SERVICED) (Not
									Serviced)
8	4580 685AC	1							STRUT, Beam Bracket to Airbag
									Bracket
9									NUT, (NOT SERVICED) (Not
									Serviced)
10									SCREW, (NOT SERVICED) (Not
									Serviced)
-11	4574 395	1							WEATHERSTRIP, Hood to Cowl
-12									SEAL, Fender To Cowl
	4580 774AG-	1							Right
	4580 775AG-	1							Left

X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Cowl And Dash Figure SLH-620



Glass Windshield And Mirror Figure



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4575 377AC	1	C, D, X						WINDSHIELD, Solar
2	4575 707AA	3							SPACER, Windshield Bottom Sto
3	4609 116AA	12							SPACER
4	4005 000 A D	4							MIRROR, Inside Rear View
	4805 332AB	1							Prismatic - Trapezoidal
_	4805 572AA	1							Electrochromic, with [GNT]
5									WIRE COVER, Mirror, Inside Rea
									Electorchromic Mirror (Cancelled
									Not Required), (NOT SERVICEI
•	FF07 C404	4							(Not Serviced)
6	5507 6401	1							BUTTON, Rear View Mirror

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE


H = High Line
P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Glass Rear Window Figure SLH-720




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SPACER, With Backlite, (NOT
									REQUIRED)
2	4575 371	1	Υ						BACKLITE, Molding Serviced With
									Glass
3									BACKLITE, Tinted, Solar Control
	4575 373	1	D						Molding Serviced With Glass
	4575 375	1	С						Molding Serviced With Glass
4									WIRING, Electric Backlight Ground
	4759 137AB	1	Υ						
		1	С						
	4759 523AA	1	D						
5									WIRING, Electric Back Light Feed
	4759 138AB	1	Y						
		1	С						
	4759 522AA	1	D						
6									WIRING, Electric Backlight Ground
	4759 137AB	11	Y						
		1	С						
_	4759 523AA	1	D						EBL Pigtail Feed
7									WIRING, Electric Back Light Feed
	4759 138AB	1	Y						
		1	C						
	4759 522AA	1	D						EBL Pigtail Feed

CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Aperture, Body Side Figure SLH-810

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture,
									(Serviced In Illustration 815), (NOT
									SERVICED) (Not Serviced)
2									PANEL, Windshield Frame
	4575 386	1	D						Right
	4575 387	1	С						Left
	4575 386	1	С						Right
		1	Υ						Right
	4575 387	1	Υ						Left
		1	D						Left
3									SUPPORT, Roof
	4575 466	1	D						Right
	4575 467	1	D						Left
	4575 595	1	С						Left
	4575 594	1	С						Right
		1	Υ						Right
	4575 595	1	Υ						Left
4									SILL, Body Side
	4580 398AE	1							Right
	4580 399AE	1							Left
-5	4520 289	AR							SPACER, Door Latch Striker
-6	4780 259	2							STRIKER, Door
-7	6503 120	4							SCREW AND WASHER, Button
									Head Torx

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

H = High Line P = Premium
S = Special
M = LXI

X = R/T

D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

	200
	3
2	
	5 4


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL PACKAGE, Body Side
									Aperture Front
	5003 764AD	1	Υ						Right
	5003 765AD	1	Υ						Left
	5016 886AA	1	С						Right
	5016 887AA	1	С						Left
	5016 892AB	1	D						Right
	5016 893AB	1	D						Left
2									PANEL PACKAGE, Body Side
									Aperture Center
	5003 766AC	1	Υ						Right
	5003 767AC	1	Υ						Left
	5016 888AA	1	С						Right
	5016 889AA	1	С						Left
	5016 894AB	1	D						Right
	5016 895AB	1	D						Left
3									PANEL PACKAGE, Body Side
									Aperture Rear
	5003 768AB	1	С						Right
	5003 769AB	1	С						Left
	5003 772AD	1	Υ						Right
	5003 773AD	1	Υ						Left
	5003 770AD	1	D						Right
	5003 771AD	1	D						Left
4									PANEL PACKAGE, Body Side Si
	5003 776AD	1	D						Right
	5003 777AD	1	D						Left
5									PANEL PACKAGE, SIII
	5003 774AD	1	Υ						Right
	5003 775AD	1	Υ						Left
	5016 891AA	1	С						Left
	5016 890AA	1	С						Right

X = R/T


CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Quarter Panel Figure SLH-910



Quarter Panel Figure SLH-910



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•		•	•		
-12	4759 541AB-	1							TROUGH, Deck Opening, Decklid
									Wiring
-13	4759 757AA-	1							TROUGH, Body Wiring
14									PANEL, Decklid Opening
	4575 209AI	1	D						
	4575 210AC	1	Υ						
	4575 208AG	1	С						
15									EXTENSION, Body Side Sill
	4580 446AE	1							Right
	4580 447AE	1							Left
16									PANEL, Quarter Inner
	4575 009AD	1	Υ						Left
	4575 014AH	1	С						Right
	4575 006AH	1	D						Right
	4575 008AF	1	Υ						Right
	4575 015AH	1	С						Left
17									EXTENSION, Quarter Panel, Lower
	4575 646AH	1	С						Right
	4575 647AJ	1	С						Left
	4575 406AG	1	D						Right
	4575 407AH	1	D						Left
	4575 674AE	1	Υ						Right
	4575 675AF	1	Υ						Left
18									EXTENSION, Quarter Panel, Rear
	4575 218AF	1	С						Right
	4575 219AF	1	С						Left
19									EXTENSION, Quarter Panel
	4575 224AK	1	D						Right
	4575 225AJ	1	D						Left
	4575 634AG	1	Y						Right
	4575 635AG	1	Υ						Left
20			2 1/						SHIELD, Wheelhouse
	4575 412AG	1	C, Y						Right
	4575 413AG	1	C, Y						Left
	4575 414AF	1	D						Right
04	4575 415AF	1	D						Left
21									PANEL, Decklid Opening, Lower
	4575 252AB	1	Y						Outer
	4575 252AB 4575 247	1	C						
	4575 247 4575 249		D						
	4070 249	1	D						

X = R/T


BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic


AR = Use as required -= Non illustrated part # = New this model year



Quarter Panel Figure SLH-910



Roof Panel Figure SLH-1110



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Roof
	4575 192AC	1	Υ						w/o Sunroof
	4575 193	1	С						w/o Sunroof
	4575 194AB	1	D						w/o Sunroof
	4805 172AG	1	С						w/Sunroof
	4805 173AH	1	D						w/Sunroof
	4805 174AI	1	Υ						w/Sunroof
2	4575 457AC	1							HEADER, Windshield
3									HEADER, Rear Window Opening
	4575 195AD	1	Υ						
	4575 196AD	1	С						
	4575 197AD	1	D						
4									REINFORCEMENT, Roof Panel,
									Serviced With Item 1, (NOT
									REQUIRED)
-5	2654 684	2							TAPE, Acess Hole
-6	6505 411AA-	4							PIN, Push

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Sunroof Figure SLH-1210

9	15 (13)	(11) (17)
•		16
10 13	10 13	


	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	TL97 TL2AA-	1							SUNSHADE, Sunroof
-2	5011 591AA-	1							CONTROL UNIT, Sunroof
-3	5011 592AA-	1							MOTOR, Sunroof
-4	5011 602AA-	1							DEFLECTOR, Sunroof Wind
-5	5011 603AA-	1							CHANNEL, Sunroof Drain
-6	5011 656AD-	1							MODULE, Sunroof
-7	5011 658AA-	1							KIT, Sunshade Slide
8	5011 600AB	1							GLASS, Sunroof
9	4760 731AD	1							WIRING, Sunroof, Jumper
10									TUBE, Sunroof Drain
	4805 178AF	1							Right
	4805 179AG	1							Left
11									TUBE, Sunroof Drain
	4805 330AE	1	С						Right
	4805 331AE	1	С						Left
	4805 348AH	1	D						Right
	4805 349AH	1	D						Left
	4805 398AD	1	Υ						Right
	4805 399AD	1	Υ						Left
12	4805 175AA	2							GROMMET, Tube, Sunroof Drain
									Tube
13	6502 450	1							CLAMP, HOSE CLAMP, I.D. 13-14.
									9MM
14	6505 746AA	8							SCREW AND WASHER, Hex Head
									Locking, M6 x 1.00 x 21.00
15	6505 527AA	6							NUT AND RETAINER, Hex Flange,
									M6 X 1.00, Head, M6x1.0
16	4805 280AA	2							GROMMET, Tube, Rear Sunroof
									Drain
17	4805 378AB	2							CLIP, Tube

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

Deck Lid Figure SLH-1310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DECKLID
	5003 266AB	1	D						
	5003 282AG	1	С						
	5003 283AC	1	Υ						
-2	SA70 DX9AA-	1	С						STRAP, Cargo Tie Down, Deck Lid
									Pull Down
-3	6505 425AA-	4							PIN
4									WEATHERSTRIP, Decklid
	4575 226	1	С						
	4575 465	1	D						
	4575 474AD	1	Υ						
5									HINGE, Deck Lid
	4575 144AE	1	С						Right
	4575 145AF	1	С						Left
	4575 146AE	1	D						Right
	4575 147AE	1	D						Left
	4575 656AD	1	Υ						Right
	4575 657AD	1	Υ						Left
6	6505 636AA	4							SCREW AND WASHER, M8x1.
									25x20
7									PROP, Deck Lid
	4575 629AB	2	С						
	4575 666AC	2	X, Y						
	4756 959AB	2	D						
8	6100 287	2							SCREW, M6x1x25, M6X1X25,
									Decklid Striker Attach
9	4575 670AB	1							STRIKER, Decklid Latch
10									LATCH, Decklid
	4575 361AC	1	С						
	4575 362AC	1	D, Y						
11									BUMPER, Deck Lid Overslam
	4575 687AA	2	D						
	4575 689AB	2	С						
	4575 691AB	2	Υ						
-12	4696 488	2							FASTENER, Deck Lid, Bumper Deck Lid Overslam
-13	4575 695AA-	2							BUMPER, Deck Lid Overslam, Deck
									Lid Overslam Outside Body Half
-14									COVER, Decklid Interior Trim
	4628 812AC-	1	D						
	4628 813AC-	1	Υ						


CONCORDE-INTREPID-LHS-300M (LH)—SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI
X = R/T

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

TRANSMISSION DGX = 4 Speed Automatic

AR = Use as required -= Non illustrated part # = New this model year

Deck Lid Figure SLH-1310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									-
	4698 341AD-	1	С						
15	6503 568	1							SCREW AND WASHER, Hex Head
									Tapping, M16x1x17, M16X1X17
16									WIRING, Reference, (NOT
									REQUIRED)
17									BRACKET, Lock Cylinder Attach
	4575 148	1	Υ						
	4575 162	1	D						
	4575 623	1	С						
18									SWITCH, Deck Lid Alarm
	4608 287AB	1	D						
		1	С						
		1	Υ						
19	0153 908	2							SCREW, Security Switch Attaching
20									LINK, Deck Lid Lock Cylinder
	5012 876AA	1	С						Black
	5012 877AA	1	D, Y						White

X = R/T

CONCORDE-INTREPID-LHS-300M (LH)—
SERIES LINE
H = High Line D = Intrepid
P = Premium C = LHS, Concorde
S = Special Y = 300M
M = LXI D = Intrepid C = LHS, Concorde Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC

3	2	1)
		0,0,0,0
TO 8		
		>
4		

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REINFORCEMENT, Shelf Panel
									Rear
	4575 496	1	D						without Power Sunroof
	4575 684AB	1	С						w/Sunroof
	4575 495AB	1	С						without Power Sunroof
	4575 497	1	Υ						without Power Sunroof
	4575 685AA	1	D						w/Sunroof
	4575 686AA	1	Υ						w/Sunroof
2									PANEL, Shelf
	4575 694AB	1	С						
	4575 620AD	1	D						
	4575 692AC	1	Υ						
3									SHELF, Rear Seat Back Attach
									Upper, Upper
	4780 643AA	1	С						
	4780 652AA	1	D, Y						
4	4580 515AB	1							SHELF, Rear Seat Back Attach
									Upper, Lower, Rear Seat Back
									Attach, Lower
-5									REINFORCEMENT, Shelf Panel
									Rear
	4575 686AA-	1	Υ						
	4575 684AB-	1	С						
	4575 685AA-	1	D						

CONCORDE-INTREPID-LHS-300M (LH)— SERIES LINE

SERIES
H = High Line
P = Premium
S = Special
M = LXI

X = R/T

LINE
D = Intrepid
C = LHS, Concorde
Y = 300M

BODY 41 = 4 Door Sedan ENGINE EER = 2.7L V6 DOHC EES = 2.7L V6 DOHC 24V EGG = 3.5L V6 MPI 24V EGW = 3.2L V6 MPI 24V EGC = 3.5L V6 SOHC